FORM PTO-1390 (Modified) (REV 11-98) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE 6433/80968 TRANSMITTAL LETTER TO THE UNITED STATES U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR DESIGNATED/ELECTED OFFICE (DO/EO/US) **09/**70113 CONCERNING A FILING UNDER 35 U.S.C. 371 PRIORITY DATE CLAIMED INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE OIP PCT/AU99/00385 21 MAY 1999 21 MAY 1998 TITLE OF INVENTION ANTIGENS AND THEIR DETECTION NOV 2 1 2000 APPLICANT(S) FOR DO/EO/US Peter Richard Reeves and Lei Wang ADEMAR Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 2. This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay 3 examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) is transmitted herewith (required only if not transmitted by the International Bureau). b. 🗵 has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US). A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. A copy of the International Search Report (PCT/ISA/210). 8.⊫⊠ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). W have been transmitted by the International Bureau. c. 🗆 have not been made; however, the time limit for making such amendments has NOT expired. d. 🗆 have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). 11. A copy of the International Preliminary Examination Report (PCT/IPEA/409). 12. A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)). 14 Items 13 to 20 below concern document(s) or information included: 13. An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 14. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 15. \times A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. 16. 17. A substitute specification. 18. A change of power of attorney and/or address letter. 19. Certificate of Mailing by Express Mail 20. Other items or information:

528 Rec'd PCT/PTO 21 NOV 2000

Û.S. AP	APPLICATION NO. OF KNOWN SEE 37 CER 2 INTERNATIONAL APPLICATION NO. PCT/AU99/00385							DOCKET NUMBER			
					PC1/A	1099/0038	85		1	043	33/80968
21.		lowing fees			(5)				CAI	CULATIONS	PTO USE ONLY
	BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2) paid to USPTO and International Search Report not prepared by the EPO or JPO										
☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but Internation Search Report prepared by the EPO or JPO											
	☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4)										
	☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4)										
}		ENTE	R APP	ROPRI	ATE BASIC F	EE AM	OUNT:	=		\$1,000.00	
Surchar months	ge of \$130.0 from the ear	0 for furnis	hing the o	ath or decla	ration later than FR 1.492 (e)).	□ 20) 🗆	30		\$0.00	
CLA	IMS	NU	MBER F	ILED	NUMBER EX	TRA	RAT	E			
Total cl	aims		31	- 20 =	11		x \$18	.00		\$198.00	
	dent claims		22	- 3=	0		x \$80	.00		\$0.00	
Multipl	le Dependen	t Claims (ch			LABOVE CAL	CITIL AT	TONG			\$0.00	
Daduati	on of 1/2 for	. Elina by a			ABOVE CAL			=		\$1,198.00	
must als	on of 1/2 for so be filed (1	Note 37 CF	R 1.9, 1.2	y, 11 applica 7, 1.28) (ch	ble. Verified Small leck if applicable).	Entity State	ement	×		\$599.00	
\$11.8 	<u></u>					SUB	ГОТАІ	<u>, = </u>		\$599.00	
Process months	ing fee of \$1 from the ear	30.00 for fulliest claimed	rnishing t d priority	the English date (37 C	translation later than FR 1.492 (f)).	□ 20) [30 +		\$0.00	
hil:					TOTAL NAT	ΓΙΟΝΑΙ	FEE	=		\$599.00	
Fee for accomp	Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be acceptionally an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable).										
ų.					TOTAL FEES	S ENCL	OSED	=		\$599.00	
1148 1148 1148										unt to be: refunded	\$
										charged	\$
	A check in the amount of \$599.00 to cover the above fees is enclosed.										
The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 23-0920 A duplicate copy of this sheet is enclosed.											
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.											
SEND ALL CORRESPONDENCE TO:											
							SIGNA'	FURE	<u> </u>	~ H	holog
							s	hannor	ı L. N	Nebolsky, Esq	ı .
}							NAME			• /	
l									41,2	17	
REGISTRATIO						TRATIO	_ 				
ľ										r 20, 2000	
							DATE			20, 2000	

09/701132 528 Rec'd POT/PTO 21 NOV 2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Peter Richard Reeves and Lei Wang)	7
	and her wang)	Attorney Docket: 6433/80968
U.S. Serial	No.: Not yet assigned)	
Filed: No	vember 21, 2000)	
For: ANTIG	ENS AND THEIR FION))	Examining Group: 1600
Examiner: No	ot vet assigned)	

PRELIMINARY AMENDMENT and SEQUENCE LISTING

Commissioner for Patents Washington, D.C. 20231

Sir:

The subject application is a U.S. National Phase filing under 35 U.S.C. 371 based on International Patent Application Serial No. PCT/AU99/00385, international filing date May 21, 1999, claiming the benefit of foreign priority filing of Australian Patent Application Serial No. PP 3634, filed May 21, 1998.

ABSTRACT:

After the claims, please insert the following Abstract of the invention.

--ABSTRACT

The invention relates to novel nucleotide sequences located in a gene which encodes a bacterial flagellin antigen, and the use of those nucleotide sequences for the detection of bacteria which express particular flagellin antigens, on the basis of that antigen alone, or in conjunction with the O antigen expressed by that strain.--

IN THE CLAIMS:

Please amend the claims as follows:

- 21. A method according to [any one of claims 8, 9, 11, 15 or 19] claim 7 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 22. A kit for identifying the H serotype of *E. coli*, the kit comprising at least one nucleic acid molecule according to [any one of claims 1 to 6] claim 1.
- 23. A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) at least one nucleic acid molecule according to [any one of claims 1 to 6] claim 1; and
- (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or

processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.

Please insert the following new claims.

- 26. A method according to claim 9 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 27. A method according to claim 11 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 28. A method according to claim 15 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 29. A method according to claim 19 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 30. A kit for identifying the H serotype of *E. coli*, the kit comprising at least one nucleic acid molecule according to claim 6.
- 31. A kit for identifying the H and O serotype of E. coli, the kit comprising:

- (a) at least one nucleic acid molecule according to claim 6; and
- (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.

REMARKS

I. The Amendments

Claims 21 through 23 were amended to remove multiple dependency. New claims 26 to 31 were added to maintain the claimed subject matter as filed before removal of multiple dependency. The new claims are supported by the claims originally filed. A typographical error in claim dependency was also corrected in claim 21. No new matter has been added to the subject patent application by virtue of this preliminary amendments.

Claims 1 through 31 are in the case and are before the Examiner. An Abstract page has been added to the specification. The text for the abstract was taken from the PCT application abstract, thereby adding no new matter.

Pursuant to the new rules of practice in patent cases before the U.S. Patent and Trademark Office, a clean copy of the claims before the Examiner after entry of the Preliminary Amendment are enclosed. For the convenience of the Patent Office, a clean copy of the new Abstract page is also enclosed.

II. Biological Sequence Listing Statements under 1.825(a) and 1.821(f)

This Preliminary Amendment including Statements under 37 C.F.R. 1.825(a) and 1.821(f) is accompanied by substitute sheets for the paper copy of the Sequence Listing of the above-identified patent application. The content of the Sequence Listing is the same as that of the Sequence Listing for the international application as filed in the PCT, the difference being that the format has been updated in the paper copy to conform to the current U.S. Patent Office Sequence Listing requirements with page numbers beginning at 1.

This paper is also accompanied by a writeprotected diskette (3.50 inch, 1.44 Mb storage
capacity) containing the computer readable form (CRF)
of the Sequence Listing as ASCII output from PatentIn
version 2.0. The computer readable form filename is

"P30384.app". The CRF of the sequence listing was generated by the PCT-filing associate in Australia using Patentin Version 2.0 on May 21, 1999 on a PC-compatible computer.

The Patentin output was transmitted via e-mail and copied onto the enclosed diskette November 21, 2000 unaltered as received. The information recorded in the computer readable form is identical to the enclosed paper copy of the Sequence Listing. A copy of the Patentin output was opened into a word processing program separately to produce the enclosed paper copy substitute sheets of the Biological Sequence Listing that has the appropriate page numbering. The substitute sheets include no new matter.

SUMMARY

The claims and specification have been preliminarily amended to conform to U.S. practice, and substitute pages incorporating the preliminary amendments are enclosed, along with a computer-readable form of the Biological Sequence Listing to supplement the paper copy already transmitted from the international authority.

The application is believed to be in condition for allowance. An early notice to that effect is earnestly solicited.

No further fee or petition is believed to be necessary. However, should any further fee be needed, please charge our Deposit Account No. 23-0920, and deem this paper to be the required petition.

The Examiner is requested to phone the undersigned should any questions arise that can be dealt with over the phone to expedite this prosecution.

Respectfully submitted,

Shannon L. Nebolsky, Reg. No. 41,217

Enclosures:

Diskette with file P30384.app

Welsh & Katz, Ltd. 120 South Riverside Plaza 22nd Floor Chicago, Illinois 60606 (312) 655-1500

CERTIFICATE OF EXPRESS MAILING

I hereby certify that this Preliminary Amendment and Sequence Listing, together with the stated enclosures, is being deposited with the United States Postal Service as Express Mail (EL617904151US) in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on November 21, 2000.

Slam J Neloloz

CLAIMS

- 1. A nucleic acid molecule which encodes all or part of an *E. coli* flagellin protein, the molecule being capable of identifying the H serotype of an *E. coli* when hybridised to a gene of the *E. coli* which encodes a flagellin protein, provided that the molecule does not encode a flagellin protein expressed by the *E. coli* H1, H7, H12 or H48 type strains.
- 2. A nucleic acid molecule according to claim 1 wherein the molecule is derived from a flic gene.
- 3. A nucleic acid molecule according to claim 1 including all or part of a sequence according to any one of SEQ ID NOs:1 to 68.
- 4. A nucleic acid molecule according to claim 1 consisting of all or part of a sequence according to any one of SEQ ID NOs: 1 to 68.
- 5. A nucleic acid molecule according to claim 4 wherein the molecule is from about 10 to 20 nucleotides in length.
- 6. A primer selected from the group of primers shown in Table 3.
- 7. A method of detecting the H serotype of *E. coli* in a sample, the method comprising the following steps:

- (a) contacting a gene of an E. coli in the sample with a nucleic acid molecule according to claim1 in conditions sufficient to allow the nucleic acidmolecule to hybridise to the gene; and
- (b) detecting a nucleic acid molecule which is hybridised to the gene, to detect the H serotype of the E. coli in the sample.
- 8. A method according to claim 7 wherein the hybridised nucleic acid molecules are detected by Southern Blot analysis.
- 9. A method of detecting the H serotype of *E. coli* in a sample, the method comprising the following steps:
- (a) contacting a gene of an *E. coli* in the sample with a pair of nucleic acid molecules according to claim 1 in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene; and
- (b) detecting a pair of nucleic acid molecules which is hybridised to the gene, to detect the H serotype of the $E.\ coli$ in the sample.
- 10. A method according to claim 9 wherein the hybridised pairs of nucleic acid molecules are detected by the polymerase chain reaction.
- 11. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:

- (a) contacting a gene of the *E. coli* with a nucleic acid molecule derived from a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a *E. coli* O antigen, in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene;
- (b) contacting a gene of an E. coli in the sample with a nucleic acid molecule according to claim 1 in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene; and
- (c) detecting nucleic acid molecules which are hybridised to the genes, to detect the H and O serotype of the $E.\ coli$ in the sample.

A method according to claim 11 wherein the

- nucleic acid molecule of step (a) is selected from the group consisting of:

 wbdH (nucleotide position 739 to 1932 of Figure 5),

 wzx (nucleotide position 8646 to 9911 of Figure 5),

 wzy (nucleotide position 9901 to 10953 of Figure 5),

 wbdM (nucleotide position 11821 to 12945 of Figure 5),

 wbdN (nucleotide position 79 to 861 of Figure 6),

 wbdO (nucleotide position 2011 to 2757 of Figure 6),

 wbdP (nucleotide position 5257 to 6471 of Figure 6),

 wbdR (nucleotide position 13156 to 13821 of Figure 6),

 wzx (nucleotide position 2744 to 4135 of Figure 6) and

 wzy (nucleotide position 858 to 2042 of Figure 6).
- 13. A method according to claim 12 wherein the nucleic acid molecule of step (a) is a primer

selected from the group of primers shown in Tables 8, 8A, 9 and 9A.

- 14. A method according to claim 11 wherein the hybridised nucleic acid molecules are detected by Southern Blot analysis.
- 15. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:
- (a) contacting a gene of the *E. coli* with a pair of nucleic acid molecules derived from a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a *E. coli* O antigen, in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene;
- (b) contacting a gene of an *E. coli* in the sample with a pair of nucleic acid molecules according to claim 1 in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene; and
- (c) detecting pairs of nucleic acid molecules which are hybridised to the genes, to detect the H and O serotype of the $E.\ coli$ in the sample.
- 16. A method according to claim 15 wherein the pair of nucleic acid molecules of step (a) is selected from the group consisting of:

wbdH (nucleotide position 739 to 1932 of Figure 5),
wzx (nucleotide position 8646 to 9911 of Figure 5),

wzy (nucleotide position 9901 to 10953 of Figure 5),
wbdM (nucleotide position 11821 to 12945 of Figure 5),
wbdN (nucleotide position 79 to 861 of Figure 6),
wbdO (nucleotide position 2011 to 2757 of Figure 6),
wbdP (nucleotide position 5257 to 6471 of Figure 6),
wbdR (nucleotide position 13156 to 13821 of Figure 6),
wzx (nucleotide position 2744 to 4135 of Figure 6) and
wzy (nucleotide position 858 to 2042 of Figure 6).

- 17. A method according to claim 15 wherein the nucleic acid molecules of the pair of step (a) are primers selected from the group of primers shown in Tables 8, 8A, 9 and 9A.
- 18. A method according to claim 15 wherein the hybridised pairs of nucleic acid molecules are detected by the polymerase chain reaction.
- 19. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:
- (a) contacting a gene of an E. coli in thesample with a nucleic acid molecule according to claim1, in conditions sufficient to allow the nucleic acidmolecule to hybridise to the gene; and
- (b) detecting a nucleic acid molecule which is hybridised to the gene, to detect the H and O serotype of $E.\ coli$ in the sample.
- 20. A method according to claim 19 wherein the nucleic acid molecule is according to any one of SEQ ID NOS: 9, 55, 57 to 65.

- 21. A method according to claim 7 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 22. A kit for identifying the H serotype of *E. coli*, the kit comprising at least one nucleic acid molecule according to claim 1.
- 23. A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) at least one nucleic acid molecule according to claim 1; and
- (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.
- 24. A kit according to claim 23 wherein the at least one nucleic acid molecule of (a) is selected from the group

consisting of:

wbdH (nucleotide position 739 to 1932 of Figure 5),
wzx (nucleotide position 8646 to 9911 of Figure 5),
wzy (nucleotide position 9901 to 10953 of Figure 5),
wbdM (nucleotide position 11821 to 12945 of Figure 5),
wbdN (nucleotide position 79 to 861 of Figure 6),
wbdO (nucleotide position 2011 to 2757 of Figure 6),
wbdP (nucleotide position 5257 to 6471 of Figure 6),

wbdR (nucleotide position 13156 to 13821 of Figure 6),
wzx (nucleotide position 2744 to 4135 of Figure 6) and
wzy (nucleotide position 858 to 2042 of Figure 6).

- 25. A kit according to claim 24 wherein the nucleic acid molecule of (a) is a primer selected from the group of primers shown in Tables 8, 8A, 9 and 9A.
- 26. A method according to claim 9 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 27. A method according to claim 11 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 28. A method according to claim 15 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 29. A method according to claim 19 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 30. A kit for identifying the H serotype of *E. coli*, the kit comprising at least one nucleic acid molecule according to claim 6.

- 31. A kit for identifying the H and O serotype of E. coli, the kit comprising:
- (a) at least one nucleic acid molecule according to claim 6; and
- (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.

ABSTRACT

The invention relates to novel nucleotide sequences located in a gene which encodes a bacterial flagellin antigen, and the use of those nucleotide sequences for the detection of bacteria which express particular flagellin antigens, on the basis of that antigen alone, or in conjunction with the O antigen expressed by that strain.

PCT/AU99/00385

WO 99/61458

- 1 -

Antigens and Their Detection

TECHNICAL FIELD

The invention relates to novel nucleotide sequences located in a gene which encodes a bacterial flagellin antigen, and the use of those nucleotide sequences for the detection of bacteria which express particular flagellin antigens, on the basis of that antigen alone, or in conjunction with the O antigen expressed by that strain.

10 BACKGROUND ART

The flagellum of many bacteria appears to be made up of a single protein known as flagellin. The serotyping schemes and Salmonella enterica are based on highly of E. coli variable antigenic surface structures which include the antigen and the 0 lipopolysaccharide which carries flagellin which is now known to be the carrier of the classical H antigen. In many strains of S. enterica there are two loci (flic and fljB) which encode flagellin, and a regulatory system which allows one only to be expressed at any time; and which also provides for expression to rapidly alternate between the two forms first identified as two phases (H1 and H2) for the H antigen of most strains. In E. coli there are 54 forms of H antigen recognised and until recently they were all thought to be encoded at the flic locus, as has been shown for E. coli K-12. However in the 1980s Ratiner [Ratiner Y A "Phase variation of the H antigen in Escherichia coli strain Escherichia standard strain for the flagellin antigen H3" FEMS Microbiol. Lett 15 (1982) 33structural Ratiner Y A "Presence of two phase-specific different determining antigenically Escherichia coli strains" flagellins in some Microbiol. Lett. 19 (1983) 37-41; Ratiner Y A "Two genetic arrangements determining flagellin antigen specificities in two diphasic Escherichia coli strains" FEMS Microbiol. Lett. 29 (1985) 317-323; Ratiner Y A "Different alleles of the flagellin gene hagB in Escherichia coli standard H

25

30

35

5

10

15

20

25

30

35

test strains" FEMS Microbiol Lett. 48 (1987) 97-104.1 showed that in some cases there are two loci and that can alternate. The matter was complicated by a recent paper by Ratiner [Ratiner Y A (1998) "New flagellin-specifying genes in some Escherichia coli strains" J. Bacteriol. 180 979-984] showing three loci (flk, fll and flm) for flagellin in addition to fliC although the fliB locus has not been found in E. coli. E. coli strains are normally identified by the combination of one O antigen and one H antigen [and K antigen when present as a capsule (K) antigen], with no problems reported for the vast majority of cases with alternate phases, while S. enterica strains are normally identified by the combination of O, H1 and H2 antigens. It is still not clear how widespread in E. coli H antigens determined by flagellin genes other than flic are.

Typing is typically carried out using specific antisera. The incidence of pathogenic *E. coli* in association with human and animal disease supports the need for suitable and rapid typing techniques.

DESCRIPTION OF THE INVENTION

In a first aspect, the present invention provides a novel nucleic acid molecule encoding all or part of an *E. coli* flagellin protein.

The present invention provides, for the first time, full length sequence for a flagellin gene for the following E. coli type strains: H6 (SEQ ID NO: 8), H9 (SEQ ID NO: 11), H10 (SEQ ID NO: 12), H14 (SEQ ID NO: 15), H18 (SEQ ID NO: 18), H23 (SEQ ID NO: 22), H51 (SEQ ID NO: 50), H45 (SEQ ID NO: 43), H49 (SEQ ID NO: 48), H19 (SEQ ID NO: 19), H30 (SEQ ID NO: 29), H32 (SEQ ID NO: 31), H26 (SEQ ID NO: 25), H41 (SEQ ID NO: 39), H15 (SEQ ID NO: 16), H20 (SEQ ID NO: 20), H28 (SEQ ID NO: 27), H46 (SEQ ID NO: 44), H31 (SEQ ID NO: 30), H34 (SEQ ID NO: 33), H43 (SEQ ID NO: 41) and H52 (SEQ ID NO: 51). Corrected full length sequences have been obtained for H7 (SEQ ID NO: 9) and

25

30

35

5

10

H12(SEQ ID NO: 14) type strains.

gene sequence, including the flagellin Partial central variable region, has been obtained for the following E. coli H type strains: H40(SEQ ID NO: 38), H8(SEQ ID NO: 10), H21(SEQ ID NO: 21), H47(SEQ ID NO: 46), H11(SEQ ID NO: 13), H17(SEQ ID NO: 17), H25(SEQ ID NO: 24), H42(SEQ ID NO: 40), H27(SEQ ID NO: 26), H35(SEQ ID NO: 34), H2(SEQ ID NO: 67), H3(SEQ ID NO: 68), H24(SEQ ID NO: 23), H37(SEQ ID NO: 35), H50(SEQ ID NO: 49), H4(SEQ ID NO: 6), H44(SEQ ID NO: 42), H38(SEQ ID NO: 36), H39(SEQ ID NO: 37), H55(SEQ ID NO: 53), H29(SEQ ID NO: 28), H33(SEQ ID NO: 32), H5(SEQ ID NO: 7), H54(SEQ ID NO: 52) and H56 (SEO ID NO: 54).

Comparison of sequences demonstrates that unique flagellin genes have now been sequenced (partially or completely) for the following *E. coli* H type strains: H1, H2, H3, H5, H6, H7, H9, H11, H12, H14, H15, H18, H19, H20, H21, H23, H24, H25, H26, H27, H28, H29, H30, H31, H32, H33, H34, H35, H37, H38, H39, H41, H42, H43, H45, H46, H48, H49, H51, H52, H54, and H56 and either H8 or H40, H10 or H50 and H4 or H17.

By comparison of these sequences, the present inventors were able to identify specific sequences for each of the above H serotypes.

The present invention also provides fliC sequences from 10 different H7 strains, in addition to that from the H7 type strain, and two sequences specific to H7 of O157 and O55 E. coli strains.

The present invention encompasses all or part of the flagellin genes sequenced for H2, H3, H5, H6, H9, H11, H14, H18, H19, H20, H21, H23, H24, H25, H26, H27, H28, H29, H30, H31, H32, H33, H34, H35, H37, H38, H39, H41, H42, H43, H44, H45, H46, H47, H48, H49, H51, H52, H54, H55, H56, H8, H40, H15, H10, or H50, H4 and H17 type strains. Of these flagellin genes sequenced, those from the type strains for H8 and H40 are identical, those from type strains H10 and H50, H1 and H12, H38 and H55, H21 and

10

15

20

25

30

35

H47, and H4, H17 and H44 type strains are highly similar.

The invention also encompasses newly provided sequence for H7 and H12 as well as novel primers for the specific amplification of H1, H7, H12 and H48 as well as for the other above mentioned newly sequenced flagellingenes.

By cloning and expression of these sequenced flagellin genes in a fliC deletion E. coli K-12 strain, and use of anti-H antiserum, we have confirmed the H specificities encoded by 39 falgellin genes. The 39 H specificities are H1, H2, H4, H5, H6, H7, H9, H10, H11, H12, H14, H15, H16, H18, H19, H20, H21, H23, H24, H26, H27, H28, H29, H30, H31, H32, H33, H34, H38, H39, H41, H42, H43, H45, H46, H49, H51, H52, and H56, encoded by flagellin genes obtained from H type strains for H1, H2, H4, H5, H6, H7, H9, H10, H11, H12, H14, H15, H3, H18, H19, H20, H21, H23, H24, H26, H27, H28, H29, H30, H31, H32, H33, H34, H38, H39, H41, H42, H43, H45, H46, H49, H51, H52, and H56 respectively.

The nucleic acid molecules of the invention may be variable in length. In embodiment one they oligonucleotides of from about 10 to about 20 nucleotides The oligonucleotides of the invention are specific for the flagellin gene from which they are derived and are derived from the central region of the In one embodiment, oligonucleotides in accordance gene. the present invention, which also include oligonucleotides from the previously sequenced E. coli H1, H7, H12 and H48 genes, are those shown in Table 3.

The 45 sequences (see Table 3) provide a panel to which newly sequenced genes can be compared to select specific oligonucleotides for those newly sequenced genes.

In a second aspect the invention provides a method of detecting the presence of *E. coli* of a particular H serotype in a sample, the method comprising the step of specifically hybridising at least one nucleic acid molecule derived from a flagellin gene, wherein the at

10

15

20

25

30

35

least one nucleic acid molecule is specific for a particular flagellin gene associated with the H serotype, to any E. coli in the sample which contain the gene, and detecting any specifically hybridised nucleic acid molecules, wherein the presence of specifically hybridised nucleic acid molecules identifies the presence of the H serotype in the sample.

In one preferred embodiment the detection method is a Southern blot method. More preferably, the nucleic acid molecule is labelled and hybridisation of the nucleic acid molecule is detected by autoradiography or detection of fluorescence.

Preferred nucleic acid molecules for the detection of particular flagellin genes are listed in Table 3.

In a third aspect the invention provides a method of detecting the presence of E. coli of a particular H serotype in a sample, the method comprising the step of specifically hybridising at least one pair of nucleic acid molecules to any E. coli in the sample which contains the flagellin gene for the particular H serotype, wherein at least one of the nucleic acid molecules is specific for the particular flagellin gene associated with the hybridised detecting any specifically serotype, and molecules, wherein the presence acid nucleic specifically hybridised nucleic acid molecules identifies the presence of the H serotype in the sample.

In one preferred embodiment the detection method is a polymerase chain reaction method. More preferably, the nucleic acid molecules are labelled and hybridisation of the nucleic acid molecule is detected by electrophoresis.

It is recognised that there may be instances where spurious hybridisation will arise through the initial selection of a sequence found in many different genes but this is typically recognisable by, for instance, comparison of band sizes against controls in PCR gels, and an alternative sequence can be selected.

10

15

20

25

30

35

In a fourth aspect the invention provides a method for detecting the presence of a particular O serotype and H serotype of *E. coli* in a sample, the method comprising the following steps:

- (a) specifically hybridising at least one nucleic acid molecule, derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen, to any *E. coli* in the sample which contain the gene;
- (b) specifically hybridising at least one nucleic acid molecule derived from and specific for a particular flagellin gene associated with that H serotype, to any E. coli in the sample which contain the gene; and
- (c) detecting any specifically hybridised nucleic acid molecules.

Preferred nucleic acid molecules for the detection of particular flagellin genes are listed in Table 3.

In one preferred embodiment, the sequence of nucleic acid molecule specific for the O antigen is specific to the nucleotide sequence encoding the 0111 More preferably, the sequence is derived from a antigen. consisting selected from the group Figure 5), wzx(nucleotide position 739 to 1932 of (nucleotide position 8646 to 9911 of Figure (nucleotide position 9901 to 10953 of Figure 5), (nucleotide position 11821 to 12945 of Figure 5) fragments of those molecules of at least 10-12 nucleotides in length. Particularly preferred nucleic acid molecules are those set out in Tables 8 and 8A, with respect to the above mentioned genes.

In another preferred embodiment, the sequence of the nucleic acid molecule specific for the O antigen is specific to the nucleotide sequence encoding the O157 antigen. More preferably, the sequence is derived from a gene selected from the group consisting of wbdN

10

15

20

25

30

35

(nucleotide position 79 to 861 of Figure 6), wbd0 (nucleotide position 2011 to 2757 of Figure wbdP to 6471 of Figure 6), wbdR (nucleotide position 5257 (nucleotide position 13156 to 13821 of Figure 6), (nucleotide position 2744 to 4135 of Figure 6) and wzvFigure 2042 of 6) (nucleotide position 858 to fragments of those molecules of at least 10-12 nucleotides in length. Particularly preferred nucleic acid molecules are those set out in Tables 9 and 9A, with respect to the above mentioned genes.

In one preferred embodiment the detection method is a Southern blot method. More preferably, the nucleic acid molecule is labelled and hybridisation of the nucleic acid molecule is detected by autoradiography or detection of fluorescence.

In a fifth aspect the invention provides a method for detecting the presence of a particular O serotype and H serotype of $E.\ coli$ in a sample, the method comprising the following steps:

- (a) specifically hybridising at least one pair of nucleic acid molecules, at least one of which is derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of the particular *E. coli* 0 antigen, to any *E. coli* in the sample which contain the gene;
- (b) specifically hybridising at least one pair of nucleic acid molecules, at least one of which is derived from and specific for a particular flagellin gene associated with the particular H serotype, to any E. coli in the sample which contain the gene; and
- (c) detecting any specifically hybridised nucleic acid molecules.

Preferred nucleic acid molecules for the detection of particular flagellin genes are listed in Table 3.

10

15

20

25

30

35

In one preferred embodiment, the sequence of the nucleic acid molecule specific for the O antigen is specific to the nucleotide sequence encoding the 0111 More preferably, the sequence is derived from a from the group consisting of wbdH selected (nucleotide position 739 of Figure 5), to 1932 9911 of (nucleotide position 8646 to Figure 5), WZV(nucleotide position 9901 to 10953 of Figure 5), wbdM (nucleotide position 11821 to 12945 of Figure 5) fragments of those molecules of at least 10-12 nucleotides in length. Particularly preferred nucleic acid molecules are those set out in Tables 8and 8A, with respect to the above mentioned genes.

In another preferred embodiment, the sequence of the nucleic acid molecule specific for the O antigen is specific to the nucleotide sequence encoding the O157 antigen. More preferably, the sequence is derived from a gene selected from the group consisting of wbdN(nucleotide position 79 to 861 of Figure 6), wbdO (nucleotide position 2011 to 2757 of Figure 6), wbdP (nucleotide position 5257 to 6471 of Figure 6), wbdR (nucleotide position 13156 to 13821 of Figure 6), wzx (nucleotide position 2744 to 4135 of Figure 6) and wzy (nucleotide position 858 to 2042 of Figure 6) and fragments of those molecules of at least 10-12 nucleotides in length. Particularly preferred nucleic acid molecules are those set out in Tables 9 and 9A, with respect to the above mentioned genes.

In one preferred embodiment the detection method is a polymerase chain reaction method. More preferably, the nucleic acid molecules are labelled and hybridisation of the nucleic acid molecule is detected by electrophoresis.

The present inventors believe that based on the available teachings invention and of the present gene clusters, information concerning O antigen experimental analysis, comparison of through use of nucleic acid sequences or predicted protein structures, nucleic acid molecules in accordance with the invention

10

15

20

25

30

35

can be readily derived for any particular O antigen of interest. Suitable bacterial strains can typically be acquired commercially from depositary institutions.

There are currently 166 defined E. coli O antigens.

Samples of the 166 different $E.\ coli$ O antigen serotypes are available from Statens Serum Institut, Copenhagen, Denmark.

The inventors envisage rare circumstances whereby two genetically similar gene clusters encoding serologically different O antigens have arisen through recombination of genes or mutation so as to generate polymorphic variants.

In these circumstances multiple pairs of oligonucleotides may be selected to provide hybridisation to the specific combination of genes. The invention thus envisages the use of a panel containing multiple nucleic acid molecules for use in the method of testing for O antigen in conjunction with H antigen, wherein the nucleic acid molecules are derived from genes encoding transferases and/or enzymes for the transport or processing of a polysaccharide or oligosaccharide unit including wzx or wzy genes, wherein the panel of nucleic acid molecules is specific to a particular O antigen. The panel of nucleic acid molecules can include nucleic acid molecules derived from O antigen sugar pathway genes where necessary.

The inventors also found two mutated flagellin genes from H type strains for H35 and H54 which have insertion sequences inserted into normal flagellar genes identical or near identical to that that of the H11 and H21 type Thus, primers for H11 and H21 strains respectively. (listed in Table 3) would also amplify fragments in H35 and H54, which differ in sizes to those in H11 and H21 The inventors also provide two pairs of respectively. primers each for H35 and H54 based on the insertion sequence (see H35 and H54 columns in Table 3). The use of one of them in combination with one of the H11 or H21 primers will generate a PCR band only in H35 or respectively, and this will also differentiate H35 and H54

10

15

20

25

30

35

from H11 and H21 respectively.

The present invention also relates to methods of detecting the presence of particular E. coli H antigens or H antigen and O antigen combinations where one or more nucleic acid molecules which generate a particular size fragment indicative of the presence of that H antigen are used or in which the combination of one antigen specific primer for that H antigen with another primer for a related H antigen provides for the detection of the particular H antigen by hybridisation to the relevant gene. Preferably, the H antigen is H11, H21, H35 or H54.

- 10 -

The pairs of nucleic acid molecules where the method of the fifth aspect is used may both hybridise to the relevant H or O antigen gene or alternatively only one may hybridise to the relevant gene and the other to another site.

The inventors recognise in applying the methods of the invention for detecting combinations of O and H antigens to samples, that the methods do not indicate whether a positive result for a particular O and H antigen combination arises because the O and H antigen are present on a single E. coli strain present in the sample or are present on different E. coli strains present in the Because the ability to identify the presence of sample. coli strains with particular O and H E . combinations is highly desirable (due to the relationship between particular combinations and pathogenicity) the determination that a particular combination is present in a sample can be followed by isolation of single colonies and checking whether the they contain the relevant combination by using the same method again or using to antibody labelled magnetic beads separate expressing the particular O or H antigen and then testing the isolated cells for the other serotype.

Τn addition. as mentioned above, the inventors have established the existence of H7 primers specific to the 0157 and 055 serotypes. Using such primers it is possible to detect particular O and H antigen combinations with the use of H specific nucleic acid molecules.

In a sixth aspect the invention provides a method for detecting the presence of a particular O serotype and H serotype of $E.\ coli$ in a sample, the method comprising the following steps:

5

10

100 Marie 100 Ma

A STATE OF THE PARTY OF THE PAR

20

100

25

30

35

- (a) specifically hybridising at least one nucleic acid molecule, derived from and specific for a gene encoding a flagellin associated with a particular *E. coli* H antigen serotype to any *E. coli* carrying the gene and present in the sample; and
- (b) detecting the at least one specifically hybridised nucleic acid molecule, wherein the at least one nucleic acid molecule is specific for the particular combination of O and H antigen.

Preferably the combination is O55:H7 or O157:H7.

The ability to detect the O157:H7 combination from a particular H7 primer or pair is of particular use given the association of this combination with pathogenic strains.

In a seventh aspect the present invention provides a method for testing a food derived sample for the presence of one or more particular $E.\ coli$ O antigens and H antigens comprising testing the sample by a method of the fourth, fifth or sixth aspect the invention.

In an eighth aspect the present invention provides a method for testing a faecal derived sample for the presence of one or more particular *E. coli* O antigens and H antigens comprising testing the sample by a method of the fourth, fifth or sixth aspect the invention.

In a ninth aspect the present invention provides a method for testing a patient or animal derived sample for the presence of one or more particular *E. coli* O antigens and H antigens comprising testing the sample by a method of the fourth, fifth or sixth aspect the invention.

10

15

ğı,

1

100

20

25

35

Preferably, the method of the seventh, eighth or ninth aspect of the invention is a polymerase chain reaction method. More preferably the oligonucleotide molecules for use in the method are labelled. Even more preferably the hybridised nucleic acid molecules are detected by electrophoresis.

In the above described methods it will be understood that where pairs of nucleic acid molecules are used one of the nucleic acid molecules may hybridise to a sequence that is not from the O antigen transferase, wzx or wzy gene or the flagellin gene. Further where both hybridise to these genes the O antigen molecules may hybridise to the same or a different one of these genes.

In a tenth aspect the present invention provides a kit for identifying the H serotype of $E.\ coli$, the kit comprising:

at least one nucleic acid molecule derived from and specific for an E. coli flagellin gene.

In an eleventh aspect the present invention provides a kit for identifying the H and O serotype of E. coli, the kit comprising:

- (a) at least one nucleic acid molecule derived from and specific for an *E. coli* flagellin gene; and
- (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.

The nucleic acid molecules may be provided in the same or different vials. The kit may also provide in the same or separate vials a second set of specific nucleic acid molecules.

Particularly preferred nucleic acid molecules for inclusion in the kits are those specified in Tables 3, 8, 8A, 9 and 9A as described above.

10

15

44

The control of the co

20

ģ., jr

25

30

35

DEFINITIONS

In this specification, we have used term "flagellin gene" in many cases where previously one would have used "flic", to allow for the uncertainty as to locus introduced by recent observations. However, uncertainty as to the locus does not alter the fact that most E. coli strains express a single H antigen and that a single flagellin gene sequence per strain is required to give the genetic basis for H antigen variation . Any use of the name flic in this specification where a different locus is later shown to be involved would not affect the validity of conclusions drawn regarding application of information based on the sequence, where the conclusions do not relate to the map position. Thus it is generally the nucleic acid molecule itself which is of importance rather than the name attributed to the gene. When it is known or suspected that the gene encoding the H antigen is not in the flic locus, we use the term flagellin rather than flic.

The phrase, "a nucleic acid molecule derived from a gene" means that the nucleic acid molecule has nucleotide sequence identical which either is orsubstantially similar to all or part of the identified Thus a nucleic acid molecule derived from a gene can be a molecule which is isolated from the identified gene by physical separation from that gene, or a molecule which is artificially synthesised and has a nucleotide sequence which is either identical to or substantially similar to all or part of the identified gene. While some workers consider only the DNA strand with the same sequence as the mRNA transcribed from the gene, here either strand is intended.

Transferase genes are regions of nucleic acid which have a nucleotide sequence which encodes gene products that transfer monomeric sugar units.

Flippase or wzx genes are regions of nucleic acid which have a nucleotide sequence which encodes a gene

10

15

20

25

30

35

 product that flips oligosaccharide repeat units generally composed of three to six monomeric sugar units to the external surface of the membrane.

Polymerase or wzy genes are regions of nucleic acid which have a nucleotide sequence which encodes gene products that polymerise repeating oligosaccharide units generally composed of 3-6 monomeric sugar units.

The nucleotide sequences provided in this specification are described as anti-sense sequences. This term is used in the same manner as it is used in Glossary of Biochemistry and Molecular Biology Revised Edition, David M. Glick, 1997 Portland Press Ltd., London on page 11 where the term is described as referring to one of the two strands of double-stranded DNA usually that which has the same sequence as the mRNA. We use it to describe this strand which has the same sequence as the mRNA.

NOMENCLATURE

Synonyms for E. coli 0111 rfb

Current names	Our names	Bastin et al. 1991
wbdH	orf1	
gmd	orf2	
wbdI	orf3	orf3.4*
manC	orf4	rfbM*
manB	orf5	rfbK*
wbdJ	orf6	orf6.7*
wbdK	orf7	orf7.7*
wzx	orf8	orf8.9 and rfbX*
wzy	orf9	
wbdL	orf10	
wbdM	orf11	

* Nomenclature according to Bastin D.A., et al. 1991 "Molecular cloning and expression in <u>Escherichia coli</u> K-12 of the *rfb* gene cluster determining the O antigen of an <u>E. coli</u> O111 strain". Mol. Microbiol. 5:9 2223-2231.

Other Synonyms

	wzy	rfc
	WZX	rfbX
	rmlA	rfbA
40	rmlB	rfbB
	rmlC	rfbC
	rmlD	rfbD
	glf	orf6*
	wbbI	orf3#, orf8* of E. coli K-12

10

15

50

100

30

35

40

wbbJ orf2#, orf9* of E. coli K-12 wbbK orf1#, orf10* of E. coli K-12 wbbL orf5#, orf 11* of E. coli K-12

Nomenclature according to Yao, Z. And M. A. Valvano 1994.

"Genetic analysis of the O-specific lipopolysaccharide biosynthesis region (rfb) of Eschericia coli K-12 W3110: identification of genes the confer groups-specificty to Shigella flexineri serotypes Y and 4a". J. Bacteriol. 176: 4133-4143.

- * Nomenclature according to Stevenson et al. 1994. "Structure of the O-antigen of E. coli K-12 and the sequence of its rfb gene cluster". J. Bacteriol 176: 4144-4156.
- The O antigen genes of many species were given <u>rfb</u> names (<u>rfbA</u> etc) and the O antigen gene cluster was often referred to as the <u>rfb</u> cluster. There are now new names for the <u>rfb</u> genes as shown in the table. Both terminologies have been used herein, depending on the source of the information.

In the claims that follow and in the summary of the invention, except where the context requires otherwise due to express language or necessary implication, the word "comprising" is used in the sense of "including", i.e. the features specified may be associated with further features in various embodiments of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows *Eco* R1 restriction maps of cosmid clones pPR1054, pPR1055, pPR1056, pPR1058, pPR1287 which are subclones of *E. coli* O111 O antigen gene cluster. The thickened line is the region common to all clones. Broken lines show segments that are non-contiguous on the chromosome. The deduced restriction map for *E. coli* strain M92 is shown above.

Figure 2 shows a restriction mapping analysis of E. coli 0111 O antigen gene cluster within the cosmid clone pPR1058. Restriction enzymes are: (B: BamH1; Bg: BgIII, E: EcoR1; H: HindIII; K: KpnI; P: PstI; S: SalI and X: Xhol. Plasmids pPR1230, pPR1231, and pPR1288 are deletion derivatives of pPR1058. Plasmids pPR 1237, pPR1238, pPR1239 and pPR1240 are in pUC19. Plasmids pPR1243, pPR1244, pPR1245, pPR1246 and pPR1248 are in pUC18, and pPR1292 is in pUC19. Plasmid pPR1270 is in

10

15

20

25

30

35

pT7T319U. Probes 1, 2 and 3 were isolated as internal fragments of pPR1246, pPR1243 and pPR1237 respectively. Dotted lines indicate that subclone DNA extends to the left of the map into attached vector.

Figure 3 shows the structure of E. coli 0111 0 antigen gene cluster.

Figure 4 shows the structure of $E.\ coli$ 0157 0 antigen gene cluster.

Figure 5 shows the nucleotide sequence (SEQ ID NO: 45) of the *E. coli* O111 O antigen gene cluster. Note: (1) The first and last three bases of a gene are underlined and of italic respectively.; (2) The region which was previously sequenced by Bastin and Reeves 1995 "Sequence and anlysis of the O antigen gene (rfb) cluster of *Escherichia coli O111"* Gene 164: 17-23 is marked.

Figure 6 shows the nucleotide sequence (SEQ ID NO: 56) of the *E. coli* O157 O antigen gene cluster. Note: (1) The first and last three bases of a gene (region) are underlined and of *italic* respectively (2) The region previously sequenced by Bilge et al. 1996 "Role of the *Escherichia coli* O157-H7 O side chain in adherence and analysis of an rfb locus". Inf. and Immun 64:4795-4801 is marked.

Figures 7 to 9 show the nucleotide sequences (SEQ ID NOS: 66 to 68 respectively) obtained for flagellin genes from *E. coli* type strains for H1 to H3 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 10 to 18 show the nucleotide sequences (SEQ ID NOS: 6 to 14 respectively) obtained for flagellin genes from *E. coli* type strains for H4 to H12 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 19 and 20 show the nucleotide sequences (SEQ ID NOS: 15 to 16 respectively) obtained for flagellin genes from *E. coli* type strains for H14 and H15 respectively. The primer positions listed in Table 3 are

10

15

20

30

based on treating the first nucleotide of each of these sequences as No. 1.

Figures 22 and 26 show the nucleotide sequences (SEQ ID NOS: 17 to 21 respectively) obtained for flagellin genes from *E. coli* type strains for H17 and H21 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 27 to 39 show the nucleotide sequences (SEQ ID NOS: 22 to 34) obtained for flagellin genes from E. coli type strains for H23 to H35 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 40 to 49 show the nucleotide sequences (SEQ ID NOS: 35 to 44) obtained for flagellin genes from E. coli type strains for H37 to H46 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 50 to 55 show the nucleotide sequences (SEQ ID NOS: 46 to 51) obtained for flagellin genes from $\it E.$ coli type strains for H47 to H52 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 56 to 58 show the nucleotide sequences (SEQ ID NOS: 52 to 54) obtained for flagellin genes from *E. coli* type strains for H54 to H56 respectively. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figure 59 shows the nucleotide sequence (SEQ ID NO: 55) obtained for the flagellin gene from *E. coli* H7 strain M1179. The primer positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figures 60 to 68 show the nucleotide sequences (SEQ ID NOS: 57 to 65 respectively) obtained for flagellin genes from E. coli strains M1004, M1211, M1200, M1686, M1328, M917, M527, M973, and M918 respectively. The primer

10

15

20

25

30

35

positions listed in Table 3 are based on treating the first nucleotide of each of these sequences as No. 1.

Figure 69 shows the nucleotide sequence (SEQ ID NO: 1) of the fliC gene and DNA flanking the fliC gene from the H25 type strain.

Figure 70A shows the nucleotide sequence (SEQ ID NO: 2) obtained from the 5' end of the insert of plasmid pPR1989. The insert of plasmid pPR1989 encodes the second flagellin gene of the H55 type strain.

Figure 70B shows the nucleotide sequence (SEQ ID NO: 3) obtained from the 3' end of the insert of plasmid pPR1989. The insert of plasmid pPR1989 encodes the second flagellin gene of the H55 type strain.

Figure 71 shows the nucleotide sequence (SEQ ID NO:4) obtained from the 5' end of the insert of plasmid pPR1993. The insert of plasmid pPR1993 encodes the second flagellin gene of the H36 strain.

Figure 72 shows the nucleotide sequence (SEQ ID NO:5) obtained from the 3' end of the insert of plasmid pPR1993. The insert of plasmid pPR1993 encodes the second flagellin gene of the H36 type strain.

Figure 73 A shows the sequence of polylinker and the SD sequence of plasmid pTrc99A.

Figure 73B shows the sequence of the junction region between the SD sequence and the start of flagellin gene in the plasmids used for the expression of flagellin genes.

BEST METHOD OF CARRYING OUT THE INVENTION

In carrying out the methods of the invention with to respect the testing of particular sample including samples from food, patients, animals and faeces the samples are prepared by routine techniques routinely used in the preparation of such samples for DNA based testing. The steps for testing the samples particular nucleic acid molecules in assay formats such as Southern blots and PCR are performed under routinely determined conditions appropriate to the sample and the

20

25

30

35

nucleic acid molecules.

H antigen

Materials and Methods

5 1. Bacterial strains and plasmid:

There are 54 H types in *E. coli* [Ewing, W.H.: Edwards and Ewing's identification of the *Enterobacteriaceae.*, Elsevier Science Publishers, Amsterdam, The Netherlands, 1986]: note H antigens from 1 to 57 were listed and that 13, 22 and 57 are not valid. All the standard H type strains except H16 were obtained from the Institute of Medical and Veterinary Science, Adelaide, Australia. The primary stocks are hold at the Statens Serum Institut, Copenhagen, Denmark.

15 The additional H7 strains used are listed in Table 1.

We do not have the type strain for H16. It is known that the H3 type strain is biphasic and can also express the H16 flagellin gene [Ratiner, Y. A. (1985) "Two genetic arrangements determining flagellar antigen specificities in two diphasic *E. coli* strains. FEMS Microbiol Lett 19: 317-323]. We have sequenced and cloned the H16 flagellin gene from the H3 type strain (see below).

E . coli K-12 strain C600 hsm hsr fliC::Tn10 [Kuwajiwa, G. (1988) "Flagellin domain that affects H antigenicity of E. coli K-12" J. Bacteriol. 170; 485-488] (laboratory stock no. M2126) was obtained from Dr Benita Westerlund-Wikstrom of the Department of Biosciences, University of Helsinkin, Finland. E. coli K-12 strain EJ2282 (laboratory no. P5560) is a flic deletion strain, and was obtained from Dr Masatoshi Enomoto of the Department of Biology, Okayama University, Japan A. M. A.-H. Mahmound, T. Mokaihara and M. [Tominaga, Enomoto (1994) "Molecular characterization of intact but cryptic, flagellin genes in the genus Shigella .: Mol. Microbiol. 12: 277-2851.

Plasmid pTrc99A was purchased from Pharmacia LKB (Melbourne, VIC, Australia).

10

15

25

30

35

2. Antisera

Antisera against H1, H3, H8, H14, H15, H17, H23, H24, H25, H26, H29, H30, H31, H32, H33, H35, H36, H37, H38, H39, H43, H44, H46, H47, H48, H49, H52, H53, H54, H55, and H56 were obtained from the Institute of Medical and veterinary Science, Adelaide, Australia. Antisera against H2, H4, H5, H6, H7, H9, H10, H11, H12, H16, H18, H19, H20, H21, H27, H28, H34, H40, H41, H42, H45, and H51 were obtained from Denka Seiken Co., Ltd, Tokyo, Japan.

Antisera to type H50 was not available from any known source.

The antisera available were checked against the appropriate type strains to confirm the specificities of both flagellin H antigen and H antisera: 52 sera (all those except anti-H16 serum listed above) gave a positive reaction with the corresponding type strains for that serum.

20 3. Agglutination test:

Bacteria from 1 ml of an overnight culture grown in Luria broth (Difco Tryptone, 10g/l; Difico yeast extract, 5g/l; NaCl, 0.5 g/l; pH 7.2) at 30oC was centrifuged (4000 rpm/10 min) and the bacteria pellet resuspended in 100 ml of saline. The agglutination test was carried out by mixing equal volumes (5 ml) of both the cells and antiserum on a slide. The slide was rocked for 1 minute and then observed for agglutination. For all agglutination tests, saline containing no antiserum was mixed with cells to be used as a negative control.

For testing the H specificities of strain M2126 or strain P5560 carrying plasmid containing cloned flagellin genes, cells of M2126 or P5560 were used as an additional negative control.

All agglutination tests were first carried out using undiluted antisera (note that the antisera we used have been diluted before reaching our hands), except for anti-

10

15

35

H11, anti-H34, anti-H52 and anti-H26 serum for which we used 1:10 dilutions to avoid background agglutination. In cases for which cross-reactions have been reported, we carried out agglutination tests using serial dilutions of sera (see section 10.1)

4. Motility test:

The motility of strain M2126 or strain P5560 carrying cloned flagellin genes was examined microscopically. 1 ml of overnight culture grown in Luria broth (Difco Tryptone, 10g/l; Difico yeast extract, 5g/l; NaCl, 0.5 g/l; pH 7.2) at 30oC was inoculated into 10 ml of Luria broth, and the culture was shaken at 100 rpm at 30oC to early log phase (OD 625 = 0.2). A loopful of culture was placed on a slide and examined under a microscope. Motility of individual cells was easily distinguished from Brownian movement and streaming, and presence or absence of motility recorded.

5. Isolation of chromosomal DNA:

Chromosomal DNA from all the 53 H type strains and the strains listed in Table 1 was isolated using the Promega Genomic isolation kit (Madison WI USA). Each chromosomal DNA sample was checked by gel electrophoresis of the DNA and by PCR amplification of the mdh gene using oligonucleotides based on the E. coli K-12 mdh gene [Boyd, E.F., Nelson, K., Wang, F.-S., Whittam, T.S. and Selander, R.K.: Molecular genetic basis of allelic polymorphism in malate dehydrogenase (mdh) in natural populations of Escherichia coli and Salmonella enterica. Proc. Natl. Acad. Sci. USA 91 (1994) 1280-1284].

6. PCR amplification of flagellin gene:

Flagellin genes from different strains were first PCR amplified using one of the following four pairs of oligonucleotides:

#1285 (5'-atggcacaagtcattaatac) and #1286 (5'-ttaaccctgcagtagagaca);

15

20

25

30

35

#1417 (5'-ctgatcactcaaaataatatcaac) and

#1418 (5'-ctgcggtacctggttggc);

#1431 (5'-atggcacaagtcattaatacccaac) and

#1432 (5'-ctaaccctgcagcagagaca):

5 #1575 (5'-gggtggaaacccaatacg) and

#1576(5'-gcgcatcaggcaatttgg)

PCR reactions were carried out under the following conditions: denaturing, 94°C/30'; annealing, temperature varies (refer to Table 2)/30'; extension, 72°C/1'; 30 cycles. The PCR product was purified using the Promega Wizard PCR purification kit (Madison WI USA) before being sequenced.

The H36 and H53 type strains gave two PCR bands using primer pairs #1431/#1432 and #1417/#1418 respectively, and were not sequenced.

7. Enzymes and buffers:

Restriction endonucleases and DNA T4 ligase were purchased from Boehringer Mannheim (Castle Hill, NSW, Australia). Restriction enzymes were used in the recommended commercial buffer.

8. Sequencing of the flagellin genes:

Each PCR product was first sequenced using the oligonucleotide primers used for the PCR amplification. Primers based on the obtained sequence were then used to sequence further, and this procedure was repeated until the entire PCR product was sequenced.

The sequencing reactions were performed using the DyeDeoxy Terminator Cycle Sequencing method (Applied Biosystems, CA, USA), and reaction products were analysed using fluorescent dye and an ABI377 automated sequencer (CA, USA).

Sequence data were processed and analysed using Staden programs [Sacchi CT, Zanella R C, Caugant D A, Frasch C E, Hidalgo N T, Milagres L G, Pessoa L L, Ramos S R, Camargo M C C and Melles C E A "Emergence of a new

10

15

20

25

30

35

clone of serogroup C Neisseria meningitidis in Sao Paulo, Brazil" J. Clin. Microbiol. 30 (1992) 1282-1286;

Staden, R.: Automation of the computer handling of gel reading data produced by the shotgun method of DNA sequencing. Nucl. Acids Res. 10 (1982a) 4731-4751;

Staden, R.: An interactive graphics program for comparing and aligning nucleic acid and amino acid sequences. Nucl. Acids Res. 10 (1982b) 2951-2961;

Staden, R.: Computer methods to locate signals in nucleic acid sequences. Nucl. Acids Res. 12 (1984a) 505-519; Staden, R.: Graphic methods to determine the function of nucleic acid sequences. A summary of ANALYSEQ options. Nucl. Acids Res. 12 (1984b) 521-538;

Staden, R.: The current status and portability of our sequence handling software. Nucl. Acids Res. 14 (1986) 217-231].

We were able to PCR amplify flagellin genes from H type strains for H7, 23, 12, 51, 45, 49, 19, 9, 30, 32, 26, 41, 15, 20, 28, 46, 31, 14, 18, 6, 34, 48, 43, 10, 52, and also from H7 strains m1004, m527, m1686, m1211, m1328, m973, m1179, m1200, m917, and m918 using primers #1575 and #1576 which are based on sequences 51-34 bp upstream and 37-54 bp downstream of start and end of the E. coli K-12 flic gene respectively. Thus, the full sequence of the flagellin gene from these strains was obtained and the use of flanking sequence for primers makes it highly likely that they are at the flic locus.

For other strains, we were only able to amplify the flagellin gene using one or more of the other three pairs of primers, which are based on sequence within the flic gene, and thus only partial sequence was obtained. These amplicons may be of the flic gene or one of the alternative flagellin genes. The flagellin gene sequences from H type strains for H40, 8, 21, 47, 11, 27, 35, 2, 3, 24, 37, 50, 4, 44, 38, 55, 29, 33, 5, and 56 obtained are lacking 18 and 14 codons at 5' and 3' ends respectively. The flagellin gene sequence of H39 obtained using primers

10

15

20

25

30

35

#1285/#1286 lacks 18 and 19 codons at 5' and 3' ends respectively. The flagellin gene sequence of H type strains of H17, 25 and 42 lack 23 and 21 codons at 5' and 3' ends respectively. The flagellin gene sequence of the H type strain for H54 lacks 23 and 12 codons at the 5' and 3' ends respectively. There is very little variation in the sequence at the two ends of flagellin genes and antigenic variation is due to variation in the central region of the gene. The absence of sequence for the ends of some of the flagellin genes is not important for the purpose of the present invention relating to the detection of antigenic variation by DNA sequence based means.

The flic genes from H type strains of H1, H7 and H12 have been sequenced previously [Schoenhals, G. and Whitfield, C.: Comparative analysis of flagellin sequences from Escherichia coli strains possessing serologically distinct flagellar filaments with a shared complex surface pattern. J. Bacteriol. 175 (1993) 5395-5402] and we did not sequence the gene from the H1 strain.

We have sequenced fliC genes from a set of H7 strains with different O antigens, including that of fliC from the H7 type strain as one of the set: we have found four differences from the published H7 sequence (GenBank accession number L07388) which we believe are due to errors in the published sequence.

We have also re-sequenced the fliC gene from the H12 type strain, and have found one difference from the published H12 sequence (GenBank accession number L07389) which we believe is due to an error in the published sequence.

The flagellin genes from type strains H35 and H54 were also amplified using primers #1431/#1432, which are based on sequence within the fliC gene. Sequence data revealed that these two genes would be non-functional due to insertion sequence inserted in the middle of them. We have sequenced them to facilitate selection of primers for the functional flagellin genes.

10

15

20

25

9. Cloning of flagellin genes

DNA was digested for 2 hr at 37°C with appropriate restriction enzyme(s). The reaction product was then extracted once with phenol, and twice with ether. DNA was precipitated with 2 vols of ethanol and resuspended in water before the ligation reaction was carried out. Ligation was carried out O/N at 4°C and the ligated DNA was electroporated into one of the *E. coli fliC* mutant strains.

9.1. Cloning of flagellin genes from type strains for H1, H2, H3, H5, H6, H7, H9, H10, H11, H12, H14, H15, H18, H19, H20, H21, H24, H26, H27, H28, H29, H31, H34, H38, H39, H41, H42, H43, H45, H46, H49, H51, H52, and H56:

The full flagellin gene was PCR amplified using primers #1868 and #1870 (Table 3A). Both these primers are based on the sequences of the H7 flagellin gene of the H7 type strain. #1868 is the 5' primer: there is an NcoI site incorporated into the primer (Table 3B) and the flagellin gene starts at base 3 of the NcoI site. The 3' primer #1870 has a BamHI site incorporated downstream of the stop codon of the flagellin gene (Table 3B). PCR reactions were carried out under the following conditions: denaturing, 94oC/30'; annealing, temperature varies (refer to Table 3A)/30'; extension, 72oC/1'; 30 cycles. The PCR was purified using the Promega Wizard purification kit (Madison WI USA) before being digested by restriction enzymes NcoI and BamHI and cloned into the NcoI/BamHI sites of plasmid pTrc99A.

Plasmid pTrc99A has a strong *trc* promoter upstream of the polylinker. Downstream of the promoter, it contains the ribosome binding site (SD sequence, see Fig 73) which is located 8bp upstream of the ATG site within the *NcoI* site. The polylinker and the SD sequence of pTrc99A are shown in Fig 73.

The plasmids generated were given pPR numbers, and

30

35

10

15

20

25

30

35

they are listed in Table 3A. In these plasmids, the expression module consists of the *trc* promoter, the SD sequence, and the full flagellin gene. The sequence of the junction region between the SD sequence and the start of flagellin gene is shown in Fig 73.

For flagellin genes from type strains for H6, H7, H9, H10, H12, H14, H18, H19, H20, H26, H28, H31, H41, H43, H45, H46, H49, H51, and H52, we have the full sequence for each gene and the primer sequences (#1868 and #1870) are conserved among them. The cloned genes therefore have the same sequence as those from the type strains.

For flagellin genes from type strains for H1, H15 and H34, we also have the full sequence. The previously published sequence of the flagellin gene from the H1 type strain was extracted from GenBank (accession number L07387) and used. Primer #1868 is conserved in all three. But, primer #1870 has the third base of the fifth last codon in the H1 sequence changed from A to G, and the third base of the second last codon changed from C to T in the H15 and H34 sequences: these changes did not change the amino acid coded, so the cloned genes encode the same gene products as those of the type strains.

For flagellin genes from type strains for H2, H3, H5, H11, H21, H24, H27, H29, H38, H39, H42, and H56, we do not have the full sequences. In the plasmids carrying genes from these type strains, the expression module consists of the trc promoter, the SD sequence, and the full flagellin gene with the first and the last 21 base pairs being determined by the primer sequences which are based on the H7 flagellin gene of the H7 type strain. The sequence of the junction region between the SD sequence and the start of flagellin gene is shown in Fig 73.

9.2. Cloning of the flagellin gene from type strain of H23:

The full flagellin gene was PCR amplified using primers #1868 and #1869 (Table 3A). #1868 is the 5'

10

15

20

25

30

35

WO 99/61458

primer: there is an Ncol site incorporated into the primer (Table 3B) and the flagellin gene starts at base 3 of the 3′ primer #1869 has site. The a SalIincorporated downstream of the stop codon of the flagellin gene (Table 3B). PCR reactions were carried out under the following conditions: denaturing, 94oC/30'; annealing, 55oC/30'; extension, 72oC/1'; 30 cycles. The PCR product was purified using the Promega Wizard PCR purification kit (Madison WI USA) before being digested by restriction enzymes NcoI and SalI and cloned into the NcoI/SalI sites of plasmid pTrc99A to give plasmid pPR1942.

Plasmid pTrc99A has a strong trc promoter upstream of the polylinker. Downstream of the promoter, it contains the ribosome binding site (SD sequence, see Fig 73) which is located 8bp upstream of the ATG site within the NcoI site. The polylinker and the SD sequence of pTrc99A are shown in Fig 73.

The expression module of pPR1942 consists of the trc promoter, the SD sequence, and the full flagellin gene. The sequence of the junction region between the SD sequence and the start of flagellin gene is shown in Fig 73.

9.3. Cloning of flagellin genes from type strains of H30, H32 and H33:

The full flagellin gene was PCR amplified using primers #1868 and #1871 (Table 3A). #1868 is the primer: there is an NcoI site incorporated into the primer (Table 3B) and the flagellin gene starts at base 3 of the The 3′ site. primer #1871 has a incorporated downstream of the stop codon of the flagellin gene (Table 3B). PCR reactions were carried out under the following conditions: denaturing, 94oC/30'; annealing, temperature varies (refer to Table 3A)/30'; extension, 72oC/1'; 30 cycles. The PCR product was purified using the Promega Wizard PCR purification kit (Madison WI USA) before being digested by restriction enzymes NcoI and PstI

5

10

15

20

25

and cloned into the NcoI/PstI sites of plasmid pTrc99A.

Plasmid pTrc99A has a strong trc promoter upstream of the polylinker. Downstream of the promoter, it contains the ribosome binding site (SD sequence, see Fig 73) which is located 8bp upstream of the ATG site within the NcoI site. The polylinker and the SD sequence of pTrc99A are shown in Fig 73.

For flagellin genes from type strains for H30 and H32, we have the full sequence. Primer #1868 sequence is conserved in both of them. But, primer #1871 has the third base of the fourth last codon in both sequences changed from G to A to remove a PstI site (see Table 3B): this change did not change the amino acid coded. The expression module consists of the trc promoter, the SD sequence, and the full flagellin gene coding for a gene product which is same as that of the type strain. The sequence of the junction region between the SD sequence and the start of flagellin gene is shown in Fig 73.

We do not have the full sequence for the flagellin gene from the H33 type strain. In the plasmid containing the H33 type strain gene, the expression module consists of the *trc* promoter, the SD sequence, and the full flagellin gene with the first and the last 21 base pairs been determined by the primer sequences which were used for the cloning of H30 and H32. The sequence of the junction region between the SD and the start of flagellin gene is shown in Fig 73.

9.4. Flagellin genes from type strains for H4 and H17:

For the flagellin genes of H4 and H17 type strains the full sequence was not obtained, and the sequenced parts were PCR amplified and cloned into plasmid pPR1951 to give in each case a gene in which the first 26 and the last 31 codons are based on the sequence of the H7 flagellin gene of the H7 type strain.

9.4.1 Construction of expression plasmid vector

10

15

20

25

30

35

pPR1951:

The first 26 codons of the H7 flagellin gene was first PCR amplified using primers #1868 and #1872 (Table 3B). #1868 is the 5' primer: there is an NcoI site incorporated into the primer (Table 3B) and the flagellin gene starts at base 3 of the NcoI site. Primer #1872 was made to have the last two codons (codons 25 and 26) changed from CTG TCG (Leucine and Serine) to GGA TCC (Glycine and Serine) to generate a BamHI site. This PCR fragment was digested with NcoI and BamHI before being cloned into the NcoI/BamHI sites of pTrc99A to make plasmid pPR1949.

The last 31 codons (including the stop codon) of the H7 flagellin gene was PCR amplified using primers #1884 and #1871 (Table 3A). The 5' primer, #1884, has the first two of the 31 codons changed from TCG AAA (Serine and Lysine) to TCT AGA (Serine and Arginine) to generate a XbaI site (Table 3B). The 3' primer #1871 has a PstI site incorporated downstream of the stop codon (Table 3B). This PCR fragment was digested with XbaI and PstI, and then cloned into the XbaI/PstI sites of pPR1949 to make plasmid pPR1951.

9.4.2 Cloning of flagellin genes from the H4 and H17 type strains:

The central regions of flagellin genes from type strains H4 and H17 were PCR amplified using primers #1878 and #1885 (Table 3B), which have a BamHI and a XbaI incorporated at their ends respectively. PCR reactions the following conditions: were carried out under 94oC/30'; annealing, 65oC/30'; denaturing, extension, 72oC/1'; 30 cycles. The PCR product was purified using the Promega Wizard PCR purification kit (Madison WI USA) before being digested by restriction enzymes BamHI and XbaI and cloned into the XbaI/BamHI sites of plasmid pPR1951 to make plasmids pPR1955 (H4) and pPR1957 (H17).

The expression module of plasmids pPR1955 and pPR1957

10

15

20

25

30

35

consists of the *trc* promoter, the SD sequence, the first 24 codons of the H7 flagellin gene (of the H7 type strain), 2 codons encoding Glycine and Serine, 292 or 293 codons of the central region based on the flagellin gene obtained from the H4 or H17 type strain respectively, 2 codons encoding Serine and Arginine, and then the last 29 codons of the H7 flagellin gene (of the H7 type strain).

10. Expression of flagellin gene plasmids in E. colistrains lacking the fliC gene, and identification of the H antigens encoded by these plasmids:

Plasmids carrying flagellin genes as described in section 9 (see Table 3A for a list) were electroporated into strains M2126 or P5560. Strains M2126 and P5560 do not have functional fliC genes, and are not motile when examined under a microscope. Transformants carrying any of the plasmids listed in Table 3A are motile when examined under a microscope. Thus, the flagellin genes in all of the plasmids are expressed.

The antigenic specificity of the flagellin of each transformant was then determined by slide agglutination.

10.1 Flagellin genes from type strains for H2, H5, H6, H7, H9, H11, H14, H15, H18, H19, H20, H21, H23, H24, H26, H27, H28, H29, H30, H31, H32, H33, H34, H39, H41, H42, H43, H45, H46, H49, H51, H52, and H56:

As shown in Table 3A, strains with plasmids carrying these flagellin genes expressed the same H antigen as their respective flagellin parent strain.

For flagellin specificities H2, H5, H6, H7, H9, H14, H15, H18, H19, H20, H23, H24, H26, H27, H28, H29, H31, H33, H39, H51, H52, and H56, there was no cross reaction reported between these flagellins and flagellin antisera for other H antigens [Ewing, W. H.: Edwards and Ewing's identification of the *Enterobacteriaceae.*, Elsevier Science Publishers, Amsterdam, The Netherlands, 1986], and we conclude that we have in each case sequenced the gene

10

15

20

25

30

35

encoding the flagellin of the expected specificity from the respective type strain.

has been observed that cross reactions exist and certain antisera type strains between different levels of dilution (of the antisera), being H11 with anti-H21 and anti-H40, H21 with anti-H11, H30 with anti-H32, H32 with anti-H30, H34 with anti-H24 and anti-H31, H41 with anti-H37 and anti-H39, H42 with anti-H6, H43 with anti-H37, H45 with anti-H20, H46 with anti-H17, and H49 with anti-H39 [Ewing, W. H.: Edwards and Ewing's Enterobacteriaceae., identification the Elsevier of Science Publishers, Amsterdam, The Netherlands, 1986]. We have tested strain M2126 or strain P5560 carrying plasmids containing flagellin genes obtained from each of these type strains (H11, H21, H30, H32, H34, H41, H42, H43, H45, H46, H49) with the appropriate cross-reacting and antisera.

For strain M2126 or strain P5560 carrying plasmids containing flagellin genes obtained from type strains H11, H34, H41, H42, H43, H45, H46, and H49, no cross reaction was found. We conclude that we have in each case sequenced the gene coding the flagellin of the expected specificity from the respective type strain.

Cross reaction was observed for strain P5560 carrying plasmid pPR1948 (containing the flagellin gene obtained from the H30 type strain) with anti-H32 serum, strain P5560 carrying pPR1940 (containing the flagellin gene obtained from the H32 type strain) with anti-H30 serum, and strain M2126 carrying plasmid pPR1995 (containing the flagellin gene obtained from the H21 type strain) with anti-H11 serum.

We note that the reported cross reactions between the H30 type strain and anti-H32, the H32 type strain and anti-H30, and the H21 type strain and anti-H11 happened at a higher level of dilution (of antisera) than for all other type strains with the antisera mentioned above [Ewing, W. H.: Edwards and Ewing's identification of the

10

20

25

30

35

Enterobacteriaceae., Elsevier Science Publishers, Amsterdam, The Netherlands, 1986]. We conclude that except for these three cases, the antiserum used were supplied at a dilution which did not exhibit cross reactions. For the three strains carrying flagellin genes cloned form type strains for H30, H32, and H21, it was necessary to further dilute the antiserum.

Strain P5560 carrying plasmid pPR1948 (containing the flagellin gene obtained from the H30 type agglutinates with anti-H30 serum when the antiserum is diluted to 1:60, but agglutinates with anti-H32 serum only at a dilution of 1:10 and not at a 1:20 dilution (note that the antisera we used have been diluted before reaching our hands). In contrast, strain P5560 carrying plasmid pPR1940 (containing flagellin gene obtained from the H32 type strain) agglutinates with anti-H32 serum when the antiserum is diluted at 1:100, but agglutinates with anti-H30 serum only at a 1:10 dilution and not at a 1:10 dilution. Thus, we conclude that the flagellin genes we sequenced from type strains for H30 and H32 encode flagellins of H30 and H32 specificities respectively.

Strain M2126 carrying plasmid pPR1995 (containing the flagellin gene obtained from the H21 type strain) agglutinates with anti-H21 serum when the antiserum is diluted to 1:40, but agglutinates only with undiluted anti-H11 serum and not at a 1:10 dilution (note that the antisera we used have been diluted before reaching our hands). In contrast, strain M2126 carrying plasmid pPR1981 (containing flagellin gene obtained from the H11 type strain) did not agglutinate with anti-H21 serum. Thus, we conclude that the flagellin genes we sequenced from type strains for H21 encodes flagellin of H21 specificity.

10.2 Flagellin genes from type strains of H1 and H12:

These two genes are very similar in sequence, with 8 a.a difference between the gene products. It has been

A THE REPORT OF THE PARTY OF TH

5

10

15

20

25

30

known that some cross-reaction exists between anti-H12 serum and the H1 type strain and between anti-H1 serum and the H12 type strain [Ewing, W. H.: Edwards and Ewing's the identification Enterobacteriaceae., of Science Publishers, Amsterdam, The Netherlands, Strain M2126 carrying pPR1920 (carrying a flagellin gene from the H1 type strain, Table 3A) agglutinates with anti-H1 serum when the antiserum is diluted to 1:100, but agglutinates only with undiluted anti-H12 serum and not at a 1:10 dilution (please note that the antisera we used have been diluted before reaching our hands). In contrast, carrying plasmid pPR1990 strain M2126 (carrying flagellin gene from the H12 type strain, Table 3A) agglutinates with anti-H12 serum when the antiserum is diluted at 1:100, but agglutinates only with undiluted anti-H1 serum and not at a 1:10 dilution. Thus, conclude that the flagellin genes we sequenced from type strains for H1 and H12 encode flagellins of H1 and H12 specificities respectively.

10.3. Flagellin gene coding for H16:

Strain P5560 carrying plasmid pPR1969 agglutinated with anti-H16 serum. pPR1969 carries a flagellin gene amplified from the H3 type strain. It has been shown that this H3 type strain is a biphasic strain which can express H3 and H16 specificities [Ratiner, Y. A. (1985) "Two genetic arrangements determining flagellar antigen specificities in two diphasic *E. coli* strains. FEMS Microbiol Lett 19: 317-323]. Thus, the H3 type strain has two flagellin genes coding for H3 and H16 specificities. We conclude that we have cloned and sequenced the H16 flagellin gene from this H3 type strain.

10.4 Flagellin gene coding for H4:

35 The flagellin genes obtained from type strains for H4 and H17 are nearly identical, with 4 a.a. difference in the gene products. Plasmid pPR1955 carries a flagellin

20

25

30

35

5

10

gene from the H4 type strain, and plasmid pPR1957 carries a flagellin gene from the H17 type strain. Strain P5560 carrying plasmid pPR1955 or plasmid pPR1957 agglutinated with anti-H4 serum, but not with anti-H17 serum. It has been shown that the type strain for H17 is a biphasic strain which can express H17 and H4 [Ratiner, Y. A. (1985) "Two genetic arrangements determining flagellar antigen specificities in two diphasic E. coli strains. Microbiol Lett 19: 317-323]. The flagellin gene obtained from type strain for H44 is also highly similar to that obtained from the H4 type strain, with 2 a.a. difference in the gene products. It has been shown that the H44 type strain has two complete flagellin genes, being H4 and H44 [Ratiner, Y. A. (1998) "New flagellin specifying genes in some E. coli strains" J. Bacteriol 180: 979-984]. Thus, we conclude that all the three flagellin genes (obtained from type strains for H4, H17 and H44, and sequenced) encode the H4 flagellin, and that the flagellin genes for H17 and H44 specificities have not yet been cloned.

10.5 Flagellin gene coding for H10:

The flagellin genes obtained from type strains for H10 and H50 are nearly identical, with 3 a.a. difference in the gene products. Strain P5560 carrying plasmid pPR1923 (which carries a flagellin gene from the H10 type strain) agglutinated with anti-H10 serum. We conclude that the sequence obtained from the H10 type strain encodes the H10 flagellin. It is not clear if the sequence obtained from the H50 type strain encodes H10 or H50 (see below section for H50).

10.6 Flagellin gene coding for H38:

The flagellin genes obtained from type strains for H38 and H55 are nearly identical, with only 1 a.a. difference in the gene products. Strain M2126 carrying plasmid pPR1984 (carrying the flagellin gene from the type strain H38) agglutinated with anti-H38 serum, but not with

anti-H55 serum. It also has been shown that the type strain for H55 has two complete flagellin genes coding for H55 and H38 specificities [Ratiner, Y. A. (1998) "New flagellin specifying genes in some *E. coli* strains" J. Bacteriol 180: 979-984]. Thus, we conclude that both cloned genes encode the H38 flagellin.

- 35 -

10.7 Summary:

5

10

15

20

25

30

35

A SECURE SECURITY

Flagellin genes coding for 39 H antigens have been identified, being those for specificities H1, H2, H4, H5, H6, H7, H9, H10, H11, H12, H14, H15, H16, H18, H19, H20, H21, H23, H24, H26, H27, H28, H29, H30, H31, H32, H33, H34, H38, H39, H41, H42, H43, H45, H46, H49, H51, H52, and H56.

11. Comparison and alignment of the flagellin genes:

Programs Pileup [Devereux, J., Haeberli, P. and Smithies, O.: A comprehensive set of sequence analysis programs for the VAX. Nucl. Acids Res. 12 (1984) 387-395] and Multicomp [Reeves, P.R., Farnell, L. and Lan, R.: MULTICOMP: a program for preparing sequence data for phylogenetic analysis. CABIOS 10 (1994) 281-284] were used.

The previously published sequence of H1 (GenBank accession number L07387) was extracted from GenBank and used. Because we did not sequence H36 and H53 flagellin genes and we did not have the H16 type strain, we only compared 51 flagellin genes of H type strains and the flic genes from the additional 10 H7 strains.

Among the H7 flic genes, the percentage of DNA difference ranged from 0.0 to 2.39%. The flagellin genes from type strains for H40 and H8 are identical. Some others are nearly identical: H21 and H47 (1.5% difference), H12 and H1 (2.6% difference), H10 and H50 (0.3% difference), H38 and H55 (0.1% difference), H4, H44 and H17 are very similar, the pairwise difference ranging from 0.33% to 0.87%.

10

15

20

25

30

35

For the flagellin genes obtained from type strains for H4, H17 and H44, we have shown that all the three genes encode flagellin with the H4 specificity (see above). For the flagellin genes obtained from type strains fro H21 and H47, and H38 and H55, we have confirmed the specificities for one for each pair and have good reason to conclude that both genes of each pair encode the same H specificity (see above section), being that for H21 and H38 specificities respectively.

For the flagellin genes obtained from type strains for H10 and H50, we have confirmed that the one from the H10 type strain encodes H10 specificity. As these two genes are highly similar, we have presumed that they both encode H10 specificity.

In the cases where the flagellin gene from two type strains is near identical, we conclude that both genes code for flagellin of the same H specificity and that one or other strain has an additional locus which carries the functional gene, although the flagellin genes sequenced do not appear to be mutated.

We have shown by cloning and expression that the flagellin genes obtained from the H1 and H12 type strains encode H1 and H12 specificities respectively (see above section). The neucleotide difference between these two genes is higher at 2.6% (see above), but still within the normal range for variation within a gene in *E. coli*. The two antigens cross react, and this cross reaction must be due to the high level similarity of the flagellins encoded by these two genes.

As discussed above, genes encoding some H antigens have been shown to be located at loci other than flic. H3, H36, H47, H53 have been shown to be at a locus called flkA, H44 and H55 at fllA, and H54 at flmA [Ratiner Y A (1998) "New flagellin-specifying genes in some Escherichia coli strains" J. Bacteriol. 180 979-984]. However, these strains may carry a flic in addition to flkA, fllA or flmA [Ratiner Y A (1998) "New flagellin-specifying genes in some

10

15

20

25

30

35

Escherichia coli strains" J. Bacteriol. 180 979-984].

The flagellin gene encoding H48 was previously sequenced from *E. coli* strain K-12 [Kuwajima G, Asaka J, Fujiwara T, Node K and Kondo E "Nucleotide sequence of the hag gene encoding flagellin of *Escherichia coli"* J Bacteriol. 168 (1986) 1479-1483]. We have sequenced the *fliC* gene from the H48 type strain, and found that it is identical to that from K-12.

The H54 gene is known to be at flmA [Ratiner Y A (1998)"New flagellin-specifying genes in some Escherichia coli strains" J. Bacteriol. 180 979-984]

and the finding of a non-functional presumptive fliC locus in the H54 strain shows that it is present but not expressed. However, we have not amplified and sequenced the functional flmA gene of this strain.

Using the 43 unique sequences (being the 39 identified genes with confirmed specificities and the flagellin genes obtained from the H8 (or H40), H25, H37, and H48 type strains) and the sequences from the two nonfunctional flagellin genes (from H type strains H35 and H54) (see Table 3) we have been able to determine antigen specific primers for each of the H antigen specificities and thereby show that it is practicable to detect E.coli strains carrying specific H antigens without false positives from strains of other H types. There is no reason to expect that the addition of 11 sequences to the unique sequences obtained will affect the general conclusion, as unlike previous reports, our study covers flagellin sequences for a substantial majority of known E. coli H antigen specificities.

Our study of 11 H7 genes from strains of eight different O antigens shows limited variation which was such that the variation within genes for H antigens does not affect the ability to select antigen specific primers. O:H combinations in general define a strain and as some of the strains thus defined were quite distant from each other in a study by Whittam [Whittam T S, wolfe M L,

10

15

20

25

30

35

Wachsmuth Ι Orskov I and Wilson Κ, R Α "Clonal relationships among Escherichia coli strains that cause hemorrhagic colitis and infantile diarrhea" Infect. Immun. 61 (1993) 1619-1629] the variation we observe is thought to represent that generally present in H7 genes. obtained more than one sequences for flagellin genes for H specificities H4, H10, and H38, and again the level of variation within a given specifities is However, there is a low possibility that primers chosen without knowledge of the variation within genes of each H specificity could fail to give positive results with some isolates due to chance choice of primers which cover a base or bases which contribute to this low variation. The variation within the H7 genes is in the normal range for variation within a gene in E. coli and if this possibility did occur it would be easy to use an alternate primer pair. For example, if a first primer in a primer pair is unable to hybridise to a target region because of low level variation in that region, a positive result may be achieved by using a second primer in that pair together with a third primer, whether or not the third primer is specific for the flagellin gene. the third primer is not specific for the flagellin gene, the specificity of the primer pair derives from the specificity of the second primer. The observation that the overall level of variation within gene for a given H specificity is very low making it extremely unlikely that the regions covered by the two primers specific for H specificity would both have undergone change in the same strain.

There are 54 known H antigens for E. coli and of these there are 11 H antigen specificities for which we do not as yet have sequence. It will be easy to determine these sequences and determine primer pairs specific for these H antigens by comparing these sequences with the 45 obtained sequences (see Table 3), and also modify the primers selected for any H antigen for which we already

know the sequence in the unlikely event that there is a possibility of false positives with the primers selected.

The sequences for the remaining H antigens can be obtained in one of the following ways:

5

10

15

20

25

- where we have two bands by PCR (H36 and H53 type 1. strains), we purify each and sequence, and also clone each into a strain mutated in its fliC gene and determine the H In this way a antigen expressed by use of specific sera. related to an Η specific sequence can be specificity. The other band which represents an H antigen gene for a different specificity is expected to include a mutant gene or a gene similar to one of those for a known H specificity, but if not may represent a new specificity for which primer pairs could be selected. It may be difficult to obtain expression of flagellin genes when together due to cloning E. coli cloned from regulatory sequences which prevent expression. This is easily avoided by cloning the major segment of the gene into a functioning fliC gene to replace the equivalent that gene, using standard site directed of mutagenesis to give suitable restriction sites within cloned gene and incorporating those restriction sites into primers used to amplify the major segment of the gene to be studied to facilitate the cloning. We have cloned and sequenced the PCR bands from the H36 and the H55 type
- 2. Where two or more strains have the same flagellin 30 gene sequence, the genes are cloned as above and the H specificity represented by this sequence antigen determined. This identifies the strain in which the expected gene is expressed and also those strains which we have sequenced a gene which is not being 35 We then clone the gene for the antigen expressed. in these strains by making a bank of plasmid expressed clones using chromosomal DNA and select for a clone which

strains using this method (see section 16).

WO 99/61458

5

10

15

20

25

30

35

is expressing an H antigen different from the one This can be done by represented by the known sequence. taking advantage of the fact that the H antigen is on flagellin, the protein of the bacterial flagellum used for movement of the bacteria. In the presence of antibodies specific to that flagellum the bacteria cannot swim. selection the clones are placed in a situation in which motile cells can swim away from the others and be collected. There are many versions of these techniques and any could be used. One version is to place the bacteria on a nutrient agar plate with reduced agar content such that bacteria can swim away from the site of inoculation. This is easily seen as growth on the plate and a sample of the bacteria which are motile can be recovered and cultivated. In this way bacteria carrying cloned H antigen genes can be selected. If the medium in the plate has antibody added to it only bacteria which express an H antigen different to that recognised by the antiserum will be able to swim. Specifically if the antiserum used is specific for the H antigen expressed by the gene for which we have sequence, only clones which express a different H antigen, such as those expressing the H antigen expressed by the H type strains used to make the plasmid, will be selected. Once the clone is obtained, the H antigen gene can be sequenced.

Our work has shown that there are at least 7 cases where the H antigen type strains carry two H antigen genes which appear to be complete and have the potential to function. However, while *E. coli* does not (in general) have a capacity to express more than one flagellin gene, it is striking that there are several loci for flagellin genes [Ratiner Y A (1998)"New flagellin-specifying genes in some *Escherichia coli* strains" J. Bacteriol. 180 979-984]. Several of the pairs of H type strains with identical or near identical sequence do not include any of the H antigen types shown by Ratiner [Ratiner Y A

10

15

20

25

30

35

(1998) "New flagellin-specifying genes in some Escherichia coli strains" J. Bacteriol. 180 979-984] to map other than at fliC although these predominate. This suggests that there are additional cases where the expressed gene is not the only flagellin gene present. However the fact that many of the cases where we obtained flagellin genes of identical or near identical sequence and/or two flagellin genes from one strain involve type strains found by Ratiner [Ratiner Y A (1998) "New flagellin-specifying genes in some Escherichia coli strains" J. Bacteriol. 180 979-984] to map away from fliC are among those near identical to others, indicates that the phenomenon is of limited extent. Nonetheless it remains possible even where only one gene has been obtained by PCR, that it is one of a pair of flagellin genes, the other not being amplified by the primers used, and further that it is the one not amplified which is expressing the H antigen of the strain. It will therefore be necessary to clone as described above each of the flagellin genes we have sequenced and confirm that it expresses the expected antigen to ensure that the invention give results corresponding to those of the traditional serotyping scheme. In the event that it does not, the gene for the type antigen can be cloned and sequenced by the means described above.

The 11 H7 fliC sequences fell into three groups, one comprising the genes from the O157:H7 and O55:H7 strains, which were identical, as expected given the proposed relationship between the clones. It has been shown that E. O157:H7 and 055:H7 clones are closely related [Whittam T S, wolfe M L, Wachsmuth I K, Orskov I and Wilson R A "Clonal relationships among Escherichia coli strains that cause hemorrhagic colitis and infantile diarrhea" Infect. Immun. 61 (1993) 1619-1629] thus it was expected that the H7 fliC genes from O157 and O55 would be identical. Among the H7 fliC sequences, we can identify primers specific to the H7 fliC gene for each of the three H7 groups. Two of these primers in combination with an H7

10

15

20

25

30

35

specific primer gave two primer pairs specific for the H7 gene of from the O157:H7 and O55:H7 clones.

13. Specific oligonucleotide primers for each of the 43 flagellin genes

Two oligonucleotide primers were chosen based on each of the 43 sequences. None of them had more than 85% identity with any other of 61 flagellin gene sequences. Thus, these primers are specific for each H type. These primers are listed in Table 3.

The flagellin gene of the H54 type strain is a mutated gene. It has an insertion sequence (IS1222) inserted into a normal flagellin gene of H21. Thus, primers for H21 would amplify a fragment of different size in H54. We also provide 2 primers based on the insertion sequence (see H54 row in Table 3), and the use of one of them in combination with one of the H21 primers will generate a PCR band only in H54, which will also differentiate those strain carrying the mutated H21 gene from those expressing the H21 flagellin gene.

The flic gene of H35 type strain is also a mutated gene. It has an insertion sequence (IS1) inserted into a normal flagellin gene of H11. Thus, primers for H11 would amplify a fragment of different size in H35. We also provide 2 primers based on the insertion sequence (see H35 row in Table 3), and the use of one of them in combination with one of the H11 primers will generate a PCR band only in H35, which will also differentiate those strain carrying the mutated H11 gene from those expressing the H11 flagellin gene.

14. Testing of the H7 specific oligonucleotide primers

Primer pair #1806/#1809 (see Table 3) was used to carry out PCR on chromosomal DNA samples of all the 54 H type strains and the H7 strains listed in Table 1. PCR reactions were carried out under the following conditions: denaturing, $94^{\circ}\text{C}/30'$; annealing, $58^{\circ}\text{C}/30'$; extension,

10

15

20

25

30

35

 $72\,^{\circ}\text{C/1'}$; 30 cycles. PCR reaction was carried out in an volume of 50ul for each of the chromosomal sample. After the PCR reaction, 5 μ l PCR product from each sample was run on an agarose gel to check for amplified DNA.

Primer pairs #1806/#1809 produced a band of predicted size with all the 11 strains expressing H7, but gave no band with other H type strains. Thus, these primers are H7 specific.

15. Testing of oligonucleotide primers specific to H7 of 0157 and 055:

Based on a comparison of the fliC sequences of 11 different strains, have we identified two oligonucleotides [#1696 (5'-GGCCTGACTCAGGCGGCC) at positions 178 to 195 in M527 and #1697 (5' -GAGTTACCGGCCTGCTGA) positions 1700-1683 in M527] which are unique to H7 of O157 and O55. Although not identical to any parts of the fliC sequences of any other H7 strains, two primers are identical or have high similarity to flic genes of some other H types. However a combination of one of these primers with one of the H7 specific primers can give specificity for H7 of O157:H7 and O55:H7 E. coli.

Primer pairs #1696/#1809 and #1697/#1806 were used to carry out PCR on chromosomal DNA samples of all the H type strains and the H7 strains listed in Table 1. PCR reactions were carried out under the following conditions: denaturing. 94°C/30'; annealing, 61°C/30' #1696/#1809) 60°C/30'(for#1697/#1806); or extension, 72°C/1'; 30 cycles. PCR reaction was carried out in an volume of 50µl for each of the chromosomal samples. After the PCR reaction, $5\mu l$ PCR product from each sample was run on an agarose gel to check for amplified DNA.

Both primer pairs produced a band of predicted size with both of the O157:H7 strains (strains M1004 and M527, see Table 1), and the O55:H7 strain (strain M1686, see Table 1), but gave no band with other strains. Thus, these

PCT/AU99/00385

two pairs of primers are specific to H7 genes of O157:H7 and O55:H7 E. coli strains.

16. Identification of flagellin genes for the remaining 15 H specificities.

16.1. Sequencing the potential flkA gene coding for the H36 flagellin:

Using primers #1431 (5'- atg gca caa gtc att aat acc caa c) and #1432 (5'- cta acc ctg cag cag aga ca), we have amplified two bands from the H36 type strain. PCR reaction carried out under the following conditions: denaturing, 94oC/30'; annealing, 57oC/30'; extension, 72oC/1'; 30 cycles. These two PCR fragments were then cloned into the pGEM-T vector using the Promega pGEM-T cloning kit (Madison WI USA) to make plasmids pPR1992 and pPR1993. Inserts from both plasmids were first sequenced using the M13 universal primers (which bind to the pGEM-T DNA flanking the insertion site). For pPR1992, primers based on the sequence obtained were then used to sequence further, and this procedure was repeated until the insert was fully sequenced.

The sequence of the insert of pPR1992 is identical to that of the H12 flagellin gene sequence except perhaps for the first 8 and last 7 codons which are encoded by the PCR primers in plasmid pPR1992. We have only sequenced the two ends of the insert of plasmid pPR1993 (Figures 71 and 72), and the sequences of the two ends of the insert of pPR1993 are very similar to ends of other sequenced flagellin genes. We conclude that the insert of plasmid pPR1993 encodes a flagellin gene. The full sequence of the insert of plasmid pPR1993 can be obtained using the same method as for the sequencing of the insert of plasmid pPR1992. It is known that flkA gene encodes the H36 flagellin [Ratiner, Y. A. (1998) "New flagellin specifying genes in some E. coli strains" J. Bacteriol 180: 979-984], and it is highly likely that plasmid pPR1993 contains the

20

25

30

35

5

10

10

15

20

25

30

35

- 45 -

flkA gene of the H36 type strain. H specificities can be confirmed by slide agglutination.

The currently uncharacterised sequence of both ends and of DNA flanking these two sequenced genes can be obtained by PCR walking and sequencing. Methods for PCR walking from a known sequence to an unknown region in chromosomal DNA are available (see [Siebert, P. D. , A. Chenchi, D. E. Kellogg, A. Lukyanov and S. A. Lukyanov (1995) "An improved PCR method for walking in uncloned genomic DNA." Nuc. Acids Res. 23: 1087-1088]).

The sequenced genes then can be PCR amplified and cloned using the method(s) described in section 9. Flagellins expressed by strain M2126 carrying these plasmids then can be determined by use of specific sera.

The sequences flanking the flkA gene can then be used to PCR amplify other flkA genes (see below).

16.2 The flkA genes coding for H3, H47 and H53:

It has been shown that flagellins H3, H47 and H53 are encoded by flkA genes in the type strains [Ratiner, Y. A. (1998) "New flagellin specifying genes in some $E.\ coli$ strains" J. Bacteriol 180: 979-984]. These genes can be PCR amplified using primers based on the sequences flanking the flkA gene in the H36 type strain. These PCR fragments can then be sequenced, and the genes expressed in strain M2126 for the identification of these genes.

16.3 The fllA genes coding for H44 and H55:

It is known that flagellins H44 and H55 are coded by fllA genes.

16.3.1 The H55 flagellin gene:

Using primers #1868 and #1870 (Table 3B), we have amplified two bands from the H55 type strain. PCR reaction was carried out under the following conditions: denaturing, 94oC/30'; annealing, 50oC/30'; extension, 72oC/1'; 30 cycles. These two PCR fragments were then

10

15

20

25

30

35

cloned into the pGEM-T vector using the Promega pGEM-T cloning kit (Madison WI USA) to make plasmids pPR1994 and pPR1989. Inserts from both plasmids were first sequenced using the M13 universal primers (which bind to the pGEM-T DNA flanking the insertion site). Primers based on the sequence obtained were then used to sequence further, and this procedure was repeated until both inserts were fully or partly sequenced.

The sequence of the insert of pPR1994 is highly similar to that of the flagellin gene of the H38 type strain, with 1 amino acid difference in the gene products. We have only sequenced the two ends of the insert of plasmid pPR1989 (figures 70A and 70B), and the sequences of the two ends of the insert of pPR1989 are very similar to ends of other sequenced flagellin genes. We conclude that the insert of plasmid pPR1989 encodes a flagellin The full sequence of the insert of plasmid pPR1989 can be obtained using the same method as sequencing of the insert of plasmid pPR1994. It is known that the H55 type strain carries flagellin genes for both H38 and H55, and that the H55 flagellin gene is at the locus [Ratiner, Υ. A. (1998)"New flagellin specifying genes in some E. coli strains" J. Bacteriol 180: 979-984]. Thus, it is highly likely that plasmid pPR1989 contains the fllA gene of the H55 type strain.

The currently uncharacterised sequence of both ends and of DNA flanking these two sequenced genes can be obtained by PCR walking and sequencing. Methods for PCR walking from a known sequence to an unknown region in chromosomal DNA are available (see [Siebert, P. D. , A. Chenchi, D. E. Kellogg, A. Lukyanov and S. A. Lukyanov (1995) "An improved PCR method for walking in uncloned genomic DNA." Nuc. Acids Res. 23: 1087-1088]).

The sequenced genes then can be PCR amplified and cloned using the method(s) described in section 9. Flagellins expressed by strain M2126 carrying these plasmids then can be determined by use of specific sera.

2015 SE

5

10

15

20

25

30

35

- 47 -

16.3.2 The H44 flagellin gene:

The sequence information for DNA flanking the fllA gene in the H55 type strain can then be used to PCR, sequence and identify the fllA gene in the H44 type strain.

16.4 The flmA gene coding for H54:

This gene can be cloned by making a bank of plasmid clones in strain M2126 using chromosomal DNA of the H54 type strain and selecting for a transformant which is motile on an agar plate. This is done by taking advantage of the fact that the H antigen is on flagellin, the protein of the bacterial flagellum used for movement of the bacteria. Strain M2126 lacks flagellin. Once the clone(s) is obtained and identified by use of anti-H54 serum, the flagellin gene can be sequenced. It is possible that clones expressing different flagellin specificities can be obtained, and each of them can be identified by using different sera.

16.5 The flagellin genes obtained from the H37 and H48 type strains:

We have used primers #1868 and #1869 (both were based on the sequence obtained from the H48 type strain, also see section 9) and primers #1868 and #1870 (both were based on the sequences of the H7 flagellin gene of the H7 type strain, also see section 9) to PCR amplify and clone the sequenced flagellin genes from the H48 and H37 type strains respectively. Strain P5560 carrying the plasmid containing either the cloned gene was not motile and did not react with the appropriate antisera. It is highly likely that mutaions have occured due to PCR errors. This can be resolved by re-amplification and re-cloning of the genes.

16.6 The flagellin gene obtained from the H25 type

strain:

The flagellin gene sequence we first obtained from the H25 type strain lacks 23 and 21 codons at 5' and 3' ends respectively. We could not amplify the full gene from the H25 type strain using primers based on the H7 flagellin gene of the H7 type strain, and it was necessary to get the full sequence of this flagellin gene by other means.

We have used primers (#2650: 5' - cag cga tga aat act tgc cat and #2648: 5' - caa tgc ttc gtg acg cac) based on the genes (fliD and fliA respectively) flanking fliC gene in E. coli K-12 [Blattner, F. R., G. I. Plunkett, C. A. Bloch, N. T. Perna, V. Burland, M. Riley and et al. (1997) "The complete genome sequence of E. Coli Ki12" Science 277: 1453-1474] and primers (#2658: 5' - gcc tga gtc aga cct ttg and # 2653 5' - aac ctg tct gaa gcg cag) based on the flagellin sequence obtained from the H25 type strain to PCR amplify both ends of the flagellin gene. The PCR product was then sequenced, and we have now obtained the full flagellin gene sequence and sequence for the DNA flanking the flagellin gene from type strain H25 (Figure Now, it is straightforward to PCR amplify, clone and identify this gene using express, and the described in sections 9 and 10.

16.7 The flagellin genes obtained from the H8 and H40 type strains:

The flagellin gene sequences obtained from both the H8 and H40 type strains lack 18 and 15 codons at 5' and 3' ends respectively. We have used primers based on the H7 flagellin gene of the H7 type strain to PCR amplify and clone the full genes from these two strains. Strain M2126 carrying plasmid made this way was not motile under microscope and did not react with the appropriate antisera. This could be due to PCR errors as mentioned in section 16.5 or perhaps the first and last few amino acids encoded by the primers (based on H7 flagellin gene) are

5

10

15

20

25

35

30

10

15

20

25

30

35

uncompatible in this case.

The full sequence of the full gene can be obtained using method described in section 16.6. The flagellin gene can then be PCR amplified, cloned and expressed, and identified using the methods described in sections 9 and 10.

The gene products of the flagellin genes obtained from the H8 and H40 type strains are identical. Thus, one of these two H specificities must be encoded by a unknown gene, and it can be cloned and identified using the method described in the section 16.8.

16.8 Flagellin genes coding for H17, H35, and H50:

As mentioned above, the sequenced flagellin genes from the H17 and H50 type strains encode H4 and H10 specificities respectively. The flagellin gene sequence obtained from the H35 strain has a insertion and encodes a non-functional gene (see section 8). Thus, genes coding for these flagellins have not been identified, and their location is unknown. One can use primers based on DNA flanking flic, flla, flka, and flma to do PCR on the type strain for each of the flagellin antigen. PCR products can then be sequenced, and possible genes can be cloned, expressed and identified then.

If the target gene is not PCR amplified using primers based on sequence of these loci or sequence flanking these loci, it can be cloned by making a bank of plasmid clones in strain M2126 using chromosomal DNA of the type strain and selecting for a transformant which is motile on an agar plate. This is done by taking advantage of the fact that the H antigen is on flagellin, the protein of the bacterial flagellum used for movement of the bacteria. lacks flagellin. the clone(s) Strain M2126 Once obtained and identified by use of antisera, the flagellin sequenced. It is possible that can be expressing different flagellin antigens can be obtained,

5

10

15

20

25

30

and each of them can be identified by using different antisera. Antiserum for H50 can be prepared using standard methods [Ewing, W.H.:Edwards and Ewing's identification of the *Enterobacteriaceae*., Elsevier Science Publishers, Amsterdam, The Netherlands, 1986].

O antigen

Materials and Methods-part 1

The experimental procedures for the isolation and characterisation of the *E. coli* O111 O antigen gene cluster (position 3,021-9,981) are according to Bastin D.A., et al. 1991 "Molecular cloning and expression in *Escherichia coli* K-12 of the *rfb* gene cluster determining the O antigen of an *E. coli* O111 strain". *Mol. Microbiol*. 5:9 2223-2231 and Bastin D.A. and Reeves, P.R. 1995 "Sequence and analysis of the O antigen gene(*rfb*) cluster of *Escherichia coli* O111". *Gene* 164: 17-23.

A. Bacterial strains and growth media

Bacteria were grown in Luria broth supplemented as required.

B. Cosmids and phage

Cosmids in the host strain x2819 were repackaged in vivo. Cells were grown in 250mL flasks containing 30mL of culture, with moderate shaking at 30°C to an optical density of 0.3 at 580 nm. The defective lambda prophage was induced by heating in a water bath at 45°C for 15min followed by an incubation at 37°C with vigorous shaking for 2hr. Cells were then lysed by the addition of 0.3mL chloroform and shaking for a further 10min. Cell debris were removed from 1mL of lysate by a 5min spin in a microcentrifuge, and the supernatant removed to a fresh microfuge tube. One drop of chloroform was added then shaken vigorously through the tube contents.

C. DNA preparation

35 Chromosomal DNA was prepared from bacteria grown overnight at 37°C in a volume of 30mL of Luria broth.

After harvesting by centrifugation, cells were washed and

10

15

20

25

30

35

resuspended in 10mL of 50mMTris-HCl pH 8.0. EDTA was added and the mixture incubated for 20min. Then lysozyme was added and incubation continued for a further 10min. Proteinase K, SDS, and ribonuclease were then added and the mixture incubated for up to 2hr for lysis to occur. All incubations were at 37°C. The mixture was then heated to 65°C and extracted once with 8mL of phenol at the same temperature. The mixture was extracted once with 5mL of phenol/chloroform/iso-amyl alcohol at 4°C. Residual phenol was removed by two ether extractions. DNA was precipitated with 2 vols. of ethanol at 4°C, spooled and washed in 70% ethanol, resuspended in 1-2mL of TE and dialysed. Plasmid and cosmid DNA was prepared

DNA was precipitated with 2 vols. of ethanol at 4°C, spooled and washed in 70% ethanol, resuspended in 1-2mL of TE and dialysed. Plasmid and cosmid DNA was prepared Birnboim and Doly method a modification of the [Birnboim, H. C. and Doly, J. (1979) "A rapid alkaline extraction procedure for screening recombinant plasmid DNA" Nucl. Acid Res. 7:1513-1523]. The volume of culture extracted the lysate was 10mL and phenol/chloroform/iso-amyl alcohol before precipitation Plasmid DNA to be used as vector was with isopropanol. caesium chloride gradient a continuous isolated on following alkaline lysis of cells grown in 1L of culture. Enzymes and buffers.

Restriction endonucleases and DNA T4 ligase were purchased from Boehringer Mannheim (Castle Hill, NSW, Australia) or Pharmacia LKB (Melbourne, VIC Australia). Restriction enzymes were used in the recommended commercial buffer.

E. Construction of a gene bank.

Individual aliquots of M92 chromosomal DNA (strain from Statens Serum Institut, 5 Artillerivej, 2300 Copenhagen S, Denmark) were partially digested with 0.2U *Sau*3A1 for 1-15mins. Aliquots giving the greatest of in the size range proportion οf fragments approximately 40-50kb were selected and ligated to vector pPR691 previously digested with BamH1 and PvuII. Ligation mixtures were packaged in vitro with packaging extract.

10

15

20

25

30

35

The host strain for transduction was x2819 and recombinants were selected with kanamycin.

F. Serological procedures.

Colonies were screened for the presence of the 0111 antigen by immunoblotting. Colonies were overnight, up to 100 per plate then transferred to nitrocellulose discs and lysed with 0.5N HCl. Tween 20 added TBS at 0.05% final concentration to blocking, incubating and washing steps. Primary antibody was E. coli O group 111 antiserum, diluted 1:800. secondary antibody was goat anti-rabbit IgG labelled with horseradish peroxidase diluted 1:5000. The staining substrate was 4-chloro-1-napthol. Slide agglutination was performed according to the standard procedure.

G. Recombinant DNA methods.

Restriction mapping was based on a combination of standard methods including single and double digests and sub-cloning. Deletion derivatives of entire cosmids were produced as follows: aliquots of 1.8mg of cosmid DNA were digested in a volume of 20ml with 0.25U of restriction enzyme for 5-80min. One half of each aliquot was used to check the degree of digestion on an agarose gel. The sample which appeared to give a representative range of fragments was ligated at 4°C overnight and transformed by the CaCl₂ method into JM109. Selected plasmids were transformed into sf174 by the same method. P4657 was transformed with pPR1244 by electroporation.

H. DNA hybridisation

Probe DNA was extracted from agarose gels electroelution and was nick-translated using dCTP. Chromosomal or plasmid DNA was electrophoresed in 0.8% agarose and transferred to nitrocellulose а membrane. The hybridisation and pre-hybridisation buffers contained either 30% or 50% formamide for low and high stringency probing respectively. temperatures were 42°C and 37°C for pre-hybridisation and hybridisation respectively. Low stringency washing of

10

15

20

25

30

35

filters consisted of 3 x 20min washes in 2 x SSC and 0.1% SDS. High-stringency washing consisted of 3 x 5min washes in 2 x SSC and 0.1% SDS at room temperature, a 1hr wash in 1 x SSC and 0.1% SDS at 58° C and 15min wash in 0.1 x SSC and 0.1% SDS at 58° C.

- 53 -

I. Nucleotide sequencing of $E.\ coli$ O111 O antigen gene cluster (position 3,021-9,981)

Nucleotide sequencing was performed using an ABI 373 automated sequencer (CA, USA). The region between map sequenced 3.30 and 7.90 was using positions uni-directional exonuclease III digestion of deletion families made in PT7T3190 from clones pPR1270 Gaps were filled largely by cloning of selected pPR1272. fragments into M13mp18 or M13mp19. The region from map positions 7.90-10.2 was sequenced from restriction fragments in M13mp18 or M13mp19. Remaining gaps in both regions were filled by priming from synthetic oligonucleotides complementary to determined positions along the sequence, using a single stranded DNA template in M13 or phagemid. The oligonucleotides were designed after analysing the adjacent sequence. All sequencing was performed by the chain termination method. Sequences were aligned using SAP [Staden, R., 1982 "Automation of the computer handling of gel reading data produced by the shotgun method of DNA sequencing". Nuc. Acid Res. Staden, R., 1986 "The current status 4731-4751; portability of our sequence handling software". Nuc. Acid Res. 14: 217-231]. The program NIP [Staden, R. 1982 "An interactive graphics program for comparing and aligning nucleic acid and amino acid sequence". Nuc. Acid Res. 10: 2951-2961] was used to find open reading frames and translate them into proteins.

J. Isolation of clones carrying E. coli 0111 0 antigen gene cluster

The E. coli O antigen gene cluster was isolated according to the method of Bastin D.A., et al. [1991 "Molecular cloning and expression in Escherichia coli K-

10

15

20

25

30

35

12 of the rfb gene cluster determining the O antigen of an E. coli O111 strain". Mol. Microbiol. 5(9), Cosmid gene banks of M92 chromosomal DNA were established in the in vivo packaging strain x2819. the genomic bank, 3.3 x 103 colonies were screened with E.coli 0111 antiserum using an immuno-blotting procedure: pPR1058 (pPR1054, pPR1055, pPR1056, 5 colonies The cosmids from these strains pPR1287) were positive. in vivo into lambda packaged particles transduced into the E. coli deletion mutant Sf174 which lacks all O antigen genes. In this host strain, all plasmids gave positive agglutination with 0111 antiserum. An Eco R1 restriction map of the 5 independent cosmids showed that they have a region of approximately 11.5 kb in common (Figure 1). Cosmid pPR1058 included sufficient flanking DNA to identify several chromosomal markers linked to 0 antigen gene cluster and was selected for analysis of the O antigen gene cluster region.

K. Restriction mapping of cosmid pPR1058

Cosmid pPR1058 was mapped in two stages. A preliminary map was constructed first, and then the region between map positions 0.00 and 23.10 was mapped in detail, since it was shown to be sufficient for O111 antigen expression. Restriction sites for both stages are shown in Figure 2. The region common to the five cosmid clones was between map positions 1.35 and 12.95 of pPR1058.

To locate the O antigen gene cluster within pPR1058, pPR1058 cosmid was probed with DNA probes covering O antigen gene cluster flanking regions from S. enterica LT2 and E.coli K-12. Capsular polysaccharide (cps) genes lie upstream of O antigen gene cluster while the gluconate dehydrogenase (gnd) gene and the histidine (his) operon are downstream, the latter being further from the O antigen gene cluster. The probes used were pPR472 (3.35kb), carrying the gnd gene of LT2, pPR685 (5.3kb) carrying two genes of the cps cluster, cpsB and

10

15

20

25

30

35

cpsG of LT2, and K350 (16.5kb) carrying all of the his Probes hybridised as follows: pPR472 operon of K-12. hybridised to 1.55kb and 3.5 kb (including 2.7 kb of vector) fragments of Pst1 and HindIII double digests of pPR1246 (a HindIII/EcoR1 subclone derived from pPR1058, Figure 2), which could be located at map positions 12.95-15.1; pPR685 hybridised to a 4.4 kb EcoR1 fragment of pPR1058 (including 1.3 kb of vector) located at map position 0.00-3.05; and K350 hybridised with a 32kb EcoR1 fragment of pPR1058 (including 4.0kb of vector), located at map position 17.30-45.90. Subclones containing the presumed gnđ region complemented a gnd edd strain GB23152. On gluconate bromothymol blue plates, pPR1244' and pPR1292 in this host strain gave the green colonies expected of a gnd^+edd^- genotype. The his phenotype was restored by plasmid pPR1058 in the his deletion strain Sf174 on minimal medium plates, showing that the plasmid carries the entire his operon.

It is likely that the O antigen gene cluster region lies between gnd and cps, as in other E. coli and S. enterica strains, and hence between the approximate map positions 3.05 and 12.95. To confirm this, deletion derivatives of pPR1058 were made as follows: pPR1058 was partially digested with HindIII and self Transformants were selected for ligated. kanamycin resistance and screened for expression of 0111 antigen. Two colonies gave a positive reaction. EcoR1 digestion showed that the two colonies hosted identical plasmids, one of which was designated pPR1230, with an insert which extended from map positions 0.00 to 23.10. Second pPR1058 was digested with Sall and partially digested with Xho1 and the compatible ends were re-ligated. Transformants were selected with kanamycin and screened 0111 antigen expression. Plasmid DNA of positively reacting clones was checked using EcoR1 and Xhol digestion and appeared to be identical. The cosmid of one was designated pPR1231. The insert of pPR1231

WWW.

5

10

15

20

25

30

35

contained the DNA region between map positions 0.00 and 15.10. Third, pPR1231 was partially digested with Xho1, self-ligated, and transformants selected on spectinomycin/ streptomycin plates. Clones were screened for kanamycin sensitivity and of 10 selected, all had the DNA region from the Xho1 site in the vector to the Xho1 site at position 4.00 deleted. These clones did not express the Oll1 antigen, showing that the Xho1 site at position 4.00 is within the O antigen gene cluster. One clone was selected and named pPR1288. Plasmids pPR1230, pPR1231, and pPR1288 are shown in Figure 2.

L. Analysis of the \underline{E} . \underline{coli} 0111 O antigen gene cluster (position 3,021-9,981) nucleotide sequence data

Bastin and Reeves [1995 "Sequence and analysis of the O antigen gene(rfb)cluster of Escherichia coli O111". Gene 164: 17-23] partially characterised the E.coli 0111 O antigen gene cluster by sequencing a fragment from map position 3,021-9,981. Figure 3 shows the organisation of position 3,021-9,981 of E. coli 0111 0 antigen gene cluster. orf3 and orf6 have high level amino acid identity with wcaH and wcaG (46.3% and 37.2% respectively), and are likely to be similar in function to sugar biosynthetic pathway genes in the E. coli K-12 colanic gene cluster. orf4 and orf5 show high levels of amino acid homology to manC and manB genes respectively. orf7 shows high level homology with rfbH which is an abequose pathway gene. orf8 encodes a protein with 12 transmembrane segments and has similarity in secondary structure to other wzx genes and is likely therefore to be the O antigen flippase gene.

Materials and Methods-part 2

A. Nucleotide sequencing of 1 to 3,020 and 9,982 to 14,516 of the *E. coli* 0111 O antigen gene cluster

The sub clones which contained novel nucleotide sequences, pPR1231 (map position 0 and 1,510), pPR1237 (map position -300 to 2,744), pPR1239 (map position 2,744

10

15

20

25

30

35

to 4,168), pPR1245 (map position 9,736 to 12,007) and pPR1246 (map position 12,007 to 15,300) (Figure 2), were characterised as follows: the distal ends of the inserts of pPR1237, pPR1239 and pPR1245 were sequenced using the M13 forward and reverse primers located in the vector. PCR walking was carried out to sequence further into each insert using primers based on the sequence data and the primers were tagged with M13 forward or reverse primer sequences for sequencing. This PCR walking procedure was repeated until the entire insert was sequenced. was characterised from position 12,007 to 14,516. DNA of these sub clones was sequenced in both directions. sequencing reactions were performed using dideoxy termination method and thermocycling and reaction products were analysed using fluorescent dye and an ABI automated sequencer (CA, USA).

B. Analysis of the $E.\ coli$ O111 O antigen gene cluster (positions 1 to 3,020 and 9,982 to 14,516 of Figure 5) nucleotide sequence data

The gene organisation of regions of *E. coli* O111 O antigen gene cluster which were not characterised by Bastin and Reeves [1995 "Sequence and analysis of the O antigen gene(*rfb*) cluster of *Escherichia coli* O111." *Gene* 164: 17-23], (positions 1 to 3,020 and 9,982 to 14,516) is shown in Figure 3. There are two open reading frames in region 1. Four open reading frames are predicted in region 2. The position of each gene is listed in Table 9.

The deduced amino acid sequence of orf1 (wbdH) shares about 64% similarity with that of the rfp gene of Shigella dysenteriae. Rfp and WbdH have very similar hydrophobicity plots and both have a very convincing predicted transmembrane segment in a corresponding position. rfp is a galactosyl transferase involved in the synthesis of LPS core, thus wbdH is likely to be a galactosyl transferase gene. orf2 has 85.7% identity at amino acid level to the gmd gene identified in the E.

coli K-12 colanic acid gene cluster and is likely to be a gmd gene. orf9 encodes a protein with 10 predicted transmembrane segments and a large cytoplasmic loop.

This inner membrane topology is a characteristic feature of all known 0 antigen polymerases thus it is likely that orf9 encodes an 0 antigen polymerase gene, wzy. has a deduced amino acid sequence with homology with Lsi2 of Neisseria gonorrhoeae. Lsi2 responsible for adding GlcNAc to galactose in synthesis of lipooligosaccharide. Thus it is likely that wbdL is either a colitose or glucose transferase gene. orf11 (wbdM) shares high level nucleotide and amino acid similarity with TrsE of Yersinia enterocolitica. a putative sugar transferase thus it is likely that wbdM encodes the colitose or glucose transferase.

In summary three putative transferase genes and an 0 antigen polymerase gene were identified at map position 1 to 3,020 and 9,982 to 14,516 of *E. coli* 0111 0 antigen gene cluster. A search of GenBank has shown that there are no genes with significant similarity at the nucleotide sequence level for two of the three putative transferase genes or the polymerase gene. Figure 5 provides the nucleotide sequence of the 0111 antigen gene cluster.

25

30

35

5

10

15

20

Materials and Methods-part 3

A. PCR amplification of O157 antigen gene cluster from an *E. coli* O157:H7 strain (Strain C664-1992, from Statens Serum Institut, 5 Artillerivej, 2300, Copenhagen S, Denmark)

E. coli 0157 O antigen gene cluster was amplified by using long PCR [Cheng et al. 1994, "Effective amplification of long targets from cloned inserts and human and genomic DNA" P.N.A.S. USA 91: 5695-569] with one primer (primer #412: att ggt agc tgt aag cca agg gcg gta gcg t) based on the JumpStart sequence usually found in the promoter region of O antigen gene clusters [Hobbs,

10

15

20

25

30

35

et al. 1994 "The JumpStart sequence: a 39 bp element common to several polysaccharide gene clusters" Mol. Microbiol. 12: 855-856], and another primer #482 (cac tgc cat acc gac gac gcc gat ctg ttg ctt gg) based on the gnd gene usually found downstream of the O antigen gene cluster. Long PCR was carried out using the Expand Long Template PCR System from Boehringer Mannheim (Castle Hill NSW Australia), and products, 14 kb in length, from several reactions were combined and purified using the Promega Wizard PCR preps DNA purification System (Madison WI USA). The PCR product was then extracted with phenol and twice with ether, precipitated with 70% ethanol, and resuspended in 40mL of water.

B. Construction of a random DNase I bank:

Two aliquots containing about 150ng of DNA each were subjected to DNase I digestion using the Novagen DNase I Shotgun Cleavage (Madison WI USA) with a modified protocol as described. Each aliquot was diluted into 45ml of 0.05M Tris -HCl (pH7.5), 0.05mg/mL BSA and 10mM $MnCl_2$. 5mL of 1:3000 or 1:4500 dilution of DNaseI (Novagen) (Madison WI USA) in the same buffer was added into each tube respectively and 10ml of stop buffer (100mM EDTA), 30% glycerol, 0.5% Orange G, 0.075% xylene and cyanol (Novagen) (Madison WI USA) was added after incubation at 15°C for 5 min. The DNA from the two DNaseI reaction tubes were then combined and fractionated on a 0.8% LMT agarose gel, and the gel segment with DNA of about 1kb in size (about 1.5mL agarose) was excised. was extracted from agarose using Promega Wizard PCR Preps DNA Purification (Madison WI USA) and resuspended in 200 mL water, before being extracted with phenol and twice ether, and precipitated. The DNA was resuspended in 17.25 mL water and subjected to T4 DNA polymerase repair and single dA tailing using the Novagen Single dA Tailing Kit (Madison WI USA). The reaction (85ml containing about 8ng DNA) extracted with chloroform: isoamyl alcohol (24:1) once and

5

10

15

20

25

30

35

ligated to 3×10^{-3} pmol pGEM-T (Promega) (Madison WI USA) in a total volume of 100mL. Ligation was carried out overnight at 4° C and the ligated DNA was precipitated and resuspended in 20mL water before being electroporated into *E. coli* strain JM109 and plated out on BCIG-IPTG plates to give a bank.

C. Sequencing

DNA templates from clones of the bank were prepared for sequencing using the 96-well format plasmid DNA miniprep kit from Advanced Genetic Technologies Corp (Gaithersburg MD USA) The inserts of these clones were sequenced from one or both ends using the standard M13 sequencing primer sites located in the pGEM-T vector. Sequencing was carried out on an ABI377 automated sequencer (CA USA) as described above, after carrying out the sequencing reaction on an ABI Catalyst (CA USA). Sequence gaps and areas of inadequate coverage were PCR amplified directly from 0157 chromosomal DNA primers based on the already obtained sequencing data and sequenced using the standard M13 sequencing primer sites attached to the PCR primers.

D. Analysis of the $E.\ coli$ 0157 O antigen gene cluster nucleotide sequence data

Sequence data were processed and analysed using the Staden programs [Staden, R., 1982 "Automation of computer handling of gel reading data produced by the shotgun method of DNA sequencing." Nuc. Acid Res. 4731-4751; Staden, R., 1986 "The current status and portability of our sequence handling software". Nuc. Acid 217-231; Staden, 1982 R. "An interactive graphics program for comparing and aligning nucleic acid and amino acid sequence". Nuc. Acid Res. 10: 2951-2961]. Figure 4 shows the structure of E. coli 0157 0 antigen gene cluster. Twelve open reading frames were predicted from the sequence data, and the nucleotide and amino acid sequences of all these genes were then used to search the GenBank database for indication of possible function and

10

15

20

25

30

35

specificity of these genes. The position of each gene is listed in Table 9. The nucleotide sequence is presented in Figure 6.

orfs 10 and 11 showed high level identity to manC and manB and were named manC and manB respectively. showed 89% identity (at amino acid level) to the gmd gene E. coli colanic acid capsule gene cluster (Stevenson G., K. et al. 1996 "Organisation of Escherichia coli K-12 gene cluster responsible production of the extracellular polysaccharide colanic acid".J. Bacteriol. 178:4885-4893) and was named gmd. orf8 showed 79% and 69% identity (at amino acid level) respectively to wcaG of the E. coli colanic acid capsule gene cluster and to wbcJ (orf14.8) gene of the Yersinia enterocolitica 08 0 antigen gene cluster (Zhang, L. et al. 1997 "Molecular and chemical characterization of the lipopolysaccharide and its O-antigen role in virulence enterocolitica of Y. serotype Microbiol. 23:63-76). Colanic acid and the Yersinia 08 0 antigen both contain fucose as does the 0157 O antigen. There are two enzymatic steps required for GDP-L-fucose synthesis from GDP-4-keto-6-deoxy-D-mannose, the product of the *gmd* gene product. However, it has been shown recently (Tonetti, M et al. 1996 Synthesis of GDP-Lfucose by the human FX protein J. Biol. Chem. 271:27274that the human FX protein has "significant homology" with the wcaG gene (referred to as Yefb in that paper), and that the FX protein carries out both reactions to convert GDP-4-keto-6-deoxy-D-mannose to GDP-L-fucose. We believe that this makes a very strong case for orf8 carrying out these two steps and propose to name the gene fcl. In support of the one enzyme carrying out both functions is the observation that there are no genes other than manB, manC, gmd and fcl with similar levels of similarity between the three bacterial gene clusters for fucose containing structures.

orf5 is very similar to wbeE (rfbE) of Vibrio

25

30

35

5

10

cholerae 01, which is thought to be the perosamine synthetase, which converts GDP-4-keto-6-deoxy-D-mannose to GDP-perosamine (Stroeher, U.H et al. 1995 "A putative pathway for perosamine biosynthesis is the first function encoded within the rfb region of Vibrio cholerae" 01. Gene 166: 33-42). V. cholerae 01 and E. coli 0157 0 antigens contain perosamine and N-acetyl-perosamine respectively. The V. cholerae O1 manA, manB, gmd and wbeE genes are the only genes of the V. cholerae O1 gene cluster with significant similarity to genes of the E. 0157 cluster gene and we believe that observations both confirm the prediction made for the function of whe of V. cholerae, and show that orf5 of the 0157 gene cluster encodes GDP-perosamine synthetase. orf5 is therefore named per. orf5 plus about 100bp of the upstream region (postion 4022-5308) was previously sequenced by Bilge, S.S. et al. [1996 "Role of the Escherichia coli 0157-H7 O side chain in adherence and analysis of an rfb locus". Infect. Immun. 64:4795-4801].

orf12 shows high level similarity to the conserved region of about 50 amino acids of various members of an acetyltransferase family (Lin, W., et al. 1994 "Sequence analysis and molecular characterisation of genes required for the biosynthesis of type 1 capsular polysaccharide in Staphylococcus aureus". J. Bateriol. 176: 7005-7016) and we believe it is the N-acetyltransferase to convert GDP-perosamine to GDP-perNAc. orf12 has been named wbdR.

The genes manB, manC, gmd, fcl, per and wbdR account for all of the expected biosynthetic pathway genes of the O157 gene cluster.

The remaining biosynthetic step(s) required are for synthesis of UDP-GalNAc from UDP-Glc. It has been proposed (Zhang, L., et al. 1997 "Molecular and chemical characterisation of the lipopolysaccharide O-antigen and its role in the virulence of Yersinia enterocolitica serotype 08". Mol. Microbiol. 23:63-76) that in Yersinia enterocolitica UDP-GalNAc is synthesised from UDP-GlcNAc

5

10

15

20

25

30

35

by a homologue of galactose epimerase (GalE), for which there is a galE like gene in the Yersinia enterocolitica O8 gene cluster. In the case of O157 there is no galE homologue in the gene cluster and it is not clear how UDP-GalNAc is synthesised. It is possible that the galactose epimerase encoded by the galE gene in the gal operon, can carry out conversion of UDP-GlcNAc to UDP-GalNAc in addition to conversion of UDP-Glc to UDP-Gal. There do not appear to be any gene(s) responsible for UDP-GalNAc synthesis in the O157 gene cluster.

orf4 shows similarity to many wzx genes and is named wzx and orf2 which shows similarity of secondary structure in the predicted protein to other wzy genes and is for that reason named wzy.

The orf1, orf3 and orf6 gene products all have characteristics of transferases, and have been named wbdN, wbdO and wbdP respectively. The 0157 O antigen has 4 sugars and 4 transferases are expected. The first transferase to act would put a sugar phosphate onto undecaprenol phosphate. The two transferases known to perform this function, WbaP (RfbP) and WecA transfer galactose phosphate and N-acetyl-glucosamine phosphate respectively undecaprenol to phosphate. Neither of these sugars is present in the 0157 structure.

Further, none of the presumptive transferases in the O157 gene cluster has the transmembrane segments found in WecA and WbaP which transfer a sugar phosphate to undecaprenol phosphate and expected for any protein which transferred a sugar to undecaprenol phosphate which is embedded within the membrane.

The WecA gene which transfers GlcNAc-P to undecaprenol phosphate is located in the Enterobactereal Common Antigen (ECA) gene cluster and it functions in ECA synthesis in most and perhaps all E. coli strains, and also in O antigen synthesis for those strains which have GlcNAc as the first sugar in the O unit.

It appears that WecA acts as the transferase for

10

15

20

25

30

35

addition of GalNAc-1-P to undecaprenol phosphate for the Yersinia enterocolitica 08 0 antigen [Zhang et al.1997 "Molecular and chemical characterisation of lipopolysaccharide O antigen and its role in the virulence of Yersinia enterocolitica serotype 08" Mol. Microbiol. 23: 63-76.] and perhaps does so here as the 0157 structure includes GalNAc. WecA has also been reported to add Glucose-1-P phosphate to undecaprenol phosphate in E. coli 08 and 09 strains, alternative possibility for transfer of the first sugar to undecaprenol phosphate is WecA mediated transfer of glucose, as there is a glucose residue in the 0157 O antigen. In either case the requisite number transferase genes are present if GalNAc or Glc is transferred by WecA and the side chain Glc is transferred by a transferase outside of the O antigen gene cluster.

orf9 shows high level similarity (44% identity at amino acid level, same length) with wcaH gene of the E. coli colanic acid capsule gene cluster. The function of this gene is unknown, and we give orf9 the name wbdQ.

The DNA between manB and wdbR has strong sequence similarity to one of the H-repeat units of E. coli K12. Both of the inverted repeat sequences flanking this region are still recognisable, each with two of the 11 bases being changed. The H-repeat associated protein encoding gene located within this region has a 267 base deletion and mutations in various positions. It seems that the H-repeat unit has been associated with this gene cluster for a long period of time since it translocated to the gene cluster, perhaps playing a role in assembly of the gene cluster as has been proposed in other cases.

Materials and Methods - part 4

To test our hypothesis that O antigen genes for transferases and the wzx, wzy genes were more specific than pathway genes for diagnostic PCR, we first carried out PCR using primers for all the E. coli 016 O antigen

10

15

20

25

30

35

genes (Table 7). The PCR was then carried out using PCR primers for E.coli Oll1 transferase, wzx and wzy genes (Table 8, 8A). PCR was also carried out using PCR primers for the E.coli Ol57 transferase, wzx and wzy genes (Table 9, 9A).

Chromosomal DNA from the 166 serotypes of E. coli available from Statens Serum Institut, 5 Artillerivej, 2300 Copenhagen Denmark was isolated using the Promega Genomic (Madison WI USA) isolation kit. Note that 164 of the serogroups are described by Ewing W. H.: Edwards and Ewings "Identification of the Enterobacteriacea" Elsevier, Amsterdam 1986 and that they are numbered 1-171 with numbers 31, 47, 67, 72, 93, 94 and 122 no longer valid. Of the two serogroup 19 strains we used 19ab Lior H. 1994 ["Classification of strain F8188-41. Escherichia coli In Escherichia coli in domestic animals humans qq 31-72. Edited by C.L. international] adds two more numbered 172 and 173 to give the 166 serogroups used. Pools containing 5 to 8 samples of DNA per pool were made. Pool numbers 1 to 19 (Table 4) were used in the E. coli 0111 and 0157 assay. numbers 20 to 28 were also used in the 0111 assay, and pool numbers 22 to 24 contained E. coli 0111 DNA and were used as positive controls (Table 5). Pool numbers 29 to 42 were also used in the 0157 assay, and pool numbers 31 to 36 contained E. coli 0157 DNA, and were used as positive controls (Table 6). Pool numbers 2 to 20, 30, 43 and 44 were used in the E. coli 016 assay (Tables 4 to 6). Pool number 44 contained DNA of E. coli K-12 strains C600 and WG1 and was used as a positive control as between them they have all of the E. coli K-12 016 0 antigen genes.

PCR reactions were carried out under the following conditions: denaturing 94°C/30"; annealing, temperature varies (refer to Tables)/30"; extension, 72°C/1'; 30 cycles. PCR reaction was carried out in an volume of 25mL for each pool. After the PCR reaction, 10mL PCR

10

15

20

product from each pool was run on an agarose gel to check for amplified DNA.

Each E. coli chromosomal DNA sample was checked by gel electrophoresis for the presence of chromosomal DNA and by PCR amplification of the E. coli mdh gene using oligonucleotides based on E. coli K-12 [Boyd et al. (1994) "Molecular genetic basis of allelic polymorphism in malate degydrogenase (mdh) in natural populations of Escherichia coli and Salmonella enterica" Proc. Nat. Acad. Sci. USA. 91:1280-1284.] Chromosomal DNA samples from other bacteria were only checked by gel electrophoresis of chromosomal DNA.

A. Primers based on $E.\ coli$ 016 O antigen gene cluster sequence.

The O antigen gene cluster of *E. coli* 016 was the only typical *E. coli* O antigen gene cluster that had been fully sequenced prior to that of 0111, and we chose it for testing our hypothesis. One pair of primers for each gene was tested against pools 2 to 20, 30 and 43 of *E. coli* chromosomal DNA. The primers, annealing temperatures and functional information for each gene are listed in Table 8.

For the five pathway genes, there were 17/21, 13/21, 0/21, 0/21, 0/21 positive pools for rmlB, rmlD, rmlA, rmlC and glf respectively (Table 7). For the wzx, wzy and three transferase genes there were no positives amongst the 21 pools of E. coli chromosomal DNA tested (Table 7). In each case the #44 pool gave a positive result.

B. Primers based on the $E.\ coli$ 0111 O antigen gene cluster sequence.

One to four pairs of primers for each of the transferase, wzx and wzy genes of Olll were tested against the pools 1 to 21 of E. coli chromosomal DNA (Table 8). For wbdH, four pairs of primers, which bind

10

15

20

25

30

35

WO 99/61458 PCT/AU99/00385

- 67 -

to various regions of this gene, were tested and found to be specific for O111 as there was no amplified DNA of the correct size in any of those 21 pools of E. coli chromosomal DNA tested. Three pairs of primers for wbdM were tested, and they are all specific although primers #985/#986 produced a band of the wrong size from one Three pairs of primers for wzx were tested and they all were specific. Two pairs of primers were tested for wzy, both are specific although #980/#983 gave a band of the wrong size in all pools. One pair of primers for wbdL was tested and found unspecific and therefore no further test was carried out. Thus, wzx, wzv and two of the three transferase genes are highly specific to 0111. Bands of the wrong size found in amplified DNA are assumed to be due to chance hybridisation of genes widely present in E. coli. The primers, annealing temperatures and positions for each gene are in Table 8.

0111 assay was also performed using pools including DNA from O antigen expressing Yersinia pseudotuberculosis, Shigella boydii and Salmonella enterica strains (Table 8A). None oligonucleotides derived from wbdH, wzx, wzy or wbdM gave amplified DNA of the correct size with these pools. Notably, pool number 25 includes S. enterica Adelaide which has the same O antigen as E. coli 0111: this pool did not give a positive PCR result for any primers tested indicating that these genes are highly specific for E. coli 0111.

Each of the 12 pairs binding to wbdH, wzx, wzy and wbdM produces a band of predicted size with the pools containing 0111 DNA (pools number 22 to 24). As pools 22 to 24 included DNA from all strains present in pool 21 plus 0111 strain DNA (Table 5), we conclude that the 12 pairs of primers all give a positive PCR test with each of three unrelated 0111 strains but not with any other strains tested. Thus these genes are highly specific for E. coli 0111.

10

15

20

25

30

35

C. Primers based on the $E.\ coli$ 0157 O antigen gene cluster sequence.

Two or three primer pairs for each of transferase, wzx and wzy genes of O157 were tested against E. coli chromosomal DNA of pools 1 to 19, 29 and 30 (Table 9). For wbdN, three pairs of primers, which bind to various regions of this gene, were tested and found to be specific for O157 as there was no amplified DNA in any of those 21 pools of E. coli chromosomal DNA Three pairs of primers for wbdO were tested, and they are all specific although primers # produced two or three bands of the wrong size from all pools. Three pairs of primers were tested for wbdP and they all were specific. Two pairs of primers were tested for wbdR and they were all specific. For wzy, pairs of primers were tested and all were specific although primer pair #1203/#1204 produced one or three bands of the wrong size in each pool. For wzx, two pairs of primers were tested and both were specific although primer pair #1217/#1218 produced 2 bands of wrong size in 2 pools, and 1 band of wrong size in 7 pools. the wrong size found in amplified DNA are assumed to be due to chance hybridisation of genes widely present in E. The primers, annealing temperatures and function information for each gene are in Table 9.

The 0157 assay was also performed using pools 37 to 42, including DNA from O antigen expressing Yersinia pseudotuberculosis, Shigella boydii, enterocolitica 09, Brucella abortus and Salmonella enterica strains (Table 9A). None of the oligonucleotides derived from wbdN, wzy, wbdO, wzx, wbdP or wbdR reacted specifically with these pools, except that primer pair #1203/#1204 produced two bands with Y. enterocolitica 09 and one of the bands is of the same size with that from the positive control. Primer pair #1203/#1204 binds to wzy. The predicted

10

15

20

25

structures of Wzy proteins are generally similar, although there is very low similarity at amino acid or DNA level among the sequenced wzy genes. Thus, it is possible that Y. enterocolitica 09 has a wzy gene closely related to that of *E. coli* 0157. It is also possible that this band is due to chance hybridization of another gene, as the other two wzy primer pairs (#1205/#1206 and #1207/#1208) did not produce any band enterocolitica 09. Notably, pool number 37 includes S. enterica Landau which has the same O antigen as E. coli 0157, and pool 38 and 39 contain DNA of B. abortus and Y. enterocolitica 09 which cross react serologically with E. This result indicates that these genes are coli 0157. highly 0157 specific, although one primer pair may have cross reacted with Y. enterocolitica 09.

Each of the 16 pairs binding to wbdN, wzx, wzy, wbdO, wbdP and wbdR produces a band of predicted size with the pools containing 0157 DNA (pools number 31 to 36). As pool 29 included DNA from all strains present in pools 31 to 36 other than 0157 strain DNA (Table 6), we conclude that the 16 pairs of primers all give a positive PCR test with each of the five unrelated 0157 strains.

Thus PCR using primers based on genes wbdN, wzy, wbdO, wzx, wbdP and wbdR is highly specific for E. coli 0157, giving positive results with each of six unrelated 0157 strains while only one primer pair gave a band of the expected size with one of three strains with 0 antigens known to cross-react serologically with E. coli 0157.

10

15

20

TABLE 1 H7 strains used in this work in addition to the H 5 antigens type strains

Name us	sed Serotype	Original	Source*
in this	;	name	
study			
M527	O157:H7	C664-1992	a
M917	018ac:H7	A57	IMVS
M918	018ac:H7	A62	IMVS
M973	O2:H7	A1107	CDC
M1004	O157:H7	EH7	ь
M1179	018ac:H7	D-M3291/54	IMVS
M1200	O7:H7	A64	С
M1211	019ab:H7	F8188-41	IMVS
M1328	O53:H7	14097	IMVS
M1686	O55:H7	TB156	đ
* a.	Statona Garage T		
α.	Statens Serum Ins	stitut, Copenha	agen, Denmark.
b.	Dr R. Brown of Ro Australia.	yal Children'	s Hospital, Melbourne,
c.	Max-Planck Instit Germany.	ut fur moleku	lare Genetik, Berlin,
d.	Dr P. Tarr of Chi University of Was	.ldren's Hospi shington, USA.	tal and Medical Center,
IMVS,	Institute of Medi Australia.	cal and veter:	inary Science, Adelaide,
CDC,	Centers for Disea USA.	se Control and	d prevention, Atlanta,

Table 2

	l able 2	
	onucleotides used to PCR amplify flic	
fro	om different H type strains for sequer	
H Type Strains	Annealing Temperature (°C)	Primers Used
1	55	#1575/#1576
2	55	#1285/#1286
3	55	#1285/#1286
4	50	\$1431/#1432
5	60	#1285/#1286
6	55	#1575/#1576
7	55	#1575/#1576
8	55	#1431/#1432
9	60	#1575/#1576
10	55	#1575/#1576
11	55	#1285/#1286
12	60	#1575/#1576
14	60	#1575/#1576
15		
	60	#1575/#1576
16	60	#1575/#1576
17	60	#1417/#1418
18	60	#1575/#1576
19	60	#1575/#1576
20	60	#1575/#1576
21	55	#1285/#1286
23	60	#1575/#1576
24	60	#1285/#1286
25	60	#1417/#1418
26	60	#1575/#1576
27	50	#1431/#1432
28	60	#1575/#1576
29	60	#1285/#1286
30	60	#1575/#1576
31	60	#1575/#1576
32	60	#1575/#1576
33	60	#1285/1286
34	55	#1575/#1576
35	50	#1431/#1432
37	60	#1285/#1286
38	60	#1285/#1286
39	55	#1285/#1286
40	55	#1285/#1286
41	60	#1575/#1576
42	60	#1285/#1286
43	60	#1575/#1576
44	60	#1285/#1286
45	60	#1575/#1576
46	60	#1575/#1576
47	55	#1285/#1286
48	60	#1575/#1576
49	60	#1575/#1576
50	60	#1285/#1286
51	60	#1575/#1576
52	60	#1575/#1576
54	50	#1431/#1432
55 50	60	#1285/#1286
56	60	#1285/#1286

Table 3 Summary of the flagellin sequences obtained and specific H type oligonucleotide primers

		oligonucleotide prim	CIO	
H type strain(s) the sequenced gene(s)	H specificity coded by the	H type strain from which the flagellin gene	Positions of primer 1	Positions of primer 2
obtained from	gene(s)	sequence was used for	printer :	printer 2
······································		primer choice		
11	1	1	892-909	1172-1189
2	2	2	568-587	1039-1056
4,17,44	4	4	466-483	628-648
5	5	5	697-714	877-897
6	6	6	565-585	799-816
7	7	7	553-570	1483-1500
			(primer #1806)	(primer #1809)
9	9	9	616-633	838-855
10(50)***	10	10	559-579	697-717
11	11	11	586-606*	791-810*
12	12	12	892-909	1172-1189
14	14	14	586-606	793-813
15	15	15	640-660	817-834
3	16	3	649-666	925-942
18	18	18	589-606	802-819
19	19	19	607-624	538-855
20	20	20	574-591	760-780
21,47	21	21	676-693**	862-879**
23	23	23	637-654	1336-1353
24	24	24	496-516	772-792
26	26	26	553-570	772-789
27	27	27	685-702	799-819
28	28	28	592-609	778-798
29	29	29	538-555	757-774
30	30	30	814-831	943-962
31	31	31	571-588	790-807
32	32	32	514-831	1057-1074
33	33	33	553-570	718-735
34	34	34	568-58 5	796-816
38,55	38	38	553-573	709-729
39	39	39	556-573	718-735
41	41	41	598-615	784-801
42	42	42	547-567	715-735
43	43	43	580-597	844-861
45	45	45	640-657	943-963
46	46	46	565-582	781-801
49	49	49	589-609	754-771
51	51	51	565-582	
52	52	52	598-615	1042-1059 829-846
56	56	56	697-714	877-897
8 and 40		8	562-579	1045-1062
25		25	529-549	,
35		non-functional H11 gene	769-789*	703-723 1045-1065*
37		37	520-537	715-735
48	T			
54			<u> </u>	
		48 non-functional H21 gene	568-585 988-1008**	835-852 1344-1364**

See text

See section 13 for choice of primers for the flagellin gene of H11
See section 13 for choice of primers for the flagellin gene of H21
See text

Table 3A
Cloning, expression and identification of flagellin genes

H type strain	Delegan		T	T.:		I I and
from which	Primers used	Annealing	Plasmid	Host strain	Anti-serum	H antigen
the H antigen	for PCR	temperature	carrying the H	used for	which reacts	encoded by
gene was	amplification of	(oC) used for	antigen gene	expression	with an E. Coli	the cloned
amplified	the H antigen gene	PCR		•	fliC deletion	gene
•	gene	amplification			strain carrying	
					the plasmid	1
H1	#1868 & #1870	5 5	pPR1920	M2126	H1	H1
H2	#1868 & #1870	55	pPR1977	P5560	H2	H2
НЗ	#1868 & #1870	55	pPR1969	P5560	H16	H16
H4	#1878 & #1885	65	pPR1955	P5560	H4	H4
H5	#1868 & #1870	60	pPR1967	M2126	H5	H5
H6	#1868 & #1870	55	pPR1921	P5560	H6	H6
H7	#1868 & #1870	55	pPR1919	P5560	H7	H7
H9	#1868 & #1870	55	pPR1922	P5560	H9	H9
H10	#1868 & #1870	55	pPR1923	P5560	H10	H10
H11	#1868 & #1870	55	pPR1981	M2126	H11	H11
H12	#1868 & #1870	60	pPR1990	M2126	H12	H12
H14	#1868 & #1870	55	pPR1924	P5560	H14	H14
H15	#1868 & #1870	55	pPR1925	P5560	H15	H15
H17	#1878 & #1885	65	pPR1957	P5560	H4	H4
H18	#1868 & #1870	55	pPR1986	M2126	H18	H18
H19	#1868 & #1870	55	pPR1927	P5560	H19	H19
H20	#1868 & #1870	55	pPR1963	M2126	H20	H20
H21	#1868 & #1870	55	pPR1995	M2126	H21	H21
H23	#1868 & #1869	55	pPR1942	P5560	H23	H23
H24	#1868 & #1870	55	pPR1971	M2126	H24	H24
H26	#1868 & #1870	65	pPR1928	P5560	H26	H26
H27	#1868 & #1870	55	pPR1970	M2126	H27	H27
H28	#1868 & #1870	60	pPR1944	P5560	H28	H28
H29	#1868 & #1870	55	pPR1972	M2126	H29	H29
H30	#1868 & #1871	55	pPR1948	P5560	H30	H30
H31	#1868 & #1870	65	pPR1965	M2126	H31	H31
H32	#1868 & #1871	55	pPR1940	P5560	H32	H32
H33	#1868 & #1871	55	pPR1976	M2126	H33	H33
H34	#1868 & #1870	65	pPR1930	P5560	H34	H34
H38	#1868 & #1870	48	pPR1984	M2126	H38	H38
H39	#1868 & #1870	48	pPR1982	M2126	H39	H39
H41	#1868 & #1870	65	pPR1931	P5560	H41	H41
H42	#1868 & #1870	50	pPR1979	M2126	H42	H42
H43	#1868 & #1870	65	pPR1968	M2126	H43	H43
H45	#1868 & #1870	60	pPR1943	P5560	H45	H45
H46	#1868 & #1870	60	pPR1966	M2126	H46	H46
H49	#1868 & #1870	60	pPR1985	M2126	H49	H49
H51	#1868 & #1870	65	pPR1941	P5560	H51	H51
H52	#1868 & #1870	65	pPR1935	P5560	H52	H52
H56	#1868 & #1870	50	pPR1978	M2126	H56	H56

- Table 3B Oligonucleotide primers used for PCR amplification and cloning of H antigen genes
- #1868 5'- cat gcc atg gca caa gtc att aat acc -3'
 NcoI
- #1869 5'- ata tgt cga ctt aac cct gca gca gag aca g -3'
 Sall
- #1870 5' atg gat cct taa ccc tgc agc aga gac ag -3'

 BamHI
- #1871 5' aac tgc agt taa ccc tgt agc aga gac ag -3'

 PstI
- #1872 5' cgg gat ccc gca gac tgg ttc ttg ttg at 3'

 BamHI
- #1878 5' cgg gat cca ett eta teg age gee tet et 3'

 BamHI

The state was the state of

- #1884 5' gct cta gag cgc aga tca ttc agc agg cc -3'

 XbaI
- #1885 5' gct cta gac atg ttg gac act tcg gtc gc 3'

 Xbal

75 -TABLE 4

Pool No.	Strains of which chromosonal DNA included in the pool	Source*
1	E. coli type strains for O serotypes 1, 2, 3, 4, 10, 16, 18 and 39	IMVS ^a
2	E. coli type strains for O serotypes 40, 41, 48, 49, 71, 73, 88 and 100	IMVS
3	<i>E. coli</i> type strains for O serotypes 102, 109, 119, 120, 121, 125, 126 and 137	IMVS
4	E. coli type strains for O serotypes 138, 139, 149, 7, 5, 6, 11 and 12	IMVS
5	E. coli type strains for O serotypes 13, 14, 15, 17, 19ab, 20, 21 and 22	IMVS
6	E. coli type strains for O serotypes 23, 24, 25, 26, 27, 28, 29 and 30	IMVS
7	E. coli type strains for O serotypes 32, 33, 34, 35, 36, 37, 38 and 42	IMVS
8	E. coli type strains for O serotypes 43, 44, 45, 46, 50, 51, 52 and 53	IMVS
9	E. coli type strains for O serotypes 54, 55, 56, 57, 58, 59, 60 and 61	IMVS
10	E. coli type strains for O serotypes 62, 63, 64, 65, 66, 68, 69 and 70	IMVS
11	E. coli type strains for O serotypes 74, 75, 76, 77, 78, 79, 80 and 81	IMVS
12	E. coli type strains for O serotypes 82, 83, 84, 85, 86, 87, 89 and 90	IMVS
13	E. coli type strains for O serotypes 91, 92, 95, 96, 97, 98, 99 and 101	IMVS
14	E. coli type strains for O serotypes 103, 104, 105, 106, 107, 108 and 110	IMVS
15	E. coli type strains for O serotypes 112, 162, 113, 114, 115, 116, 117 and 118	IMVS
16	E. coli type strains for O serotypes 123, 165, 166, 167, 168, 169, 170 and 171	See b
17	E. coli type strains for O serotypes 172, 173, 127, 128, 129, 130, 131 and 132	See c
18	E. coli type strains for O serotypes 133, 134, 135, 136, 140, 141, 142 and 143	IMVS
19	E. coli type strains for O serotypes 144, 145, 146, 147, 148, 150, 151 and 152	IMVS

a. Institute of Medical and Veterinary Science, Adelaide, Australia

b. 123 from IMVS; the rest from Statens Serum Institut, Copenhagen, Denmark

c. $\,$ 172 and 173 from Statens Serum Institut, Copenhagen, Denmark, the rest from IMVS

- 76 -

TABLE 5

Pool No.	Strains of which chromosonal DNA included in the pool	Source*
20	E. coli type strains for O serotypes 153, 154, 155, 156, 157, 158 , 159 and 160	IMVS
21	E. coli type strains for O serotypes 161, 163, 164, 8, 9 and 124	IMVS
22	As pool #21, plus E. coli 0111 type strain Stoke W.	IMVS
23	As pool #21, plus <i>E. coli</i> 0111:H2 strain C1250-1991	See d
24	As pool #21, plus E. coli 0111:H12 strain C156-1989	See e
25	As pool #21, plus S. enterica serovar Adelaide	See f
26	Y. pseudotuberculosis strains of O groups IA, IIA, IIB, IIC, III, IVA, IVB, VA, VB, VI and VII	See g
27	S. boydii strains of serogroups 1, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14 and 15	See h
28	S. enterica strains of serovars (each representing a different O group) Typhi, Montevideo, Ferruch, Jangwani, Raus, Hvittingfoss, Waycross, Dan, Dugbe, Basel, 65,:i:e,n,z,15 and 52:d:e,n,x,z15	IMVS

- C1250-1991 from Statens Serum Institut, Copenhagen, Denmark C156-1989 from Statens Serum Institut, Copenhagen, Denmark d.
- e.
- $S.\ enterica$ serovar Adelaide from IMVS f.
- Dr S Aleksic of Institute of Hygiene, Germany
- Dr J Lefebvre of Bacterial Identification Section, Laboratoroie de Santè Publique du Quèbec, Canada

- 77 -

TABLE 6

Pool No.	Strains of which chromosonal DNA included in the pool	Source*
29	E. coli type strains for O serotypes 153, 154, 155, 156, 158, 159 and 160	IMVS
30	E. coli type strains for O serotypes 161, 163, 164, 8, 9, 111 and 124	IMVS
31	As pool #29, plus <i>E. coli</i> O157 type strain A2 (O157:H19)	IMVS
32	As pool #29, plus E. coli O157:H16 strain C475-89	See d
33	As pool #29, plus E. coli O157:H45 strain C727-89	See d
34	As pool #29, plus <i>E. coli</i> O157:H2 strain C252-94	See d
35	As pool #29, plus E. coli O157:H39 strain C258-94	See d
36	As pool #29, plus <i>E. coli</i> O157:H26	See e
37	As pool #29, plus S. enterica serovar Landau	See f
38	As pool #29, plus Brucella abortus	See g See h
39	As pool #29, plus Y. enterocolitica O9	
40	Y. pseudotuberculosis strains of O groups IA, IIA, IIB, IIC, III, IVA, IVB, VA, VB, VI and VII	See i
41	S. boydii strains of serogroups 1, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14 and 15	See j
42	S. enterica strains of serovars (each representing a different O group) Typhi, Montevideo, Ferruch, Jangwani, Raus, Hvittingfoss, Waycross, Dan, Dugbe, Basel, 65:i:e,n,z15 and 52:d:e,n,x,z15	IMVS
43	E. coli type strains for O serotypes 1,2,3,4,10,18 and 29	IMVS
44	As pool #43, plus <i>E. coli</i> K-12 strains C600 and WG1	IVMS See k

- d. O157 strains from Statens Serum Institut, Copenhagen, Denmark
- e. O157:H26 from Dr R Brown of Royal Children's Hospital, Melbourne, Victoria
- f. S. enterica serovar Landau from Dr M Poppoff of Institut Pasteur, Paris, France
- g. B. Abortus from the culture collection of The University of Sydney, Sydney, Australia
- h. Y. enterocolitica O9 from Dr. K. Bettelheim of Victorian Infectious Diseases Reference Laboratory Victoria, Australia.
- i. Dr S Aleksic of Institute of Hygiene, Germany
- J. Dr J Lefebvre of Bacterial Identification Section, Laboratoroie de Santè Publique du Quèbec, Canada
- k. Strains C600 and WG1 from Dr. B.J. Backmann of Department of Biology, Yale University, USA.

TABLE 7 PCR assay result using primers based on the E. coli serotype O16 (strain K-12) O antigen gene cluster sequence

The state of the s

The state of the s

Gene	Function	Base positions of the gene	Forward primer (base positions)	Reverse primer (base positions)	Length of the PCR fragment	Number of pools (out of 21) giving band of correct size	Annealing temperature of the PCR
rmlB*	TDP-rhamnose pathway	90-1175	#1064(91-109)	#1065(1175-1157)	1085bp	17	J.09
rnılD*	TDP-rhamnose pathway	1175-2074	#1066(1175-1193)	#1067 (2075-2058)	901bp	13	J.09
rnlA*	TDP-rhamnose pathway	2132-3013	#1068(2131-2148)	#1069(3013-2995)	883bp	0	J.09
rndC*	TDP-rhamnose pathway	3013-3570	#1070(3012-3029)	#1071(3570-3551)	559bp	0	C0°C
8tf*	Galactofuranose pathway	4822-5925	#1074(4822-4840)	#1075(5925-5908)	1104bp	0	55°C
*xzw	Flippase	3567-4814	#1072(3567-3586)	#1073(4814-4797)	1248bp	0	55°C
*kzw	O polymerase	5925-7091	#1076(5925-5944)	#1077(7091-7074)	1167bp	0	O.09
*Iqqm	Galactofuranosyl transferase	7094-8086	#1078 (7094-7111)	#1079(8086-8069)	ďq£66	0	50°C
*[qqn	Acetyltransferase	8067-8654	#1080(8067-8084)	#1081(8654-8632)	Ž88bp	0	⊃.09
wbk**	Glucosyl transferase	5770-6888	#1082(5770-5787)	#1083(6888-6871)	1119bp	0	55°C
*** 7 <i>qq</i> a	Rhamanosyltransferase	679-1437	#1084(679-697)	#1085(1473-1456)	795bp	****0	55°C

*, **, *** Base positions based on GenBank entry U09876, U03041 and L19537 respectively
**** 19 pools giving a band of wrong size

TABLE 8 PCR assay data using 0111 primers

	<u> </u>		Γ										
Annealing temperature of the PCR	D₀09	J.09	D.09	J.09	20°C	J.09	50°C	J.09	61°C	J.09	D.09	J.09	65°C
Number of pools (out of 21) giving band of correct size	0	0	0	0	0	0	0	0	*0	7	0	0	**0
Length of the PCR fragment	1203bp	807bp	423bp	267bp	1263bp	563bp	605bp	852bp	372bp	894bp	1125bp	406bp	441bp
Reverse primer (base positions)	#867(1941-1924)	#978(1731-1714)	#979(1347-1330)	#978(1731-1714)	#970(9908-9891)	#1062(9468-9451)	#1063 (9754-9737)	#901(10827-10807)	#983(10484-10467)	#871(11824-11796)	#869(12945-12924)	#987(12447-12430)	#986(12698-12681)
Forward primer (base positions)	#866 (739-757)	#976(925-942)	#976(925-942)	#977(1165-1182)	#969(8646-8663)	#1060(8906-8923)	#1061(9150-9167)	(9666-9266)006#	#980(10113-10130)	#870(10931-10949)	#868(11821-11844)	#984(12042-12059)	#985(12258-12275)
Base positions of the gene according to SEQ ID NO: 1	739-1932				8646-9911			9901-10953		10931-11824	11821-12945		
Gene	Нрам				xzm			kzm		npqT	Wpqm		

- 79 -

Giving a band of wrong size in all pools One pool giving a band of wrong size

TABLE 8A PCR specificity test data using 0111 primers

Length of the Number of pools (pools Annealing PCR fragment no. 25-28) giving band of temperature correct size of the PCR	1203bp 0* 60°C	O-09 0 dqZ08	423bp 0 60°C	267bp 0 60°C	1263bp 0 55°C	2e3bp 0 6de5c	605bp 0* 50°C	S52bp 0 60°C	372bp 0** 60°C	O 0 dqp68	1125bp 0 60°C	406bp 0 60°C	
Reverse primer (base positions)	#867(1941-1924)	#978(1731-1714)	#979(1347-1330)	#978(1731-1714)	#970(9908-9891)	#1062(9468-9451)	#1063 (9754-9737)	#901(10827-10807)	#983(10484-10467)	#871(11824-11796)	#869(12945-12924)	#987(12447-12430)	
Forward primer (base positions)	#866 (739-757)	#976(925-942)	#976(925-942)	#977(1165-1182)	#969(8646-8663)	#1060(8906-8923)	#1061(9150-9167)	(9666-9266)006#	#980(10113-10130)	#870(10931-10949)	#868(11821-11844)	#984(12042-12059)	
Base positions of the gene according to SEQ ID NO: 1	739-1932				8646-9911			9901-10953		10931-11824	11821-12945		
Gene	Нрдл				wzw			kzm		npqT	Wpqm		-

* *

1 pool giving a band of wrong size 2 pools giving 3 bands of wrong sizes, 1 pool giving 2 bands of wrong sizes

TABLE 9 PCR results using primers based on the E. coli O157 sequence

A STATE OF THE PROPERTY OF T

	temperature of the PCR	55°C	55°C	55°C	50°C	03°C	O.09	50°C	62°C	J.09	50°C	C3°C	55°C	55°C	55°C	55°C	C0°C
	giving band of correct size	0	0	0	*0	0	0	0	**0	0	0	***	0	0	0	0	0
rengtn or	fragment	783	348	459	1185	267	636	747	384	378	1392	289	1215	534	525	369	348
Keverse primer	(base positions)	#1198 (861-844)	#1200(531-514)	#1202(768-751)	#1204(2042-2025)	#1206(1619-1602)	#1208(1913-1896)	#1210(2757-2740)	#1212(2493-2476)	#1214(2682-2665)	#1216(4135-4118)	#1218(3628-3611)	#1222(6471-6454)	#1224(5973-5956)	#1226(6231-6214)	#1230(13629-13612)	#1232(13731-13714)
Forward primer	(base positions)	#1197(79-96)	#1199(184-201)	#1201(310-327)	#1203(858-875)	#1205(1053-1070)	#1207(1278-1295)	#1209(2011-2028)	#1211(2110-2127)	#1213(2305-2322)	#1215(2744-2761)	#1217(2942-2959)	#1221(5257-5274)	#1223(5440-5457)	#1225(5707-5724)	#1229(13261-13278)	#1231(13384-13401)
Base position	according to SEQ ID NO: 2	79-861			858-2042			2011-2757			2744-4135		5257-6471			13156-13821	
Function		Sugar transferase			O antigen			Sugar transferase			O antigen flippase		Sugar transferase			N-acetyl	
Gene		wbdN			uzy			Opqaı			xzaı		wbdP			wbdR	

3 bands of wrong size in one pool, 1 band of wrong size in all other pools

*

³ bands of wrong sizes in 9 pools, 2 bands of wrong size in all other pools

² bands of wrong sizes in 2 pools, 1 band of wrong size in 7 pools

Maria Tara Tara Tara

ins:

The same was the same with the same was the same with the same was the same with the same with the same was the same with the sa

PCR results using primers based on the E. coli O157 sequence

TABLE 9A

	1	1	T	т—	т-	Т	γ	1	Т-	т	1	Γ		· ·	· -	т
Annealing temperatur e of the PCR	55°C	55°C	61°C	50°C	D₀09	D°09	20°C	61°C	D∘09	20°C	J.69	55°C	D.09	55°C	20°C	J°09
Number of pools (pools no. 37-42) giving band of correct size	*0	*0	0	**	***0	0	0	****0	0	0	0	0	*0	0	0	0
Length of the PCR fragmen t	783	348	459	1185	292	989	747	384	378	1392	289	1215	534	525	369	348
Reverse primer (base positions)	#1198 (861-844)	#1200(531-514)	#1202(768-751)	#1204(2042-2025)	#1206(1619-1602)	#1208(1913-1896)	#1210(2757-2740)	#1212(2493-2476)	#1214(2682-2665)	#1216(4135-4118)	#1218(3628-3611)	#1222(6471-6454)	#1224(5973-5956)	#1226(6231-6214)	#1230(13629-13612)	#1232(13731-13714)
Forward primer (base positions)	#1197(79-96)	#1199(184-201)	#1201(310-327)	#1203(858-875)	#1205(1053-1070)	#1207(1278-1295)	#1209(2011-2028)	#1211(2110-2127)	#1213(2305-2322)	#1215(2744-2761)	#1217(2942-2959)	#1221(5257-5274)	#1223(5440-5457)	#1225(5707-5724)	#1229(13261-13278)	#1231(13384-13401)
Base position of the gene according to SEQ ID NO: 2	79-861			858-2042			2011-2757			2744-4135		5257-6471			13156-13821	
Function	Sugar transferase			Oantigen		And the state of t	Sugar transferase			O antigen flippase		Sugar transferase			N-acetyl transferase	
Gene	Npqn			wzy			Opqaı			wzw		wbdP			wbdR	

1 band of wrong size in one pool pool pool pool #39 giving two bands, one band of correct size, the other band of wrong size in another pool. 2 bands of wrong sizes in one pool 3 bands of wrong sizes in 2 pools, 2 bands of wrong sizes in 2 pools.

* * * *

25

CLAIMS:

5

10

- 1. A nucleic acid molecule which encodes all or part of an *E. coli* flagellin protein, the molecule being capable of identifying the H serotype of an *E. coli* when hybridised to a gene of the *E. coli* which encodes a flagellin protein, provided that the molecule does not encode a flagellin protein expressed by the *E. coli* H1, H7, H12 or H48 type strains.
- 2. A nucleic acid molecule according to claim 1 wherein the molecule is derived from a fliC gene.
- 3. A nucleic acid molecule according to claim 1 including all or part of a sequence according to any one of SEQ ID NOs:1 to 68.
 - 4. A nucleic acid molecule according to claim 1 consisting of all or part of a sequence according to any one of SEQ ID NOs: 1 to 68.
 - 5. A nucleic acid molecule according to claim 4 wherein the molecule is from about 10 to 20 nucleotides in length.
 - 6. A primer selected from the group of primers shown in Table 3.
- 7. A method of detecting the H serotype of E. coli in a sample, the method comprising the following steps:
 - (a) contacting a gene of an *E. coli* in the sample with a nucleic acid molecule according to claim 1 in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene; and
- (b) detecting a nucleic acid molecule which is hybridised to the gene, to detect the H serotype of the E. coli in the sample.

10

15

25

30

- 8. A method according to claim 7 wherein the hybridised nucleic acid molecules are detected by Southern Blot analysis.
- 9. A method of detecting the H serotype of E. coli in a sample, the method comprising the following steps:
 - (a) contacting a gene of an *E. coli* in the sample with a pair of nucleic acid molecules according to claim 1 in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene; and
 - (b) detecting a pair of nucleic acid molecules which is hybridised to the gene, to detect the H serotype of the *E. coli* in the sample.
 - 10. A method according to claim 9 wherein the hybridised pairs of nucleic acid molecules are detected by the polymerase chain reaction.
- 20 11. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:
 - (a) contacting a gene of the *E. coli* with a nucleic acid molecule derived from a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a *E. coli* O antigen, in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene;
 - (b) contacting a gene of an *E. coli* in the sample with a nucleic acid molecule according to claim 1 in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene; and
- (c) detecting nucleic acid molecules which are hybridised to the genes, to detect the H and O serotype of the E. coli in the sample.



10

20

25

30

35

12. A method according to claim 11 wherein the nucleic acid molecule of step (a) is selected from the group consisting of:

wbdH (nucleotide position 739 to 1932 of Figure 5),
wzx (nucleotide position 8646 to 9911 of Figure 5),
wzy (nucleotide position 9901 to 10953 of Figure 5),
wbdM (nucleotide position 11821 to 12945 of Figure 5),
wbdN (nucleotide position 79 to 861 of Figure 6),
wbdO (nucleotide position 2011 to 2757 of Figure 6),
wbdP (nucleotide position 5257 to 6471 of Figure 6),
wbdR (nucleotide position 13156 to 13821 of Figure 6),
wzx (nucleotide position 2744 to 4135 of Figure 6) and

13. A method according to claim 12 wherein the nucleic acid molecule of step (a) is a primer selected from the group of primers shown in Tables 8, 8A, 9 and 9A.

wzy (nucleotide position 858 to 2042 of Figure 6).

- wherein the claim 11 according to Α method 14. detected by molecules are hybridised nucleic acid Southern Blot analysis.
 - 15. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:
 - (a) contacting a gene of the *E. coli* with a pair of nucleic acid molecules derived from a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a *E. coli* O antigen, in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene;
 - (b) contacting a gene of an *E. coli* in the sample with a pair of nucleic acid molecules according to claim 1 in conditions sufficient to allow the pair of nucleic acid molecules to hybridise to the gene; and
 - (c) detecting pairs of nucleic acid molecules which

20

25

30

35

are hybridised to the genes, to detect the H and O serotype of the $E.\ coli$ in the sample.

16. A method according to claim 15 wherein the pair of nucleic acid molecules of step (a) is selected from the group consisting of:

wbdH (nucleotide position 739 to 1932 of Figure 5),
wzx (nucleotide position 8646 to 9911 of Figure 5),

wzy (nucleotide position 9901 to 10953 of Figure 5),

wbdM (nucleotide position 11821 to 12945 of Figure 5),

wbdN (nucleotide position 79 to 861 of Figure 6),

wbdO (nucleotide position 2011 to 2757 of Figure 6),

wbdP (nucleotide position 5257 to 6471 of Figure 6),

wbdR (nucleotide position 13156 to 13821 of Figure 6),

wzx (nucleotide position 2744 to 4135 of Figure 6) and wzy (nucleotide position 858 to 2042 of Figure 6).

- 17. A method according to claim 15 wherein the nucleic acid molecules of the pair of step (a) are primers selected from the group of primers shown in Tables 8, 8A, 9 and 9A.
- 18. A method according to claim 15 wherein the hybridised pairs of nucleic acid molecules are detected by the polymerase chain reaction.
 - 19. A method for detecting the H and O serotype of E. coli in a sample, the method comprising the following steps:
- (a) contacting a gene of an E. coli in the sample with a nucleic acid molecule according to claim 1, in conditions sufficient to allow the nucleic acid molecule to hybridise to the gene; and
 - (b) detecting a nucleic acid molecule which is hybridised to the gene, to detect the H and O serotype of *E. coli* in the sample.

20

30

- 20. A method according to claim 19 wherein the nucleic acid molecule is according to any one of SEQ ID NOS: 9, 55, 57 to 65.
- 5 21. A method according to any one of claims 8, 9, 11, 15 or 19 wherein the sample is selected from the group consisting of a sample derived from food, a sample derived from faeces and a sample derived from a patient or animal.
- 10 22. A kit for identifying the H serotype of E. coli, the kit comprising at least one nucleic acid molecule according to any one of claims 1 to 6.
 - 23. A kit for identifying the H and O serotype of E. coli, the kit comprising:
 - (a) at least one nucleic acid molecule according to any one of claims 1 to 6; and
 - (b) at least one nucleic acid molecule derived from and specific for a gene encoding a transferase or a gene encoding an enzyme for the transport or processing of a polysaccharide or oligosaccharide unit, the gene being involved in the synthesis of a particular *E. coli* O antigen.
- 24. A kit according to claim 23 wherein the at least one nucleic acid molecule of (a) is selected from the group consisting of:
 - wbdH (nucleotide position 739 to 1932 of Figure 5),
 wzx (nucleotide position 8646 to 9911 of Figure 5),
 - wzy (nucleotide position 9901 to 10953 of Figure 5),
 - wbdM (nucleotide position 11821 to 12945 of Figure 5),
 - wbdN (nucleotide position 79 to 861 of Figure 6),
 - wbdO (nucleotide position 2011 to 2757 of Figure 6),
 - wbdP (nucleotide position 5257 to 6471 of Figure 6),
- 35 wbdR (nucleotide position 13156 to 13821 of Figure 6),
 wzx (nucleotide position 2744 to 4135 of Figure 6) and
 wzy (nucleotide position 858 to 2042 of Figure 6).

25. A kit according to claim 24 wherein the nucleic acid molecule of (a) is a primer selected from the group of primers shown in Tables 8, 8A, 9 and 9A.

5

1/96




Figure 1




Figure 2

newly sequenced region 2 10 9 00 4 newly sequenced region 1 ~ Ort部

Figure 3

4/96 22 9 Dpq. 9 00 Region previously sequenced K 3 ~

Figure 4

GATCTGATGGCCGTAGGGCGCTACGTGCTTTCTGCTGATATCTGGGCTGAGTTGGAAAAA	60
ACTGCTCCAGGTGCCTGGGGACGTATTCAACTGACTGATGCTATTGCAGAGTTGGCTAAA	120
AAACAGTCTGTTGATGCCATGCTGATGACCGGCGACAGCTACGACTGCGGTAAGAAGATG	180
GCTATATGCAGGCATTCGTTAAGTATGGGCTGCGCAACCTTAAAGAAGGGGCGAAGTTC	240
CGTAAGAGCATCAAGAAGCTACTGAGTGAGTAGAGATTTACACGTCTTTGTGACGATAAG	300
CCAGAAAAAATAGCGGCAGTTAACATCCAGGCTTCTATGCTTTAAGCAATGGAATGTTAC	360
TGCCGTTTTTTATGAAAAATGACCAATAATAACAAGTTAACCTACCAAGTTTAATCTGCT	420
TTTTGTTGGATTTTTTCTTGTTTCTGGTCGCATTTGGTAAGACAATTAGCGTGAGTTTTA	480
GAGAGTTTTGCGGGATCTCGCGGAACTGCTCACATCTTTGGCATTTAGTTAG	540
TAGCTGTTAAGCCAGGGGGGGTAGCTTGCCTAATTAATTTTTAACGTATACATTTATTCT	600
TGCCGCTTATAGCAAATAAAGTCAATCGGATTAAACTTCTTTTCCATTAGGTAAAAGAGT	660
GTTTGTAGTCGCTCAGGGAAATTGGTTTTGGTAGTAGTACTTTTCAAATTATCCATTTTC	720
Start of orf1 M L L C C I H I N V Y Y L L CGATTTAGATGGCAGTTG <u>ATG</u> TTACTATGCTGCATACATATCAATGTATATTTACTT	780
L E C D M K K I V I I G N V A S M M L R TTAGAATGTGATATGAAAAAAATAGTGATCATAGGCAATGTGAGGGCAATGTGAGGGTCAATGATGTTAAGG	840
FRKELIMNLVRQGDNVYCLA TTCAGGAAAGAATTAATCATGAATTTAGTGAGGCAAGGTGATAATGTATATTGTCTAGCA	900
N D F S T E D L K V L S S W G V K G V K AATGATTTTTCCACTGAAGATCTTAAAGTACTTTCGTCATGGGGGGTTAAAGGGGGGTTAAA	960
F S L N S K G I N P F K D I I A V Y E L TTCTCTCTTAACTCAAAGGGTATTAATCCTTTTAAGGATATAATTGCTGTTTATGAACTA	1020
K K I L K D I S P D I V F S Y F V K P V AAAAAAATTCTTAAGGATATTCCCCAGATATTGTATTTTCATATTTTGTAAAGCCAGTA	1080
I F G T I A S K L S K V P R I V G M I E ATATTTGGAACTATTGCTTCAAAGTGCCAAGGATTGTTGGAATGATTGAA	1140
G L G N A F T Y Y K G K Q T T K T K M I GGTCTAGGTAATGCCTTCACTTATTATAAGGGAAAGCAGACCACAAAAACTAAAATGATA	1200
K W I Q I L L Y K L A L P M L D D L I L AAGTGGATACAAATTCTTTTATATAAGTTAGCATTACCGATGCTTGATGATTTGATTCTA	1260
L N H D D K K D L I D Q Y N I K A K V T TTAAATCATGATGATAAAAAAGATTTAATCGATCAGTATAATATTAAAGCTAAGGTAACA	1320
V L G G I G L D L N E F S Y K E P P K E GTGTTAGGTGGGATTGGATCTTAATGAGTTTTCATATAAAGAGCCACCGAAAGAG	1380
${\tt K}$ I T F I A R L L R E K G I F E F I AAAATTACCTTTATTTTATAGCAAGGTTATTAAGAGAGAAAGGGATATTTGAGTTTATT	1440
E A A K F V K T T Y P S S E F V I L G G GAAGCCGCAAAGTTCGTTAAGACAACTTATCCAAGTTCTGAATTTGTAATTTTAGGAGGT	1500

F E S N N P F S L Q K N E I E S L R K E TTTGAGAGTAATAATCCTTTCTCATTACAAAAAAATGAAATTGAATCGCTAAGAAAAAAAA	1560
H D L I Y P G H V E N V Q D W L E K S S CATGATCTTATTTATCCTGGTCATGTGGAAAATGTTCAAGATTGGTTAGAGAAAAGTTCT	1620
V F V L P T S Y R E G V P R V I Q E A M GTTTTTGTTTTACCTACATCATATCGAGAAGGCGTACCAAGGGTGATCCAAGAAGCTATG	1680
A I G R P V I T T N V P G C R D I I N D GCTATTGGTAGACCTGTAATAACAACTAATGTACCTGGGTGTAGGGATATAATAAATGAT	1740
G V N G F L I P P F E I N L L A E K M K GGGGTCAATGGCTTTTGATACCTCCATTTGAAATTAATTTACTGGCAGAAAAAATGAAA	1800
Y F I E N K D K V L E M G L A G R K F A TATTTTATTGAGAATAAAGATAAAGTACTCGAAATGGGGCTTGCTGGAAGGAA	1860
E K N F D A F E K N N R L A S $\cdot\cdot$ I I K S N GAAAAAAACTTTGATGCTTTTGAAAAAAATAATAGACTAGCATCAATAATAAAATCAAAT	1920
End of orf1 N D F *	
AATGATTTTTGACTTGAGCAGAAATTATTTATATTTCAATCTGAAAAATAAAGGCTGTTA	1980
Start of orf2 M N K V A L I T G I T G Q D G S Y L A TTATGAATAAAGTGGCATTAATTACTGGTATCACTGGGCAAGATGGCTCCTATTTGGCAG	2040
E L L L E K G Y E V H G I K R R A S S F AATTATTGTTAGAAAAAGGTTATGAAGTTCATGGTATTAAACGCCGTGCATCTTCATTTA	2100
N T E R V D H I Y Q D S H L A N P K L F ATACTGAGCGAGTGGATCACATCTATCAGGATTCACATTTAGCTAATCCTAAACTTTTTC	2160
L H Y G D L T D T S N L T R I L K E V Q TACACTATGGCGATTTGACAGATACTTCCAATCTGACCCGTATTTTAAAAGAAGTTCAAC	2220
P D E V Y N L G A M S H V A V S F E S P CAGATGAAGTTTACAATTTGAGGGGCGATGAGCCATGTAGCGGTATCATTTGAGTCACCAG	2280
E Y T A D V D A I G T L R L L E A I R I AATACACTGCTGATGTTGATGCGATAGGAACATTGCGTCTTCTTGAAGCTATCAGGATAT	2340
L G L E K K T K F Y Q A S T S E L Y G L TGGGGCTGGAAAAAAAGACAAAATTTTATCAGGCTTCAACTTCAGAGCTTTATGGTTTGG	2400
V Q E I P Q K E T T P F Y P R S P Y A V TTCAAGAAATTCCACAAAAAGAGACTACGCCATTTTATCCACGTTCGCCTTATGCTGTTG	2460
A K L Y A Y W I T V N Y R E S Y G M F A CAAAATTATATGCCTATTGGATCACTGTTAATTATCGTGAGTCTTATGGTATGTTTGCCT	2520
C N G I L F N H E S P R R G E T F V T R GCAATGGTATTCTCTTTAACCACGAATCACCTCGCCGTGGCGAGACCTTTGTTACTCGTA	2580
K I T R G I A N I A Q G L D K C L Y L G AAATAACACGCGGGATAGCAAATATTGCTCAAGGTCTTGATAAATGCTTATACTTGGGAA	2640
N M D S L R D W G H A K D Y V K M Q W M ATATGGATTCTCTGCGTGATTGGGGACATGCTAAGGATTATGTCAAAATGCAATGGATGA	2700

M	L	Q	Q	E	T	P	E	D	F	V	I	A	T	G	I	Q	Y	S	V	2760
TG(CTG	CAG	CAA	GAA	ACT	CCA	GAAC	SATT	PTT	GTA	ATTO	GCT	ACAC	GA <i>F</i>	ATTO	CAA:	FAT:	rct(STCC	
R	E	F	V	T	M	A	A	E	Q	V	G	I	E	L	A	F	E	G	E	2820
GT(GAG	TTT	GTC.	ACA	ATG	GCG	GCAC	GAGO	CAAC	GTA	GGC <i>I</i>	ATA	GAGT	TAC	GCAT	PTT	GAA(GGT(GAGG	
G	V	N	E	K	G	V	V	V	S	V	N	G	T	D	A	K	A	V	N	2880
GA(GTA	AAT	GAA	AAA	GGT	GTT(GTT(GTT:	rcgo	GTC	AATO	GGC	ACTO	SATO	SCT <i>i</i>	AAA(GCT(GTA	AACC	
P	G	D	V	I	I	S	V	D	P	R	Y	F	R	P	A	E	V	E	T	2 94 0
CG(GGC	GAT	GTA	ATT.	ATA'	TCT(GTAC	GAT(CCA	AGG'	PAT'	PTT	AGG	CCTO	GCAG	BAA(GTT(GAA	ACCT	
L TG	L CTT	G GGC	D GAT	P CCT.	T ACT	N AAT(A GCG(H CAT <i>l</i>	K AAA	K AAA'	L PTAC	G GGA	W TGG2	s AGCO			I ATT.	T ACA'	L PTGC	3000
R GT	E GAA	M ATG	V GTA	K AAA	E GAA	M ATG	CTT	s rcc i	S AGC	D GAT	L TTA	A SCA	I ATA (A SCG 2	K NAA	K AAG	N AAC	V GTC	L PTGC	3060
L	K	A	N	N	I	A	Т	N	I	P	Q	E	End *							
TG.	AAA	CCT	PAA	AAC	ATT	ecc.	ACT	AAT:	ATT!	ece	CAA	SAA	TAA	AAA.	AGA	LAP	TAC	ATT	PAAA	3120
																		M	F	orf3
A.A.	ATT	AAA	ATG	GTG	CTA	GAT	TTA	ATT	STA	CCA	TTA	TTT	TTT	PPT(3GG	IGA	CTA	ATG	TTTA	3180
I	T	S	D	K	F	R	E	I	I	K	L	V	P	L	V	S	I	D	L	3240
TT	ACA	TCA	GAT	AAA	TTT	AGA	GAA	ATT.	ATC	AAG	TTA	CTT	CCA	TTA	STA	TCA	ATT	GAT	CTGC	
L	I	E	N	E	N	G	E	Y	L	F	G	L	R	N	N	R	P	A	K	3300
TA	AT T	GAA	AAC	GAG	AAT	CGT	GAA	TAT	TTA	TTT	CCT	CTT	AGG	AAT	NAT	E GA	CCG	GCC	AAAA	
N	Y	F	F	V	P	G	G	R	I	R	K	N	E	S	I	K	N	A	F	3360
AT	PAT	TTT	YYY	GTT	CCA	GGT	GGT.	AGG	ATT	CGC	AAA	AA T	GAA	TCT	ATT	AAA	AAT	GCT	TTTA	
K	R	I	S	s	M	E	L	G	K	E	Y	G	I	S	G	S	V	F	N	3420
AA	AGA	ATA	.TCA	.TCT	'ATG	GAA	TTA	GGT	AAA	GAG	TAT	GGT	TTA '	TCA	GGA	AGT	GTT	TTT	AATG	
G	V	W	E	H	F	Y	D	D	G	F	F	S	E	G	E	A	T	H	Y	3480
GT	GTA	.TGC	GAA	CAT	TTC	PAT	TAD '	GAT	GGT	TTT	TTT	TCT	GAA	GGC	GAG	GCA	ACA	CAT	TATA	
	V CTC		C TGT	Y PAP	T ACA	L CTC	K AAA	V GTT	L CTT	K 'AAA	S AGT	E GAA	L .PTG	N AAT	L CTC	P CCA	D CAT	D GAT	Q CAAC	3540
	R CG1	E 'GAJ	Y AT	L CTI	W PGC	L CTA	T ACT	K AAA	H .CAC	Q CAA	I ATA	N AAT	A CCT	K AAA	Q AA Э	D GAT	V PTS	H FAD	N 'AACT	3600
v	c	v	NT	Y	-		End	lof	or	:£3					Sta	rt	o£	ori	4	
								PPT	TTA	TTP	LA.A.A	AT9	PAA	PPA'	CGA	GAG	NA	e rg r	M ATG T	3660
s	Q	C	L	Y	P	V	I	I	A	G	G	T	G	s	R	L	W	P	L	3720
et	'CAJ	VTG1	PCPT	AT	CCT	GTA	ATT	'ATT	GCC	(CG2)	.GGA	ACC	CGA	AG C	CGI	KTD	PGC	SCC	TTGT	
S	R	V	L	Y	P	K	Q	F	L	N	L	V	G	D	S	T	M	L	Q	- 3780
CT	'CG 7	VTD	YPT ?	ATA	CC9	'AA	KAD A	ATT	TT	PAA 2	TTA	CTO	PGGG	GAT	TCI	ACA	ATC	TTC	CAAA	
T	T	I	T	R	L	D	G	I	E	C	E	N	P	I	V	I	C	N	E	- 3840
CA	ACI	PPA/) DA T	SCG1	PTT C	PAD	PGGC	ATC	GAJ	VTGC	GA A	AA	P CCA	ATI	GTT	'ATC	TG0	AA S	'GAAG	
D	Н	R	F	I	v	Α	E	0	L	R	0	I	G	к	I.,	т	к	Ŋ		
							N													. 3500

8/96

	K AAG	N AAT i	N LAT(P CT i	N NAT (D SAC (D SACC	P CTT	L P PA T	L PTA9	L PTAC	V STA(L CTTC	A SCG(A CAC	D SAC (H CAC 1	S CT/	I TAA	4020
N	N	E	K	A	F	R	E	S	I	I	K	A	M	P	Y	A	T	S	G	4080
AT	TAA	SAA	AAA (SCA '	PPP (CGA (PDAC 1	PCA/	VPAJ	\TAJ	VAA (SCT/	NTG (CCG	PAT S	SCA/	\CT	PCTC	IGGA	
	L TTA																		K AGA	4140
R	S	S	S	A	D	P	N	K	E	F	P	A	Y	N	V	A	E	F	V	4200
GA	AGT	TCT	TCA (3CT	SAT(CT 2	VATZ	VAA (SAA	PTC	CA C	SCA	PAT	LAT (TT	SCG (SAG T	PTT (STAG	
E	K	P	D	V	K	T	A	Q	E	Y	I	S	S	G	N	Y	Y	W	N	4260
A.A	AAA	CCA	GAT(STT.	AAA	ACA (SCA (CAG (SAA !	PAT	I	PCG	AGT(SGG	AAT	PAT	PAC	PGG/	\ATA	
s	G	M	F	L	F	R	A	S	K	Y	L	D	E	L	R	K	F	R	P	4320
s e	GGA	ATG	TTT	PTA	PTT	CGC	SCC	AGT Z	NAA	PAT (STT (SAT(SAA (CTA (SGG	AAA'	PPT :	NGA (CCAG	
D	I	Y	H	S	C	E	C	A	T	A	T	A	N	I	D	M	D	F	V	4380
A1	PTK	TAT	CAT.	AGC	TGT	GAA '	PGT (SCA	ACC	SCT	ACA (SCA	AAT	ATA	SAT	ATG	GAC'	PPT(STCC	
R	I	N	E	A	E	F	I	N	C	P	E	E	S	I	D	Y	A	V	M	4440
G∤	ATT	AAC	GAG	SCT	GAG	TTT .	ATT	AAT	PGT	CCT (SAA (SAG	TCT.	ATC	SAT'	PAT	GCT	STG	ATGG	
E A /	K AAA	T ACA	K AAA	D GAC	A GCT	V GTA	V GTT (L CTT	P CCG.	I ATA	D GAT	I ATT	G GGC						S PCTT	4500
W	S	S	L	W	D	I	S	Q	K	D	c	H	G	N	V	C	H	G	D	4560
GG	TCA	.TCA	CTT	TGG	GAT	ATA	AGC	CAA	AAG	GAT	rcc	CAT	GGT	AAT	GTG	TGC	CAT	GGG	SATG	
V	L	N	H	D	G	E	N	S	F	I	Y	s	E	S	S	L	V	A	T	4620
T C	SCTO	PAA T	'CAT	GAT	'GGA	GAA	AAT.	AGT	TTT	ATT	TAC	TCT	GAG	TCA	AGT	CTG	GTT	GCG .	ACAG	
V	G	V	S	N	L	V	I	V	Q	T	K	D	A	V	L	V	A	D	R	4680
T C	CGA	ATD	AGT	PAA	TTA	GTA	ATT	GTC	CAA	ACC	AAG	GAT	GCT	GTA	CTG	GTT	GCG	GAC	CGTG	
D	K	V	Q	N	V	K	N	I	V	D	D	L	K	K	R	K	R	A	E	4740
A	P AA A	GTO	CAA	PAA	GTT	'AAA	AAC	ATA	GTT	GAC	GAT	CTA	AAA	AAG	AGA	AAA	.CGT	GCT	GAAT	
Y	Y	M	H	R	A	V	F	R	P	W	G	K	F	D	A	I	D	Q	G	4800
A (PAPS	OTA:	CAT	CG T	'GCA	CTT	TTT	CGC	CCT	TGG	GGT	AAA	. TT C	GAT	GCA	ATA	GAC	CAA	GGCG	
D	R	Y	R	V	K	K	I	I	V	K	P	G	E	G	L	D	L	R	M	4860
A f	PAG	PATH	'AGA	GTA	AAA	AAA	ATA	ATA	GTT	AAA	CCA	GGA	GAA	. GGG	TTA	GAT	TTA	AGG	ATGC	
	H PCA 1					H CAT		I ATT	V GTT	V GTA	s Tee	G 'GG'I	T NOT	A TOD	K 'AAA	V GTT	S TCA	L CTA	G GGTA	4920
S	E FGA	V GP9	K 'AAA	L CTA	L TTA	V GTT	S TCT	N 'AAT	E GAG	S TCT	I ATA	Y TAT	I OTA	P CCT	Q 'CAG	G IGGA	A ADD	K AA A	Y TATA	4980
s	L	E	N	P	G	v	I	P	L	Н	L	I	E	V	s	s	G	ח		
L	E	s	D	D	I	V	R	F	т	D	R	Y	N	s	к	0	F	Ι,	к	5100
																				3230
. 0	E 01	£4	Sta	rt	of	orf	5													

End

MNKITCFKAYDIRGRL

GAGATTGATAAATATGAATAAAATAACTTGCTTCAAAGCATATGATATACGTGGGCGTCT----5160

G TGGT(Е 3АА ?														5220
K Taaa						V STG C											L PTA		K AA	5280
S ATCA (C PGT (5340
T TACT(s rcc z														5400
A TGCA																				5460
I AATC						L CTC :				_								F	E P GA	5520
E AGAG						K														5580
	н	L	M	G	Y	A	N	L	Q	ĸ	I	к	к	I	K	I	v	V	N	5640
S	G	N	G	A	A	G	P	v	I	D	A	I	E	E	С	F	L	R	N	
	I	P	I	Q	F	V	K	I	N	N	т	P	D	G	N	F	P	Н	G	5700
	P	N	P	L	L	P	E	С	R	E	D	т	s	s	A	v	I	R	н	5760
TATC S						PDD A														5820
TAGT N		GAT Q				'GCA G											PP F			5880
AAAT K						AGGA I					_									5940
GAAA		CCA		:GC	\AA/	_	ATT	CA	r GA n	rees	rege	CT	_	YTGO	SAA!	PAC'	PAT	TGA	TAT	6000
CGT/ R	GA.P			ree:	ree		\eeg	ATI	\ATC	SACT	PAA	NAC(eee	P CA 1	r cc	PTĀ		TAA		6060
AAG/	ATC	ice ₁	'GĀ/	\GA (SGA!	r gcc	CTY	Y TN	rec	eee	€GA:	YPAA	SAG	rge	SCA	TCA	TTA	TTT	AAT	6120
AGA	. TT	'GC	YTA(erg (e ga ?		r cc z	\AT(SAT	reer	PTG	SAT'	PPT	ATT	PTG	TGA	ACT	TTI	S C	6180
TCT	IAC 7	\AA	PAA?	\AA	ATT	AGG?	r ga z	\CT(GT	PTG	PGG	TTG	PAT	\.A.A.(CGA	CTG	GCC	GGG	A S	6240
TGG	\GAJ	LATI	LAA(erc	TAC	ACT?	\G A(CAA'	ree	SCA	AAA	TGA.	AAT.	AGA'	PAA:	ATT	ATT	TA/	I R ATCG	6300
TTA(:AAJ	\GA '	PAG ⁴	r c c	CTT	AGC!	PGT'	PGA	PTA	CAC '	TGA	TGG	ATT.	AAC'	TAT	GGA	CT T	CTC	S D CTGA	6360
TTG	SCG!	PTT	PAA!	PGT	TAG.	ATG(erc .	AAA	TAC.	AGA	ACC	TGT	AGT.	ACG.	PPA	GAA	TGT	'AG	E S VATC	
R TPAC	N N	N אבק	A PGC	I P	L per	M magn	Q AGE	E	Х Х	Т Элл	E	E	I	L	N CAA	opo or			S K	6481

End	d o	E 0:	r£5														oŗf			0	
A	TAA:	ላዋዋ	rgc.	ACC'	PGA (STT(CAT.	\. А.Т(GG2	AAC	AAG?	AAA.	PAT.	M ATC .	K AAA	V GTA	L CTT	L CTG	T ACT(G SG	6540
e	S TCA	T NCT (_	M ATG	V STT	_					E SAG (S AGT(K AAA'	Y TAT		I VT	6600
A	L CTT	T ACT	P CCA	T ACC .	S AGC'	S TCT	D SAT'	L PTG	N AAT'	L PTA	L PTA (D SAT	K NAA	N NAT	E SAA	I ATA	E GAA.	K AAA	F PTC/	M T	6660
G	L CTT	I ATC .	N AAC	M ATG	P CCA	D GAC	C TGT	I ATT.	I ATA	H CAT(A SCA (A SCG	G 3GA ʻ	L PTA	V STT	G GGA	G GGC	I ATT	H CATC	A SC	6720
A	N AAT .	I ATA	S AGC	R AGG	P CCG	F TTT	D GAT	F PPP	L CTG		K AAA	N AAT '	L PTG	Q CAG	M ATG	G GGT	L TTA	N AAT	L TTA (V ST	6780
Ŧ	S TCC	V STC	A GCA	-			-	I ATC	K AAG				N AAC	L PTC	G GGT	S AGT	S TCA	C TGC.	M ATG	Y PA	6840
е	P CCC.	K AAA	N AAC	F TTT	E GAA	E GAG	A GCT	I ATT	P CCT	E GAG	K AAA	A GCT	L CTG	L TTA	T ACT	G GGT	E GAG	L CTA	E GAA (E SA	6900
A	T ACT	N AAT	E GAG	G GGA	Y TAT	A GCT	I ATT	A GCG	K AAA	I ATT	A GCT	V GTA	A GCA	K AAA	A GCA	C .TGC	E GAA	Y TAT	I ATA	s re	6960
A	R AGA	E GAA	N AAC	S TCT		Y TAT	_	Y TAT			I ATT	I ATC	P CCA	C TGT	N AAT	L TTA	Y TAT	G GGG	K AAA '	Y TA	7020
聖	D 'GAT	K AAA	F TTT	D GAT	D GAT	N DAA C	S TCG	S TCA	H CAT	M ATG	I ATT	P CCG	A GCA	G TT	I ATA	K AAA	K AAA	I ATC	H CAT	H CA	7080
Ŧ	A 'GCG	K AAA	I ATT	N TAA r	N 'AAT	V GTC	P CCA	E GAG	I ATC	E GAA	I TTA	W TGG	G GGG	D GAT	G GGT	N PAA	S TCG	R ICGC	R CGT	E GA	7140
e	F TTT	M ATC	Y PAT	A 'GCA	E GAA	D GAT	L TTA	A CCT	D GAT	CTT L	I TTA	F 'TT'T	Y TAT	V GTT	I P TA	P POOT	K 'AAA	I ATA	E GAA	F TT	7200
e	M ATG	P CC1	N PAA'	M PATC	V GTA	N PAA	A CCT	G 'GGT	L TTA	G .CGT	Y TAC		Y TAT	S TCA	I ATT	N P AA ?	D GAC	Y TAT :	Y TAT	K AA	7260
€	I ATA	I AT I	A SOO	E IGAA	E GAA	I ATI	G 'GGT	Y PAT'	T POG	G YGGG	S IDAG T	F 'TT T	S TCT	H PAS	D PAD	L P PP Z	T \ACA	K AAA	P ACCA	T AC	7320
7	G \GG A	M ATC	K AA J	R ACG G	K AA C	L CTA	V ATD	D GA1	I PPA	S TCA	L TTC	L CTT	N PAA	K AAA	I AT1	G PGG	W PTGC	S ITCA	S JAGT	H CA	7380
€	F TTT	E GA	L CTC	R CAG A	D AGAT	G P GGC	I OTAS	R 'AG A	K AAC	T SACC	Y PAT	N PAA	Y PAT	Y YAT	L TTC	E SGA C	N SAA ?	Q LAD 1	N PAA	K AA	7440
Start	of	01	£7,	, Er	nd o	of c	rfe	5													
	M *	I	Т	Y	P	L	A	S	N	T	W	D	E	Y	E	Y	A	A	I	Q	
Ž	<u> TG</u>	YTT	\CA '	PACC	CA(err c	SCT/	\ GT }	\ AT /	\ C T9	rgge	TAE	AA?	PAT(SAG	PAT	ASE	SCA.	\T A€	:AG	7500
I	S PCA (V LATE	I YTT (D SAC :	S PCAJ	K NAA J	M ATG ?	F PTT?	т \СС /	M NTG(G SGT/	K NAA J	K VAG (V TT (E SAG	L PTA	Y PAT(E SAG /	K VAA	N AT	7560
	F	Α	D	L	F		s	ĸ	Y	Α	V						S				

L CTG	L TTA.	M ATG	I ATT	A GCT	A GCC	L CTT	F TTC	F TTC.	T ACT	N TAA	K AAA	P CCA	K AAA	L CTT.	K AAA	R AGA	G GGT	D GAT	E GAA	7680
I	I	V	P	A	V	s	W	S	\mathbf{T}	Т	Y	Y	P	L	0	0	Y	G	Τ.	
ATA	ATA	GTA	CCT	GCA	GTG	TCA	TGG	TCT.	ACG/	ACA	TAT	TAC	CCT	CTG	CAA	CAG	TAT	GGC	TTA	7740
K AAG	V GTG	K AAG	F TTT	V STC	D GAT	I ATC	N AAT	K AAA	E GAA	T ACT	L TTA	N AAT	I ATT	D GAT	I ATC	D GAT	S AGT	L TTG	K AAA	7800 7800
	A				K											G		P P	N	,000
PA A	CCT	ATT	TCA	GAT	AAA	ACA	AAA	GCA.	ATA	TTG	ACA	CTA	AAT	TTA	TTA	GGT	TAA	e er	AAT	7860
D GAT	F TTT	A GCA	K AAA	I ATA	N AAT	E GAG	I ATA	I ATA	N	N	R	D	I	I	L	L	E	D	N AAC	7920
					A															7920
TGT	GAG	TCC	ATG	GGC	ece	STE	TTT	CĂA	AAT	AAG	CAG	GCA	GGC.	ACA	TTC	GGA	GTT	ATG	CGT	7980
T ACC	F TTT	S AGT	S TCT	F TTT	Y WAC	S कटक	H CAT	Н	I	A	T	M	E	G	G	C	V	V	T ACT	0040
	D				Y															8040
				ere	TAT	CAT	GTA	TTG	TTG	TGC	CTT	CGA	GCT	CAT	GGT GGT	TGG	ACA	и AGA	N AAT	8100
L TTA	P CCA	K AAA	E Cl C	N	M	V	T	G	T	K	S	D	D	I	F	E	E	S	F TTT	
					G															8160
AAG	TTTT	GTT	TTA	. cc a	GGA	TAC	AAT	GTT	CGC	e c a	. CTT	e Gaa	M ATG	S PDA	G GGT	A GCT	L ATT	GGG	I ATA	8220
	Q							F		S	T	R	R	S	N	A	Q	_ Y	F TTT	
					D															8280
GTA	GĀT	AAA	TTT	AAA	GAT	CAT	eca	TTC	CTT	GAT	T TATA	CAA	AAA	GAA	V GTT	GGT	E GAA	AGT	S AGC	8340
W	F	G	F	S	F	V	I	K	E	G	A	A	I	E	R	K	S	L	V .CTA-	
	N		I		A			E												8400
						GGC	ATT	GAA	TGC	CGA	CCA	ı TTA	GTT V	T.	G GGG	N PAA T	F TT T	L CTC	K AAA	8460
N AAT	E	R	V	L	S	Y	F	D	Y	S	V	Н	D	T	V	A	N	A	E GAA	
Y	I																			8520
		GAT	AAG	AAT	G 'GGT	ddd	ddd	v GTC	GGA	AAC	H CAC	CA G	1 ATA	q POD .	TTC T	F PP I	И РАА	E GAA	I ATA	8580
D	Y	L	R	K	V	L	K	End *	of	01	£7									
GAT	TAT	CTA	.CGA	AAA	GTA	TTA	AAA	TAA	CTA	ACC	AGG	CAC	TCT	PPA	TCC	laat	'AGA	GTO	сст	8640
		C+-																		
mm a		M	V	L	orf T	V	K	ĸ	I	L	Α	F	G	Y	S	K	V	L	p	
																				8700
eec	TTA	TTG	AAC	AG1	F TTC	∨ TC P	N ATC	P CAA	I TTT	C 'G€ ₽	I YPC1	F TCA	I .TTA	I TCA	T CAC	P CAC	L TAP	I TAC	L TCA	8760
N	Н	L	G	K	Q	s	Y	G	N	W	т	т.	Τ.	т	ф	т	17	c	E.	
MCC	ACC	TGG	G'P A	AGC	AAA	CCT	NTC	GTA	ATT	'GG≀	ADD A	PAT	MA A	APP.	CTA	ATT C	TAT	CTT	L LLL	8820

S Q CTCAG																			0.000
ICAG.	1.752	1 777	LOT	JUM	JUM	, GT	100	JCM	raa	7 1.1. 1,	GCM	27777 <u>1</u>	ATC.	r:T"1"	JCH	JAA 1	ਹ ਨਚ ਾ	ಗರಗಳ	8880
L TCTT	S	D	L	S	K	K	N	A	L	R	Q	I	S	Y	N	F	S		0040
C111	1010	JAI.	LIA	I CAL	rururu	mnn.	MAT	oci	1174	cor	CZYZ	7 . 1. 1.	rcc	17.1	MAX I	111	i CYL	ATTC	8940
I TATT																			
-X 1 1 2	1100	CA	1-1-1	300	GIA	110.	AII	rer	1-1-1	C-T-T-	P\$*1*P\$	11174	AGT:	A-1-1-	161	TTC	rre	JATO	9000
	R			S		F			A		I		C			F		E GAAC	0000
, C G 2	1002	2011	-TAT	101	ICA	110	IIA	110	GCG	AIT	2411	MII	101	GGI	1 1 1	111	CAG	CHINC	9060
D CAT						A ccc	_		G									F TTT T	9120
O. 1 1 2	1414		111	no i	001	aco	CIA	ഹഹ	.GG1	111	GAA	ഹഹ		MAI	GIA	ıcn	191	1111	- 9120
									S MC A							Y mac	_	N AAT C) 9180
																1110	COM	m	,)100
T T									T VACC							Y фдф		L CTT C	9240
																			, ,240
	L STG								N PAA:							G 'GGG		CTT) V	- 9300
																			. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
									L CTI									S 'AGT'	r 9360
ъ	D	ъ		7.7	т	n	т	_	L	C	7.7	c	7.7		7	_	37		
																		V GTC(9420
С	Τ.	0	Τ.	Δ	0	τ.	M	न्न	\mathbf{T}	т.	s	Α	s	Δ	N	Q	I	L	
																		ATTA	c 9480
P	М	F	А	R	М	ĸ	Α	s	N	т	F	p	s	N	C	F	F	к	
																	TTT	AAA	A 9540
									P			A							
er G	CTT	GTA	TCA	CTA	PPA	PCT	GT'	PTT	sec ₂	PTG1	CT.	PGC	3TT/	TTC	PP?	PPP	CG'	CGT	G 9600
I		_	I	W	I	N	P	\mathbf{T}	F	А	Т	E	N	Y	K	L			
ATA	APP	TCA	ATA	AGC	ATA	AAC	eeq	PAC	VPP	r GC Z	MC.	PGA.	\AA!	'AP	AAJ	TT?	ATC	CÂA	A 9660
	A	I	s	Y	I	L	L	s	М	M	т	s	F	Н	F	L	L	L	
1"1'A	GCT	ATA	AGT	TAC	ATT	PTT?	YPT(TC	VPAP	PYA E	3AC 2	ATC:	PTT	PCA!	PTT(PPC	TT?	ATT.	G 9720
	G	K	S	K	L	V	А	N	L	N	L	V	A	G	L	Α	L	Α	
111	99.1.	2.2.2	TCT	AAC	iC'I'' I	r G T4	r GC	1/1A	PTT?	\AA!	PCT(SGT'	r cc ;	\GG(CT C	:GC?	·CT	PGCT	G 9780
S	T	L	I	A	A	Н	Y	G	L	Y	A	I	S	М	V	к	I	I	_
																			T 9840
P PCC	A GCT	F mma	Q	F	Y	Y	L	Y	V	A	F	V	Y	F	N	R	A	K	A 9900
-		111	CAL	1111	LIM	LIM	JCI.	LIM	1917	10C	1-1-1-	1011	STA.	!"1"1" .	17171	mor	166	3/12/1	A 9900
of	orf	9,	End	l of	E 01	r£8													
M S	Y	. I) I	. I	١ ـ	F' :	S :	I	T :	Ε :	I.	A	I '	v :	F :	S (2 '	r i	
TGT(TAT	TG?	M.d.d.	PAC	L. L. L.	PTT (CAA'	PTA	CTG.	1.1.1.1	TCG	CAA	TTG	PPT	PPT (CTT	SCA (CTAT	'T 9960
Y I	F	. т	•	2 (- I	L j	L I	M	R	R	I	Y	L	D .	ĸ	s	I .	L I	.
ACA1	'AT T	'T'A €	TC?	\AT(STT.	rc T	TAA	TGC	GGA	GGA'	TCT	ĀTT	TAG.	ATA	AAA	GTA'	rtt	TAAT	T 10020
L	, C	. 1	. I	. I	F I	F I	L.	V	I	I	Q	L	P	E	L	N .	v :	N C	3
TTTT	'A ጥር	رسم	GC1	الرسر	بالمليان	יידידיי	רא כי	י מ מיד	א היות	مسر	<u>.</u> ۲۸ ۸	ጥጥር	CTIC	700	י אינויים	א שייי	ת מיו	N ~ ~ ~	m 10000

T.	L TGG	V TCG	D ATT	S CTI	L TA	K AAGT	L TAT	S CAC	L TGC	P CTI	L TAT	L TGA	M TGC	V TCI	F TTP	I ATCO	A GCT	F PTT(Q CAA.	K AAA	10140
										A SCAT										F TTT	10200
										S AGCI											10260
										N ATT											10320
										D GAC											10380
										I ATC										R AGA	10440
										L CTG										Y TAT	10500
										V GTA					P CCT.				N PAA	I TTA'	10560
				G GGG						V GTT										G GGT	10620
										G GGC										P CCA	10680
										F TTT										V CGTG	10740
A		G GGA					H CAT		I ATA			V GTT	F TTT	F TTT	R AGG	R AGA	I ATA	S TCT	F TTC	L CTTA	10800
ı		Y PAT	_	R AGA		A GCT		F TTC		V GTT										V rgtg	10860
r					L TTA		P CCT													V AGTT	10920
Start					C	.	7	v	-	R	End	lof	or	£9							
c				M	I) I	, Ç	K	·	, D) K	Y G T P	T OATA	CTC	. N	I G	i Kaae	I I	L ! TAG	D A ACGC	10980
5																				C L GTTT	11040
C	Q GCA	S ATC	V GGI	r v	1 TATE	ı (e ç	Y TTA	Y K	C N AGAA	I I LATA	TGA	I : IAA	CAT	I 'AA'	i i CAA	M 1 GG2	D (G GAG	g s GATC	11100
•																				V S TTTC	
i	E AGA	K GAA	AG?) I	R (GAA:	ı y	r I ATGA	ATGC	A V	v i Gaz	I I	(Z AAG(y y Cagi	/ I	O I	L :	S :	I TTG	g D GTGA	11220
	W TTG	V GGT	' AGC	A I	TAT	I (TTG(G S	S I	O I	D V	V PTT2	Y Y	Y I	' H OATA	r i	D . ATG	A CAA'	I TTG	A CTT	S L	11280
(H E	11340

	G AGGI												E GAA								11400
	K TAAG												I TTA:								11460
	D TGAT	_											K AAA			A GCT			D 'GA'I	W TG	11520
	F GTTI												S STCA						D GAC	T AC	11580
	T GACC	P CCT	I PTA:	V GTT	R 'AG <i>I</i>	M AATG	G GG <i>P</i>	Y LATA	G rgg1	G GGG	V GTI	S	T SACI	D GAT	I rran	S TCT	S TCI	Q CAA	V GTT	K 'AA	11640
	T AAC1	T CACC	L SCT <i>I</i>	E AGA	S AAG1	F TTTC	I CATI	V TGT <i>I</i>	R ACGO	K CAAA	K AAAC	N SAAS	N LAAT	I ATAT	S ATCO	C CTG1	L TTT	N AAA	I ATA	Q ACA	11700
	CTC	ATI	rcTi	'AGA	ATAT	rgci	'AA	LATI	CTC	GGT	SATO	GT?		SATO	CAAZ	LAA	rar	רידינדין	rggc		11760
	N TAAT	V TGTT	Y TATT	X XAA7	L ATT?	M OTA	H GCA:	N NAAT	G CGGC	Y STAT	H rcan	S TTC	L CCT?	X AAA	K SAA <i>l</i>	I AATO	K CAAC	N AAE	К Г ДД ?	I TA	11820
Sta	rt of	E o: K	r £1 :	V, I	End Y	o£ I	ori I	E 10	G	L	т	С	G	G	A	E	н	L	М	т	
	<u>ATG</u>	AAG/	ATT	JTT:	rati	ATA	ATA	ACC	GGG	CTT	ACT!	rg T	GGT(GGA(GCC	GAA	CAC	CTT	ATG	ACG	11880
	Q CAG	L PTA	A GCA	D GAC	Q CAA	M ATG:	F rttr	I ATA	R CGC	G GGG	H CATO	D GAT	V GTT2	N AAT	I ATT	I ATT	C rgr	L CTA	T ACTO	G EGT	11940
	I ATA	S PCT	E GAG	V GTA	K AAG	P CCA	T ACA	Q CAA	N AAT	I ATT.	N AAT	I ATT	H CAT'	Y TAT	V GTT	N AAT	M ATG	D GAT	K AAA	N AAT	12000
	F TTT	R AGA	S AGC'	F PTT	F PTT	R AGA	A GCT'	L PTA'	F PTT	Q CAA	V GTA	K AAA	K AAA.	I ATA	I ATT	V GTC	A GCC'	L ITA	K AAG	P CCA	12060
	D GAT	I ATA	I ATA	H CAT	S AGT	H CAT	M ATGʻ	F TTT(H CAT	A GCT.	N AAT	I ATT	F TTT.	S AGT	R CGT	F TTT.	I TTA	R AGG	M ATG	L CTG	12120
	I TTA	P CCA	A GCG(V GTG	P	L CTG	I ATA	C TGT	T ACC	A GCA	H CAC	N AAC	K AAA	N AAT	E GAA	G GGT	G GGC.	N AAT	A GCA	R AGG	12180
	ATG	ΓTΤ	TGT'		CGA		AGT	GAT'	TTT	TTA	GCT'	TCT		ACT.	ACA	AAT	GTA	AGT		GAG	12240
	GCT	GTT	CAA	GAG'	TTT.	ATA	GCA.	AGA.	AAG	GCT	ACA	CCT		AAT.	AAA	ATA	GTA	GAG	ATT	CCG	12300
	AAT	TTT.	ATT.	AAT.	ACA	AAT.	AAA	TTT	GAT	TTT	GAT.	TTA		GTC.	AGA	AAG	AAA	ACG	CGA	GAT	12360
	A GCT	F TTT.	N AAT	L TTG.	K AAA	D GAC.	S AGT	T ACA	A GCA	V .GTA	L CTG	L CTC	A GCA	V GTA	G GGA	R AGA	L CTT	V GTT	E GAA	A GCA	12420
	K AAA	D GAC	Y TAT	P CCG.	N AAC	L TTA	L TTA	N AAT	A GCA	I ATA	N AAT	H CAT	L TTG	I ATT	L CTT	S TCA	K AAA	T ACA	S TCA	N AAT	12480
	C TGT	N AAT	D GAT	F TTT.	I TTA	L TTG	L CTT	I ATT	A GCT	G GGC	D GAT	G GGC	A GCA	L TTA	R .AGA	N AAT	K AAA	L TTA	L TTG	D GAT	12540
	L TTG	V GTT	C TGT	Q CAA	L TTG	N TAA	L CTT	V GTG	D GAT	K 'AAA	V .GTT	F TTC	F TTC	L TTG	G GGG	Q CAA	R AGA	S AGT	D GAT	I T	12600

K F I M C A A D I D W I C C D W D T -	
K E L M C A A D L F V L S S E W E G F G AAAGAATTAATGTGTGCAGATCTTTTTTTTTTTTTTGAGTTCTGAGTGGGAAGGTTTTGGT	12660
L V V A E A M A C E R P V V A T D S G G CTCGTTGTTGCAGAAGCTATGGCGTGTGAACGTCCCGTTGTTGCTACCGATTCTGGTGGA	12720
V K E V V G P H N D V I P V S N H I L L GTTAAAGAAGTCGTTGGACCTCATAATGATGTTATCCCTGTCAGTAATCATATTCTGTTG	12780
A E K I A E T L K I D D N A R K I I G M GCAGAGAAAATCGCTGAGACACTTAAAATAGATGATAACGCAAGAAAAATAATAGGTATG	12840
KNREYIVSNFSIKTIVSEWE AAAAATAGAGAATATTGTTTCCAATTTAAAACGATAGTGAGTG	12900
R L Y F K Y S K R N N I I D *	
CGCTTATATTTTAAATATTCCAAGCGTAATAATATAATTGAT TGAAAATATAAGTTTGTA	12960
CTCTGGATGCAATAGTTTCTCTATGCTGTTTTTTTACTGGCTCCGTATTTTTACTTATAG	13020
CTGGATTTTGTTATATCAGTATTAATCTGTCTCAACTTCATCTAGACTACATTCAAGC	13080
Start of gnd	
M S K Q Q I CGCGCATGCGTCGCGCGGTGACTACACCTGACAGGAGTATGTA <u>ATG</u> TCCAAGCAACAGAT	13140
G V V G M A V M G R N L A L N I E S R G CGGCGTCGTCGGTATGGCAGTGATGGGGGCGCAACCTCGAAAGCCGCGG	13200
Y T V S I F N R S R E K T E E V V A E N TTATACCGTCTCCATCTTCAACCGCTCCCGCGAGAAAACTGAAGAAGTTGTTGCCGAGAA	13260
PDKKLVPYYTVKEFVESLETCCCGGATAAGAGTTCGTCGAGTCTCTTGAAAC	13320
PRRILLMVKAGAGTDAAIDS CCCACGTCGTATCCTGTTAATGGTAAAAGCAGGGGGGGAACTGATGCTGCTATCGATTC	13380
L K P Y L D K G D I I I D G G N T F F Q CCTGAAGCCGTATCTGGATAAAGGCGACATCATTATTGATGGTGGCAACACCTTCTTCCA	13440
D T I R R N R E L S A E G F N F I G T G GGACACTATCCGTCGTAACCGTGAACTGTCCGCGGAAGGCTTTAACTTCATCGGTACCGG	13500
V S G G E E G A L K G P S I M P G G Q K CGTGTCCGGCGGTGAAGGGCCCTGAAAGGCCCATCTATCATGCCAGGTGGCCAGAA	13560
E A Y E L V A P I L T K I A A V A E D G AGAAGCGTATGAGCTGGTTGCGGCTTGCTGAAGATGG	13620
EPCITYIGADGAGHYVKMVH	13680
NGIEYG DMQLIAEAYSLLKG CAACGGTATCGAATATGGCGATATGCAGCTGATTGCTGAAGCCTATTCTCTGCTTAAAGG	13740
G L N L S N E E L A T T F T E W N E G E CGGCCTTAATCTGTCTAACGAAGAGCTGGCAACCACTTTTACCGAGTGGAATGAAGGCGA	13800
L S S Y L I D I T K D I F T K K D E E G GCTAAGTAGCTACCTGATTGACATCACCAAAGACATCTTCACCAAAAAAGATGAAGAGGG	13860

																	G GGT <i>I</i>				13920
																	S TCC				13980
F	3.	Y	I	s	s	L	K	D	Q	R	I	A	A	s	ĸ	v	L	s	G	Р	
																	CTG! R				14040
																	CGC				14100
CC'	rgg(GT?	AAA	ATCO	TC'	TCT'	rat(GCC	CAA	GGC	TTC	TCT	CAA	CTG	CGT	GCC	A GCGʻ	rct(GAC	GA	14160
																	G GGC'				14220
																	G GGC				14280
																	A GCG				14340
																	A GCA				14400
																	A GCA			D GA	14460
																	H CAC			145	16

GTAACCAAGGGCGGTACGTGCATAAATTTTAATGCTTATCAAAACTATTAGCATTAAAAA	60
Start of orf1	
M N K E T V S I I M P V Y N TATATAAGAAATTCTCAA <u>ATG</u> AAGAAAGAAACCGTTTCAATAATTATGCCCGTTTACAAT	120
G A K T I I S S V E S I I H Q S Y Q D F GGGGCCAAAACTATAATCTCATCAGTAGAATCAATTATACATCAATCTTATCAAGATTTT	180
V L Y I I D D C S T D D T F S L I N S R GTTTTGTATATCATTGACGATTGTAGCACCGATGATACATTTCATTAATCAACAGTCGA	240
Y K N N Q K I R I L R N K T N L G V A E TACAAAAACAATCAGAAATAAGAATATTGCGTAACAAGACAAATTTAGGTGTTGCAGAA	300
S R N Y G I E M A T G K Y I S F C D A D AGTCGAAATTATGGAAATAGGAAATGGCCACGGGGAAATATATTTCTTTTTGTGATGCGGAT	360
D L W H E K K L E R Q I E V L N N E C V GATTTGTGGCACGAGAAAAATTAGAGCGTCAAATCGAAGTGTTAAATAATGAATG	420
D V V C S N Y Y V I D N N R N I V G E V GATGTGGTATGTTCTAATTATGTTATAGATAACAATAGAAATATTGTTGGCGAAGTT	480
N A P H V I N Y R K M L M K N Y I G N L AATGCTCCTCATGTGATAAATTATAGAAAAATGCTCATGAAAAACTACATAGGGAATTTG	540
T G I Y N A N K L G K F Y Q K K I G H E ACAGGAATCTATAATGCCAACAAATTGGGTAAGTTTTATCAAAAAAAGATTGGTCACGAG	600
D Y L M W L E I I N K T N G A I C I Q D GATTATTTGATGTGGCTGGAAATAATTAATAAAACAAATGGTGCTATTTGTATTCAAGAT	660
N L A Y Y M R S N N S L S G N K I K A A AATCTGGCGTATTACATGCGTTCAAATAATTCACTATCGGGTAATAAATTAAAGCTGCA	720
K W T W S I Y R E H L H L S F P K T L Y AAATGGACATGGAGTATATATAGAGAACATTTACATTTGTCCTTTCCAAAAACATTATAT	780
Y F L L Y A S N G V M K K I T H S L L R TATTTTTTATTATGCTTCAAATGGAGTCATGAAAAAAATAACACATTCACTATTAAGG	840
Start of orf2, End of orf1 R K E T K K *	
f V f K f S f A f K f L f I f F f L f F f T f AGAAAGGAGACTAAAAAA $f GTGA$ AGTCAGCGGCTAAGTTGATTTTTTTTTTTTTTACAC	900
L Y S L Q L Y G V I I D D R I T N F D T TTTATAGTCTCCAGTTGTATGGGGTTATCATAGATGATCGTATAACAAATTTTGATACAA	960
K V L T S I I I I F Q I F F V L L F Y L AGGTATTAACTAGTATTATATATTTTCAGATTTTTTTTTT	1020
T I I N E R K Q Q K K F I V N W E L K L CGATTATAAATGAAAGAAAACAGCAGAAAAAAATTTATCGTGAACTGGGAGCTAAAGTTAA	1080
I L V F L F V T I E I A A V V L F L K E TACTCGTTTTCCTTTTGTGACTATAGAAATTGCTGCTGTAGTTTTATTTCTTAAAGAAG	1140
G I P I F D D D P G G A K L R I A E G N GTATTCCTATATTTGATGATGATCCAGGGGGGGCTAAACTTAGAATAGCTGAAGGTAATG	1200

																		I ATTA		rc.	1260
L TT	Y TATO	D GATO	E GAG	H CATA	K AAA:	F FTC2	K	Q TAGZ	R AGG	T ACC	I ATC	I nam	F rmme	V ATE	Y יייע אַ יד	F rrrr	T ACA	T ACG!	I Tura	rc.	1320
A	L	F	G	Y	R	S	E	L	v	L	L	I	L	Q	Y	I	L	· - I	т		
																		ATT <i>I</i> F		CA	1380
AT	ATC	cTG	rca.	AAG	GATZ	AAC	CGT	ATC	CCT	AAA	ATA	AAA	AGAZ	ATA.	ATA	GGG	TAT'	TTTT	L TTA	ΑT	1440
L TG	V GTA	G GGG	V GTT(V GTA	C rgc:	S rcg:	L PTG:	F CTT	Y PAT(L CTA	S AGTT	L TAC	G GGA	Q CAA	D GAC	G GGA	E GAA	Q CAA	N AA:	ГG	1500
											R AGG:							E GAA	G GG:	rg	1560
V TT	P CCA	Y TAT	V GTT	V GTT'	S rct(E GAA'	S TCT/	I ATTA	K AAG	N AAC	D GAT	F FTC	F TTT	P CCG	T ACA	P CCA	E GAG	L TTA	E GA/	AΑ	1620
K AG	E GAA'	L TTA	K AAA	A GCA	I ATA	I ATA	N AAT	R AGA	I ATA	Q CAG	G GGA	I ATA	K AAG	H CAT	Q CAA	D GAC	L TTA	F TTT	Y TA:	rg	1680
G GA	E GAA	R CGG	L TTA	H CAT.	K AAA	Q CAA	V GTA	F PTT	G GGA	D GAC	M ATG	G GGA	A GCA	N TAA	F TTT	L TTA	S TCA	V GTT.	T AC'	ΓA	1740
T CG	Y TAT	G GGA	A GCA	E GAA	L CTG	L TTA	V GTT	F TTT'	F TTT	G GGT	F TTT	L CTC'	C TGT	V GTA	F TTC	I ATT	I ATC	P CCT	L TT	AG	1800
G GG	I ATA	Y TAT	I ATA	P CCT	F TTT	Y TAT	L CTT'	L FTA	K AAG.	R AGA	M ATG	K AAA	K AAA	T ACC	H CAT	S AGC	S TCG	I ATA	N AA'	TT	1860
C GC	A GCA	F TTC	Y TAT	S TCA	Y TAT.	I ATC.	I ATT	M ATG.	I ATT	L TTA	L TTG	Q CAA'	Y TAC	L TTA	V GTG	A GCT	G GGG	N AAT	A GC	AT	1920
s	A	F	F	F	G	P	F	L	s	V	L	I	М	С	т	P	L	I ATC	L		1980
					-				100							CCI	CIG	MIC	11.	AT	1980
E,	н	D	T	Ť.	ĸ	D	т	c	7	M	Sta K	Ι	S	v	I	T	۰ ۲	T D		Y	
TG	CAT	GAT	ACG	TTA	AAG	AGA	TTA	TCA	CGA	N A <u>AT</u>	<u>G</u> AA	AAT	ATC	AGT	Y L'TAT	N CAAC	TGT	rGAC	TT:	'A <i>T</i> '	2040
		o£			. т.		· ĸ	TT.	r	c							, ,	I K	•	D	
*																				CT	2100
F	E	ï	I	I	v	D) G	G	5	г	. D	G	r	, 1	J F	۲ ۶	, 1		3	R	
T'I	'TGA	.GAT	TAT	TAT	AGT	TGA	TGG	CGG	CTC	TAC	'AGA	TGG	AAC	GAA	TCC	TGT	CAT	TAC	TA	.GA	2160
T TT	TAC	' S TAG	M TAT	M GAA	I TAT	TAC	H ACA	V TGT	Y TTA	TGA	K AAA	D AGA	TGA	AGG	GA?	Y YTA'	Y E) A	GA	M .TG	2220
N AA	I K	.GGG	R CCG	M TAA	L GTT	, A	. K	G AGG	CGA	CTI	I 'AA'	H ACA	Y TTA	I TTT.	ı Xaa	I A	A G	G E) ATA	s .GC	2280
V GI	I TAA'	G TGG	D AGA	I TAT	Y ATA'	K TAA	N AAA	I TAT	K CAA	E AGA	GCC	C ATG	L TTT	,] GAT	I LAT	((7 C	S I	TT	F TC	2340
E	N	I D	K	L	L	. G	F	S	: 5	5]	т	· H	1 5	1 3	1 1	r (3 Y	<i>Y</i> (2	Н	2400

Q CAA	G .GGG	V GTG	I ATT	F TTC	P CCA	K AA(N SAA	TC	I TT	S CA	E GAA	Y ATA	TG.	D ATC	L TA	R AGG	Y TAT	X AAT	(\AA	I TA	C TG	A TGC	T	:	2460
D GAT		K 'AAG																			I AT			:	2520
		Y TAT																							2580
K AAA	E .GAG	L CTT	A GCC	K AAA	I ATT	M TAT	F GTÍ	TG.	E Aaa	K AA	N AA1	X AA	.AA	K AAA	N AC	L CTT	I 'TA'	I AAT	K AGI	F	I TA	TCC) CA		2640
		I ATA																					Q A.A		2700
v	Ŧ	С	τ.	т	τ.	ਜ	Ε		M.	v	Νī	_	•	្ននា	car	t c	æ£	or:	£4	E	Er	ıd d	o£	orf	3
		TGI														M		I	M	N	Ī	K	I AT		2760
CAZ	i S	I LAA	'AC'I	. K	C I	e PTT	C GCA	T YCT	L TT?	X AAA	AA	K AA1	Y 'AT	D GAT	T CAC	S ATC	: :AA	S GT(A GC:	I PTI	'AG	G GT2	R AG		2820
AGA	E Ç AACA) E AGGA	AAC	₹ Y GTÆ	Y I	R GGA	I TT?	I ATA	S TC	I TT:	GT	S CTC	V FTT	I AT:	S PTC	S AAG	S FTT	L TG	I AT:	S DAT	S TA	K AA			2880
ACT	CTC	I CACT	. I	TTTC	S CTC'	L PTA	I TAT	L TA	T AC:	V TGT	'AA	S GTI	L CTA	T AC	L TTT	ACC	· TT	Y AT'	L TT2	AGG	S SAC	Q AA:	E GA		2940
		r TGC																							3000
	GTA	I (PAG(i E LAAE	N A	A CAT	L TAA	T .CA	N AAC	R AG	I GAT	CG	A CA(H CAT	S TC.	F ATT	TGC	A CGT	C GT	G GG	I CA <i>I</i>	(\AA	N AT'	L TT		3060
AA	K 1 AGA'	M S	S E	R (GGC2	Q AAA	I TTA	S GTO	G GGI	G GG	I GC1	CA	T CT	L rtc	L	A GGC	TGC	G GAT	L TA	S] GT	F rtc	V STC.			3120
AA	r i CTG	A :) 1 TAT	C I	Y ATA	I TTA	T CT	S TCI	G 'GG	N CAI	í rga	I TT	D GA'I	W TG	Ç GCA	AC	rac	V TA	I AT.	I LAA	ζ AA(G 3GT	I TA		3180
		e i AGA																							3240
		G GAA'																							3300
AA	S GTA	N ATA'	I ' TTG'	V I	N ATG	A CC <i>P</i>	I \TA'	F TTT	I TA'] AT:	L TGT	L TA	S TC:	I TAT	: LAT	I TA	T CTC	L CTA	V GT	r 'AA'	I TA'	S TCG	S TC		3360
GA	K AAC	L I	H . ATG	A (G GAC	L TAC	P CCA	V GTT	L TTT	'AA	I PTG	V TC	S AG	T	' I	TTG	G GT <i>I</i>	I TT	Q CA	AT.	Y AC.	I ATA	S .TC		3420
GG	G GAA	I TCT	Y ATT	L TAA	T CAA	I .TT?	N AAT	L CT	I TAT	'TA'	I TAA	K AG	R CG	I TTA	, 'AA'	I Paa	K AG:	F PTI	r Dan	AA	K AA	V GTI	N AA'		3480
CA	I TAC	H ATG	A CTA	K AAA	R GAG	E SAA(A GCT	P CC	Y ATA	TT'	L TG <i>P</i>	I ATA	L TT.	n Aaa	CGC	3 STT	F TT	F TTC	F TT	LL.	F TT	I ATI	L TT		3540
AC	Q AGT	L TAG	G GCA	T .CTC	L TGC	A CA	T ACA	W .TG(S GAG	TG	G GTC	D SAT	N AA	F CTI	r TAT	I FAA	I TA'	s rci	: ran	c 'AA	T CA	L TTC	G GG		3600

TGTT.	T ACT	Y TAT	V GTT	A GCT(V GTT'	F TTT.	S AGC	I ATT.	T ACA	Q CAG.	R AGA	L TTA	F TTT	Q CAA	I ATA	S TCT	T 'ACG	V GTC	P CC	3660
L TCTT			Y TAT						A GCT								R .CGC	N AAT	D GA	3720
T TACT		F TTT							T ACA									S TCA	F TT	3780
L CTTA	L TTG	A GCC	F TTC	I ATA	L TTA	V GTA	V GTG	F TTC	G GGT	S AGT	E GAA	V GTC	V GTT	N AAT	I ATT	W TGC			G .GG	3840
K AAAG									I ATA										A GC	3900
F TTTT				F .TTT		S AGC			N LAA											3960
A TGC1		V GTA				L TTC			I TTA								S FAG		-	4020
G T GG	-				_	_	-	_	I AT	_		-							W ATG	4080
												s	tart	: o:	E o	r£5	, E		of or M	£4
Y GTA									D CGA		~						* <u>ATC</u>		ATG	4140
K AAA																		N AAT	E GAA	4200
C TGT		D SAC		_					K AAA										K AAA	4260
F TTT		E GAA (A GCA		T ACT	V GTA	S AGT	N TAA	G SGA	_	V PPD	A GCT	L CTT	4320
TTT H	GCG L	GAA(A	CÃA i L	NAC (CAT(A	etc L	€ĀA' G	TAT I	GCA. S	ACT. E	A CT G	GTA D	AGT. E	TA A V	S GA I	ACC V	GTT P	T	_	4320 4380
TTT H CAT T	ECG L TTA Y	GAA A GCT I	EÃA; L PTG' A	AAC L PTA S	A A SCG' V	L TTA N	G G GGT. A	TAT I ATA I	S TCS K	A CT. E GAA Y	A CT G GGA T	GTA. D GAT G	E GAA A	V GTT.	I ATT P	V GTT	P CCA F	T ACA V	L CTG	
H CAT T ACA	GCG L TTA Y TAT D	A A GCT I ATA N	L PTG' A GCA' E	L PTA S PCA	A A SCG V V TTO	L TTA N AAT	G G GGT A GCT	I ATA I ATA S	S TCS K AAA V	E GAA Y TAC S	G GGA T ACA D	GTA D GAT G .GGA	E GAA A GCC	V GTT T ACC	I ATT P CCC	V V GTT I FTG	P PCCA F TTTC	T ACA V STT	L CTG D CAT	4380
H CAT T ACA S TCA	L TTA Y TAT D GAT	GAAGCT I ATA N AATA	L PTG' A GCA' E GAA	L FTA S FCA T ACT	A SCG V STT W TGG	L TTA N AAT Q CAA V	G GGT. A GGT. M ATG	I ATA I ATA S TCT	S TES K AAA V STT	E GAA Y TAC S AGT	GGA TACA DGAC	GTA D GAT G GGA I ATA	E GAA A GCC E GAA	V GTT ACC Q CAA	I ATT P CCC K AAA	V GTT I ATT	P F TTTC	T ACA V V CTT N N TAAT	L CTG D GAT K	4380 4440
H CAT T ACA S TCA T ACT	L TTA Y TAT D GAT K	A GCT I ATA N AAT A	L TTG' A GCA' E GAA I ATT	L FTA S FCA T ACT M ATS	A SCG V GTT W TGG C TGT	L TTA N AAT Q CAA V GTC	G GGT. A GCT. M ATG. H CAT	I ATA I ATA S TCT L	S TES K AAA V STT Y	E GAA Y TAC S AGT G	GGA TACA DGAC HACAT	D GAT G GGA I ATA P CCA	E GAA A GCC E GAA C TGT	V GTT ACC Q CAA D GAT	I ATT P CCC K AAA M ATC	V GTT I ATT LATT E GGAJ	P PCCA F TCACT	T V COTT N CAAT	L CTC D CAT K VAAA V	4380 4440 4500 4560
H CAT T ACA S TCA T ACT E GAA	L TTA Y TAT D GAT K VAAA L CTG	GAAAA A GCT A A GCCC K	L PTG A SCA E GAA I ATT K AAA G	L S T C ACT M ACT K	A SCC V STT. W TGG R AGA Y	L TTTA N AAT Q CAA V GTC N AAT	G GGT. A GCT. M ATG H CAT	I ATA I ATA STOTE TTA FTTT	S S TESS K AAAA V STT Y Y TAC	E GAA Y TAC S AGT G LATT	G GGA T ACA D GAC H CAT D CAT D	D GAT G GGGA I IATA P CCCA D GGAT I	E GAA E GCC E GAA C TGT C S	V GTT T ACC Q CAA D GAT A GCT	I ATT P CCC K AAA M ATC F	V GTT I ATT! E GGAJ A GCC S	P P P P P P P P P P P P P P P P P P P	T V V COTT N I LATT G G COCOTT	L CTC D GAT K YAAA V GTA S TCT	4380 4440 4500 4560
H CAT T ACA S TCA T ACT E GAA K AAA	L TTA Y TAT D GAT K AAA L CTG Y TAT K	GAAAAAAAA	L L PTTG' A CCA' E CAA I ATTT K AAAA G GGT	L PTACE S TEA MET ATT ATT KAAA T T	A SCC V W CTT C W TCC T R ACA Y TAT	L TTTA NAAT QCAA VCTC NAAT VCTC	GAA' G GGT. A GGT. M ATG L CAT TTG GGAA	I ATA I ATA STOTE TOTA TACA G	SCA S TCS K AAA V STT Y TAC V TTTI	ACT: E GAA Y TAC S AGT GGA LATT G G	GGACACACACACACACACACACACACACACACACACACA	D GAT GGAT I AGAT V	E GAAA GGCC E GAAA C TGT C TGCC TTGCC TTGT T	V STT. T ACCC CAA D GAT A GCT T ACT	I ATT P CCC K AAA M ATC F TTTT D	V GTTI I ATTI ATTI ATTI ACCO SCAL	P PCCA FPTTC T T CACT ACAL FTTTC FTTTC T T T T T T T T T T T T T T T T T T	T ACA V COTT NATATI	L CTG D GAT K PAAA V CGTA S CTGTA G CGGA	4380 4440 4500 4560 4620
H CAT T ACA S TCA T T ACT ACT ACT ACT ACT ACT ACT ACT	L TTA Y TAT D GAT K AAA L CTG	A A GCT I ATA N AATT A CCT KAAA T TACT C	L PTG' A GCA I ATT K AAA GGT I ATT L	AAC LITA STOA ATS ACT AAA TAA ACT H	A SCC V TCT RACA Y TACA TACA F	L L TTTA NATT OCAA V COTO AATT V COTO COTO COTO COTO COTO COTO COTO	GAA' GGT. A GGT. ATG ATG CAT TTG GGAA GGAA GGAA	IATA IATA ITA STOT FTA TOT ACA GGT Q	SCA STCS KAAA V GTT TAC V CTA F F TTT G GCGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	ACT. EGAA YAC YAC SGCA ACT ACT ACT ACT ACT ACT ACT ACT ACT A	GGGA TACATO BE GALLE	D GAT GGAT GGAT ATA PCCA GAT I TATT V CCA CCA CCA CCA CCA CCA CCA CCA CCA C	AGT. EGAA. AGC. EGAA. CGAA. TGT. TGC. TGCT. TGCT. TACC.	AAT V GTT. T GC CAA CAA A GCT ACT NAAT R	I ATT P CCC K AAA M ATC CAA P CCAA P CCAA P CCAA P CCAA P CCAA C CCAA P CCAA C	V GTTT I I ATTO	P P P P P P P P P P P P P P P P P P P	T ACA V COTT N I TAAT! ACT! ACT! H	L CTC D CAT K YAAA V SCTA G CCCA TCT CCCA TCT TCT TCT TCT TCT TCT TC	4380 4440 4500 4560 4620 4680 4740

E GAA			_				S							D SAT/			K AAA		N AAT	4920
	N																		M	
ATC.	AAC/	\ G T€	PTTC	TAC	AAC	TCC	ACA	AGC	'AA	\ GT7	LAA (PAE	YPP	PTT(CAC.	ACT'	' PAT	TGG.	ATG	4980
	S TCAZ						A CAC										L CTT	A GCA	D GAT	5040
	L CTC																Y TAC	_	E GAA	5100
	Y TAT (-					A SCTO		_		_				I ATT	N AAT	L TTA	P .CCT	S AGT	5160
	P CCC						~			_	_	_					E GAA	_	Y TAT	5220
		Ene	d o	£o:	r£5							s	tar	t o	£c	rf6	;			
S POA	D GAT	K	*			ATA	TTG	PAA.	AGG	TCA	TTC		K AAA			L TTC		S PTC#	D CAT	5280
	F .TTT																	L TTP	E AGAA	5340
	K SAAA																	L CTI	I ATA	5400
	E GAA															R SAGO	E GA <i>I</i>	R AAGO	P SCCT	5460
	W ATGG																		N AAT	5520
	I ATA																S TTC <i>I</i>	-	F TTT	5580
	S TAGT																		N SAAT	5640
ĸ	к	A	W	I	G	Y	I	Y	D	F	Q	Н	С	Y	Y	P	s	F		5700
s	ĸ	R	E	I	D	Q	R	N	v	F	F	ĸ	L	M	L	N	С	A	N	
N	I	I	v	N	A	Н	s	v	I	т	D	A	N	K	Y	v	G	N		5760
																			TTAT D	5820
																			TGAT	5880
																			Q TCAA	5940
F TT	W TTGC	K SAAA	H CAT	K TAA	D AGAT	H CAT	A rgca	T ACT	A GCT	F TTT	R PAG	A GGC	F ATT	K TAA	I 'TAA	Y TAT	T TAC	E TGA	Y ATAT	6000
N AA	P TCC1	D 'GA'	V TGTI	Y TAT	L TTT?	V AGT <i>i</i>	C ATGC	T CACC	G GGG	A AGC	T CAC	Q rca	D AGA	Y ATT	R rcg.	F ATT	P CCC	G TGG	Y ATAT	6060
F TT	N TAAT	E rga:	L ATTO	M SATC	V GGT:	L TTT	A GGC	K AAA!	K AAA(L GCT(G CGG	I 'TAA	E TGA.	S ATC	K GAA	I TAA	K TAA	: I GAT	L ATTA	6120

G H I P K L E Q I E L I K N C I A V I Q $GGGCATATACCTAAACTTGAACAAATTGAACTAATCAAAAATTGCATTGCTGTAATACAA$	6180
$^{ m P}$ T L F E G G P G G V T F D A I A L G CCAACCTTATTGAAGGCGGGCCTGGAGGGGGGGTAACATTTGACGCTATTGCATTAGGG	6240
K K V I L S D I D V N K E V N C G D V Y $\hspace{-0.5cm}$ AAAAAAGTTATACTATCTGACATAGATGTCAATAAAGAAGTTAATTGCGGTGATGTATAT	6300
FFQAKNHYSLNDAMVKADES TTCTTTCAGGCAAAAAACCATTATTCATTAAATGACGCGATGGTAAAAGCTGATGAATCT	6360
K I F Y E P T T L I E L G L K R R N A C AAAATTTTTTATGAACCTACAACTCTGATAGAATTGGGTCTCAAAAGACGCAATGCGTGT	6420
End of orf6 A D F L L D V V K Q E I E S R S * GCAGATTTTCTTTTAGATGTTGTGAAACAAGAAATTGAATCCCGATCT <i>TAA</i> TATATTCAA	6480
Start of orf7 M T K V A L I T G V T G Q D G S Y GAGGTATATA <u>ATG</u> ACTAAAGTCGCTCTTATTACAGGTGTAACTGGACAAGATGGATCTTA	6540
L A E F L L D K G Y E V H G I K R R A S ${ t TCTAGCTGAGTTTTTGCTTGATAAAGGGTATGAAGTTCATGGTATCAAACGCCGAGCCTC}$	6600
S F N T E R I D H I Y Q D P H G S N P N $ ilde{ t ATCTTTTAATACAGAACGCATAGACCCAAA}$	6660
F H L H Y G D L T D S S N L T R I L K E TTTTCACTTGCACTAGAGTCTGACTGACTCATCTAACCTCACTAGAATTCTAAAGGA	6720
${ t V}$ Q P D E V Y N L A A M S H V A V S F E GGTACAGCCAGATGAAGTATAATTTAGCTGCTATGAGTCACGTAGCAGTTTCTTTTGA	6780
S P E Y T A D V D A I G T L R L L E A I $\operatorname{GTCTCCAGAATATACAGCCGATGTCGATGCAATTGGTACATTACGTTTACTGGAAGCAAT}$	6840
R F L G L E N K T R F Y Q A S T S E L Y ${\sf TCGCTTTTTAGGATTGGAAAACAAAACGCGTTTCTATCAAGCTTCAACCTCAGAATTATA}$	6900
G L V Q E I P Q K E S T P F Y P R S P Y ${ m TGGACTTGTTCAGGAAATCCCTCAAAAAGAATCCACCCCTTTTTATCCTCGTTCCCCTTA}$	6960
A V A K L Y A Y W I T V N Y R E S Y G I TGCAGTTGCAAAACTTTACGCATATTGGATCACGGTAAATTATCGAGAGTCATATGGTAT	7020
Y A C N G I L F N H E S P R R G E T F V TTATGCATGTAATGGTATATTGTTCAATCATGAATCTCCACGCCGTGGAGAAACGTTTGT	,
T R K I T R G L A N I A Q G L E S C L Y $AACAAGGAAAATTACTCGAGGACTTGCAAATATTGCACAAGGCTTGGAATCATGTTTGTA$	7140
L G N M D S L R D W G H A K D Y V R M $\mathbb Q$ TTTAGGGAATATGGATTCGTTACGAGATTGGGGACATGCAAAAGATTATGTTAGAATGCA	
W L M L Q Q E Q P E D F V I A T G V Q Y ATGGTTGATGTTACAACAGGAGCAACCCGAAGATTTTGTGATTGCAACAGGAGTCCAATA	
S V R Q F V E M A A A Q L G I K M S F V CTCAGTCCGTCAGTTTGTCGAAATGGCAGCACCACCACTTGGTATTAAGATGAGCTTTGT	,

G	K												Е			-	Α	-	-	
TGGT	'AAA	GGA.	ATC	GAA	GAA.	AAA)	GGC.	ATT	GTA	GAT	TCG	GTT	GAA	GGA	CAG	GAT	GCT(CCA	GG	7380
V	K	P	G	D	V	I	V	A	V	D	P	R	Y	F	R	Р	Α	Ε	V	
TGTG	AAA	.CCA	GGT	GAT	GTC	TTA	GTT	GCT	GTT	GAT	CCT	CGT	TAT	TTC	CGA	CCA	GCT	GAA	GT	7440
D	т	τ,	Ŧ.	G	מ	p	S	ĸ	Δ	N	τ.	ĸ	L	G	W	R	Þ	E	т	
TGAT	'ACT	TTG	_	-	_	_	-							-			_	-	_	7500
m	т	Α	ים	3.	Ι	c	777	M	7.7	71.	77	D	т		7	λ.	17	7,5	**	
TACT	_		_		_	-			-			_	L 'CTT	_					H CA	7560

Start of orf8, End of orf7 M M M N K A L E *

S L L K S H G F S V S L A L E \star TTCTCTTTTAAAATCGCATGGTTTTCTGTAAGCTTAGCTCTGGA \underline{ATG} ATGATGAATAAG	7620
Q R I F I A G H Q G M V G S A I T R R L CAACGTATTTTATTGCTGGTCACCAAGGAATGGTTGGATCAGCTATTACCCGACGCCTC	7680
K Q R D D V E L V L R T R D E L N L L D AAACAACGTGATGTTGAGTTGGTTTTACGTACTCGGGATGAATTGAACTTGTTGGAT	7740
S S A V L D F F S S Q K I D Q V Y L A A AGTAGCGCTGTTTTGGATTTTTTTTTCTTCACAGAAAATCGACCAGGTTTATTTGGCAGCA	7800
A K V G G I L A N S S Y P A D F I Y E N ${\sf GCAAAAGTCGGAGGTATTTAGCTAACAGTTCTTATCCTGCCGATTTTATATATGAGAAT}$	7860
I M I E A N V I H A A H K N N V N K L L ATAATGATAGAGGCGAATGTCATTCATGCTGCCCACAAAAATAATGTAAATAAA	7920
F L G S S C I Y P K L A H Q P I M E D E TTCCTCGGTTCGTCGTGTATTTATCCTAAGTTAGCACACCAACCGATTATGGAAGACGAA	7980
L L Q G K L E P T N E P Y A I A K I A G TTATTACAAGGGAAACTTGAGCCAACAATGAACCTTATGCTATCGCAAAAATTGCAGGT	8040
I K L C E S Y N R Q F G R D Y R S V M P ATTAAATTATGTGAATCTTATAACCGTCAGTTTGGGCGTGATTACCGTTCAGTAATGCCA	8100
T N L Y G P N D N F H P S N S H V I P A ACCAATCTTATGGTCCAAATGACAATTTCATCCAAGTAATTCTCATGTGATTCCGGCG	8160
L L R R F H D A V E N N S P N V V W G CTTTTGCGCCGCTTTCATGATGCTGTGGAAAACAATTCTCCGAATGTTGTTGTTTGGGGA	8220
S G T P K R E F L H V D D M A S A S I Y AGTGGTACTCCAAAGCGTGAATTCTTACATGTAGATGATATGGCTTCTGCAAGCATTTAT	8280
V M E M P Y D I W Q K N T K V M L S H I GTCATGGAGATGCCATACGATATATGGCAAAAAAATACTAAAGTAATGTTGTCTCATATC	8340
N I G T G I D C T I C E L A E T I A K V AATATTGGAACAGGTATTGACCTGCACGATTGTGAGCTTGCGGAAACAATAGCAAAAGTT	8400
V G Y K G H I T F D T T K P D G A P R K GTAGGTTATAAAGGGCATATTACGTTCGATACAACAAAGCCCGATGGAGCCCCTCGAAAA	8460
L L D V T L L H Q L G W N H K I T L H K CTACTTGATGTAACGCTTCATCAACTAGGTTGGAATCATAAAATTACCCTTCACAAG	8520

End of orf8	
G L E N T Y N W F L E N Q L Q Y R G \star GGTCTTGAAAATACATACAACTGGTTTCTTGAAAACCAACTTCAATATCGGGGG $TAATAA$ 8	3580
Start of orf9 M ·F L H S Q D F A T I V R S T P L I S I TGTTTTTACATTCCCAAGACTTTGCCACAATTGTAAGGTCTACTCCTCTTATTTCTATAG 8	3640
D L I V E N E F G E I L L G K R I N R P ATTTGATTGTGGAAAACGAGTTTGGCGAAATTTTGCTAGGAAAACGAATCAACCGCCCGG	3700
A Q G Y W F V P G G R V L K D E K L Q T CACAGGGCTATTGGTTCCTGGTGGTAGGGTGTTGAAAGATGAAAAATTGCAGACAG	3760
A F E R L T E I E L G I R L P L S V G K CCTTTGAACGATTGACAGAAATTGAACTAGGAATTCGTTTGCCTCTCTGTGGGTAAGT	3820
F Y G I W Q H F Y E D N S M G G D F S T TTTATGGTATCTGGCAGCACTTCTACGAAGACAATAGTATGGGGGGAGACTTTTCAACGC	3880
H Y I V I A F L L K L Q P N I L K L P K ATTATATAGTTATAGCATTCCTTCTTAAATTACAACCAAACATTTTGAAATTACCGAAGT	3940
S Q H N A Y C W L S R A K L I N D D D V CACAACATAATGCTTATTGCTGGCTATCGCGAGCAAAGCTGATAAATGATGACGATGTGC	9000
H Y N C R A Y F N N K T N D A I G L D N ATTATAATTGTCGCGCATATTTTAACAATAAACAAATGATGCGATTGGCTTAGATAATA	9060
Start of orf10 End of orf9	
M S D A P I I A V V M A G G T G S K D I I C L M R Q * AGGATATAATATGTCTGATGCCCCAATAATTGCTGTAGTTATGGCCGGTGGTACAGGCAG	9120
R L W P L S R E L Y P K Q F L Q L S G D TCGTCTTTGGCCACTTCTCGTGAACTATATCCAAAGCAGTTTTTACAACTCTCTGGTGA	9180
N T L L Q T T L L R L S G L S C Q K P L TAACACCTTGTTACAAACGACTTTGCTACGACTTTCAGGCCTATCATGTCAAAAACCATT	9240
V I T N E Q H R F V V A E Q L R E I N K AGTGATAACAAATGAACAGCATCGCTTTGTTGTGGCTGAACAGTTAAGGGAAATAAAT	9300
L N G N I I L E P C G R N T A P A I A I ATTAAATGGTAATATTCTAGAACCATGCGGGCGAAATACTGCACCAGCAATAGCGAT	9360
S A F H A L K R N P Q E D P L L L V L A ATCTGCGTTTCATGCGTTAAAACGTAATCCTCAGGAAGATCCATTGCTTCTAGTTCTTGC	9420
A D H V I A K E S V F C D A I K N A T P GGCAGACCACGTTATAGCTAAAGAAGTGTTTTCTGTGATGCTATTAAAAATGCAACTCC	9480
I A N Q G K I V T F G I I P E Y A E T G CATCGCTAATCAAGGTAAAATTGTAACGTTTGGAATTATACCAGAATATGCTGAAACTGG	9540
Y G Y I E R G E L S V P L Q G H E N T G TTATGGGTATATTGAGAGAGGTGAACTATCTGTACCGCTTCAAGGGCATGAAAATACTGG	9600
F Y Y V N K F V E K P N R E T A E L Y M TTTTTATTATGTAAATAAGTTTGTCGAAAAGCCTAATCGTGAAACCGCAGAATTGTATAT	9660
T S G N H Y W N S G I F M F K A S V Y L GACTTCTGGTAATCACTATTGGAATAGTGGAATATTCATGTTTAAGGCATCTGTTTATCT	9720

E E L R K F R P D I Y N V C E Q V A S S TGAGGAATTGAGAAATTTAGACCTGACATTTACAATGTTTGTGAACAGGTTGCCTCATC	9780
S Y I D L D F I R L S K E Q F Q D C P A CTCATACATTGATCTAGATTTTATTCGATTATCAAAAGAACAATTTCAAGATTGTCCTGC	9840
ESIDFAVMEKTEKCVVCPVD TGAATCTATTGATTTGCTGTAATGGAAAAAACAGAAAAATGTGTTGTATGCCCTGTTGA	9900
I G W S D V G S W Q S L W D I S L K S K TATTGGTTGGAGTGACGTTGGCAATCGTTATGGGACATTAGTCTAAAATCGAA	9960
T G D V C K G D I L T Y D T K N N Y I Y AACAGGAGATGTATGTAAAGGTGATATTTAACCTATGATACTAAGAATAATTATCTA	10020
S E S A L V A A I G I E D M V I V Q T K CTCTGAGTCAGCGTTGGTAGCCGCCATTGGAATTGAAGATATGGTTATCGTGCAAACTAA	10080
D A V L V S K K S D V Q H V K K I V E M AGATGCCGTTCTTGTGTCTAAAAAGAGTGATGTACAGCATGTAAAAAAAA	10140
L K L Q Q R T E Y I S H R E V F R P W G GCTTAAATTGCAGCAACGTACAGAGTATATTAGTCATCGTGAAGTTTTCCGACCATGGGG	10200
K F D S I D Q G E R Y K V K K I I V K P AAAATTTGATTCGATTGACCAAGGTGAGCGATACAAAGTCAAGAAAATTATTGTGAAACC	10260
G E G L S L R M H H H R S E H W I V L S TGGTGAGGGGCTTTCTTTAAGGATGCATCACCATCGTTCTGAACATTGGATCGTGCTTTC	10320
G T A K V T L G D K T K L V T A N E S I TGGTACAGCAAAAGTAACCCTTGGCGATAAAACTAAACT	10380
Y I P L G A A Y S L E N P G I I P L N L ATACATTCCCCTTGGCGCAGCGTATAGTCTTGAGAATCCGGGCATAATCCCTCTTAATCT	10440
I E V S S G D Y L G E D D I I R Q K E R TATTGAAGTCAGGGGATTATTTGGGAGAGGATGATATTATAAGACAGAAAGAA	10500
End of orf10 Start of orf11 Y K H E D * M K S L T C F K A Y D I R TTACAAACATGAAGATTAACATATGAAATCTTTAACCTGCTTTAAAGCCTATGATATTCG	10560
G K L G E E L N E D I A W R I G R A Y G CGGGAAATTAGGCGAAGAACTGAATGAAGATATTGCCTGGCGCATTGGGCGTGCCTATGG	10620
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10680
L K L A L A K G L Q D A G V D V L D I G GTTAAAACTGGCGCTTGCGAAAGGTTTACAGGATGCGGGCGTCGATGTGCTGGATATCGG	10740
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10800
E V T A S H N P M D Y N G M K L V R E G CGAAGTTACCGCCAGCCATAACCCGATGGATTACAACGGCATGAAGCTGGTGCGCGAAGG	10860
A R P I S G D T G L R D V Q R L A E A N GGCTCGCCCGATCAGCGTGATACCGGACTGCGCGATGTCCAGCGTCTGGCAGAAGCCAA	10920
D F P P V D E T K R G R Y Q Q I N L R D TGACTTCCCTCCTGTGGATGAAACCAAACGTGGTCGCTATCAGCAAATCAATC	

A Y V D H L F G Y I N V K N L T P L K L CGCTTACGTTGATCACCTGTTCGGTTATATCAACGTCAAAAACCTCACGCCGCTCAAGCT	11040
V T N S G N G A A G P V V D A I E A R F	
GGTGATCAACTCCGGGAACGGCGCAGCGGGTCCGGTGGTGGACGCCATTGAAGCCCGATT	11100
K A L G A P V E L I K V H N T P D G N F TAAAGCCCTCGGCGCACCGGTGGAATTAATCAAAGTACACACAC	11160
PNGIPNPLLPECRDDTRNAV CCCCAACGGTATTCCTAACCCGCTGCTGCCGGAATGCCGCGACGCCACCCGTAATGCGGT	11220
I K H G A D M G I A F D G D F D R C F L CATCAAACACGGCGGGATATGGGCATTGCCTTTGATGGCGATTTTGACCGCTGTTTCCT	11280
F D E K G Q F I E G Y Y I V G L L A E A GTTTGACGAAAAAGGGCAGTTTATCGAGGGCTACTACATTGTCGGCCTGCTGGCAGAAGC	11340
F L E K N P G A K I I H D P R L S W N T GTTCCTCGAAAAAATCCCGGCGCGAAGATCATCCACGATCCACGTCTCTCCTGGAACAC	11400
V D V V T A A G G T P V M S K T G H A F CGTTGATGTGGTGACTGCCGCAGGCGGCACCCCGGTAATGTCGAAAACCGGACACGCCTT	11460
I K E R M R K E D A I Y G G E M S A H H TATTAAAGAACGTATGCGCAAGGAAGACGCCATCTACGGTGGCGAAATGAGCGCTCACCA	11520
Y F R D F A Y C D S G M I P W L L V A E TTACTTCCGTGATTCGCTTACTGCGACAGCGGCATGATCCCGTGGCTGCTGGTCGCCGA	11580
L V C L K G K T L G E M V R D R M A A F ACTGGTGTGCCTGAAAGGAAAAACGCTGGGCGAAATGGTGCGCGACCGGATGGCGGCGTT	11640
PASGEINSKLAQPVEAINRV TCCGGCAAGCGGTGAGATCAACAGCAAACTGGCGCAACCCGTTGAGGCAATTAATCGCGT	11700
E Q H F S R E A L A V D R T D G I S M T GGAACAGCATTTTAGCCGCGAGGCGCTGGCGTGGATCGCACCGATGGCATCAGCATGAC	11760
F A D W R F N L R S S N T E P V V R L N CTTTGCCGACTGGCGCTTTAACCTGCGCTCCTCCAACACCGAACCGGTGGTGCGGTTGAA	11820
V E S R G D V K L M E K K T K A L L K L TGTGGAATCACGCGGTGATGTAAAGCTAATGGAAAAGAAAACTAAAGCTCTTCTTAAATT	11880
End of orf11 L S E *	
GCTAAGTGAG TGATTATTTACATTAATCATTAAGCGTATTTAAGATTATATTAAAGTAAT	11940
GTTATTGCGGTATATGATGAATATGTGGGCTTTTTTATGTATAACGACTATACCGCAACT	12000
Start of H-repeat TTATCT <u>AGG</u> AAAAGATTAATAGAAATAAAGTTTTGTACTGACCAATTTGCATTTCACGTC	12060
ACGATTGAGACGTTCCTTTGCTTAAGACATTTTTTCATCGCTTATGTAATAACAAATGTG	12120
CCTTATATAAAAAGGAGAACAAAATGGAACTTAAAATAATTGAGACAATAGATTTTTATT	12180
ATCCCTGTTTACGATATTATAGCCAAAGTTGTATCCTGCATCAGTCCTGCAATATTTCAC	12240
GAGTGCTTTGTTAACTGAATACATGTCTGCCATTTTCCAGATGATAACGACGTCATCGCA	12300
» TTC » TCCT » » » » C » CTTCGGC » C » CTT » TG » C » AGAGTCGTCGC AGAGGAGTGGTTCAT	12360

GTCATTAGTGCGTTTCAGCAATGCACAGTCTGGTCCTCGGATAGATCAAGACGGATGAGA	12420
AACCTAATGCGTTCACAGTTATTCATGAACTTTCTAAAATGATGGGTATTAAAGGAAAAA	12480
TAATCATAACTGATGCGATGGCTTGCCAGAAAGATATTGCAGAGAAGATATAAAAAACAGA	12540
GATGTGATTATTTATTCGCTGTAAAAGGAAATAAGAGTCGGCTTAATAGAGTCTTTGAGG	12600
AGATATTTACGCTGAAAGAATTAAATAATCCAAAACATGACAGTTACGCAATTAGTGAAA	12660
AGAGGCACGGCAGAGACGATGTCCGTCTTCATATTGTTTGAGATGCTCCTGATGAGCTTA	12720
TTGATTTCACGTTTGAATGGAAAGGGCTGCAGAATTTATGAATGGCAGTCCACTTTCTCT	12780
CAATAATAGCAGAGCAAAAGAAAGAATCCGAAATGACGATCAAATATTATATTAGATCTG	12840
CTGCTTTAACCGCAGAGAAGTTCGCCACAGTAAATCGAAATCACTGGCGCATGGAGAATA	12900
AGTTGCACAGTAGCCTGATGTGGTAATGAATGAAATCGACTATAATATAAGAAGGCGAGT	12960
TGCATTCGAATGATTTTCTAGAATGCGGCACATCGCTATTAATATCTGACAATGATAATG	13020
TATTCAAGGCAGGATTATCATGTAAGATGCGAAAAGCAGTCATGGACAGAAACTTCCTAG	13080
End of the H-repeat CGTCAGGCATTGCAGCGTGCGGGCTTTCATAATCTTGCAT <i>TGG</i> TTTTGATAAGATATTTC	13140
Start of orf12 M N L Y G I F G A G S Y G R E	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13200
T I P I L N Q Q I K Q E C G S D Y A L V ACAATACCCATTCTAAATCAACAAATAAAGCAAGAATGTGGTTCTGACTATGCTCTGGTT	13260
F V D D V L A G K K V N G F E V L S T N TTTGTGGATGATGTTTTGGCAGGAAAGAAAGTTAATGGTTTTGAAGTGCTTTCAACCAAC	13320
C F L K A P Y L K K Y F N V A I A N D K TGCTTTCTAAAAGCCCCTTATTTAAAAAAGTATTTTAATGTTGCTAATGATAAG	13380
I R Q R V S E S I L L H G V E P I T I K ATACGACAGAGAGTGTCTGAGTCAATATTATTACACGGGGTTGAACCAATAACTATAAAA	13440
H P N S V V Y D H T M I G S G A I I S P CATCCAAATAGCGTTGTTTATGATCATACTATGATAGGTAGTGGCGCTATTATTTCTCCC	13500
F V T I S T N T H I G R F F H A N I Y S TTTGTTACAATATCTAATACTCATATAGGGAGGTTTTTCATGCAAACATATACTCA	13560
Y V A H D C Q I G D Y V T F A P G A K C TACGTTGCACATGATTGTCAAATAGGAGACTATGTTACATTTGCTCCTGGGGCTAAATGT	13620
N G Y V V I E D N A Y I G S G A V I K Q AATGGATATGTTGTTATTGAAGACAATGCATATATAGGCTCGGGTGCAGTAATTAAGCAG	13680
G V P N R P L I I G A G A I I G M G A V GGTGTTCCTAATCGCCCACTTATTATTGGCGCGGGAGCCATTATAGGTATGGGGGCTGTT	13740
V T K S V P A G I T V C G N P A R E M K GTCACTAAAAGTGTTCCTGCCGGTATAACTGTGTGCGGAAATCCAGCAAGAGAAATGAAA	13800
End of orf12 R S P T S I * AGATCGCCAACATCTATT TAATGGGAATGCGAATACCGTTCCAAATGGGACTAATCTTT	1206

AAAATATATATAATTTCGCTAATTTACTAAATTATGGCTTCTTTTTAAGCTATCCTTTAC	13920
TTAGTTATTACTGATACAGCATGAAATTTATAATACTCTGATACATTTTTATACGTTATT	13980
CAAGCCGCATATCTAGCGGTAACCCCTGACAGGAGTAAACAATG 14024	

PCT/AU99/00385

29/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATAATATCAACAAG AACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTGTCTTCTGGCTTGCGTATTAACAGC GCGAAGGATGACGCCGCGGGTCAGGCGATTGCTAACCGTTTTACTTCTAACATTAAAGGC CTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTTGCACAGACCACTGAAGGC GCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGAGCTGACGGTTCAGGCTTCT ACCGGGACTAACTCTGATTCGGATCTGGACTCCATTCAGGACGAAATCAAATCCCGTCTC GACGAAATTGACCGCGTATCCGGTCAGACCCAGTTCAACGGCGTGAACGTACTGGCAAAA GACGGTTCGATGAAAATTCAGGTAGGTGCGAACGACGGCCAGACTATCACTATTGATCTG AAGAAAATTGACTCTGATACGCTGGGGCTGAATGGTTTTAACGTGAATGGTTCCGGTACG ATAGCCAATAAAGCGGCGACCATTAGCGACCTGACAGCAGCGAAAATGGATGCTGCAACT AATACTATAACTACAACAAATAATGCGCTGACTGCATCAAAGGCCCTTGATCAACTGAAA AATGCATCTGCTGGTAACTTCTCATTCAGTAATGTATCGAATAATACTTCAGCAAAAGCA GGTGATGTAGCAGCTAGCCTTCTCCCGCCGGCTGGGCAAACTGCTAGTGGTGTTTACAAA GCAGCAAGCGGTGAAGTGAACTTTGATGTTGATGCGAATGGTAAAATTACAATCGGAGGA CAGGAAGCCTATTTAACTAGTGATGGTAACTTAACTACAAACGATGCTGGTGGTGCGACT AAGACTGCATCAGTCACGATGGGGGGAACAACTTATAACTTTAAAAACGGGTGCTGATGCT GGTGCTGCAACTGCTAACGCAGGGGTATCGTTCACTGATACAGCTAGCAAAGAAACCGTT TTAAATAAAGTGGCTACAGCTAAACAAGGCACAGCAGTTGCAGCTAACGGTGATACATCC GCAACAATTACCTATAAATCTGGCGTTCAGACGTATCAGGCGGTATTTGCCGCAGGTGAC GGTACTGCTAGCGCAAAATATGCCGATAATACTGACGTTTCTAATGCAACAGCAACATAC ACAGATGCTGATGGTGAAATGACTACAATTGGTTCATACACCACGAAGTATTCAATCGAT GCTAACAACGGCAAGGTAACTGTTGATTCTGGAACTGGTTCGGGTAAATATGCGCCGAAA GTCGGGGCTGAAGTATATGTTAGTGCTAATGGTACTTTAACAACAGATGCAACTAGCGAA GGCACAGTAACAAAAGATCCACTGAAAGCTCTGGATGAAGCTATCAGCTCCATCGACAAA TTCCGTTCATCCCTGGGGGCTATCCAAAACCGTTTGGATTCCGCCGTCACCAACCTGAAC AACACCACTACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACC GAAGTGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCA AAAGCCAACCAGGTACCGCAGCAGGTTCTGTCTCTACTGCAGGGTTAA

30/96

AACAAATCTCAGTCTTCTCTTAGCTCTGCTATT GAGCGTCTGTCTTCTGGTCTGCGTATTAACAGCGCAAAAGACGATGCAGCAGGTCAGGCG ATTGCTAACCGTTTTACGGCAAATATTAAAGGTCTGACCCAGGCTTCCCGTAACGCAAAT CAGCGTATTCGTGAACTTTCTGTTCAGGCAACTAACGGTACTAACTCTGACAGTGACCTG ACCTCCATCCAGTCCGAAATCCAGCAGCGTCTGAGTGAAATTGACCGTGTTTCTGGTCAG ACTCAGTTTAACGGCGTTAAAGTGCTGGCTTCTGATCAGGATATGACTATTCAGGTTGGT TTATCTGGTTTTGGTATTAAAGATCCTACTAAATTAAAAGCCGCAACGGCTGAAACAACC TATTTTGGATCGACAGTTAAGCTTGCTGACGCTAATACACTTGATGCAGATATTACAGCT ACAGTTAAAGGCACTACGACTCCGGGCCAACGTGACGGTAATATTATGTCTGATGCTAAC GGTAAGTTGTACGTTAAAGTTGCCGGTTCAGATAAACCCGCTGAAAATGGTTATTATGAA GTTACTGTGGAGGATGATCCGACATCTCCTGATGCAGGTAAGCTGAAGCTGGGGGCTCTA GCGGGTACCCAGCCTCAAGCTGGTAATTTAAAGGAAGTCACAACGGTGAAAGGGAAGGGG GCTATTGATGTTCAGTTGGGTACTGATACCGCAACCGCTTCTATCACAGGTGCAAAACTC TTTAAGTTAGAAGACGCCAATGGCAAAGATACTGGTTCATTTGCGTTGATTGGTGATGAC GGTAAACAGTATGCAGCGAATGTTGATCAGAAAACAGGAGCAGTTTCCGTTAAAACAATG TCTTACACTGATGCTGACGGTGTCAAACACGACAATGTTAAAGTTGAACTGGGTGGAAGC GATGGCAAAACCGAAGTTGTAACTGCAACCGATGGCAAAACTTACAGTGTTAGTGATTTA CAAGGTAAGAGCCTGAAAACTGATTCTATTGCAGCAATTTCTACGCAGAAAACAGAAGAT CCTTTGGCTGCTATCGATAAAGCACTGTCTCAGGTTGACTCGTTGCGTTCTAACCTAGGT GCAATTCAAAATCGTTTCGACTCTGCCATCACCAACCTTGGCAACACCGTAAACAACCTG TCTTCTGCCCGTAGCCGTATCGAAGATGCTGACTACGCGACCGAAGTGTCTAACATGTCT CGTGCGCAGATCCTGCAACAAGCGGGTACCTCTGTTCTGGCGCAG

WO 99/61458

PCT/AU99/00385

31/96

AACAAATCTCAGTCTTCTCTGAGCTCCGCCATTGAACGTCTCTCTTC TGGCCTGCGTATTAACAGTGCTAAAGATGACGCAGCAGGTCAGGCGATTGCTAACCGTTT TACAGCAAATATTAAAGGTCTGACTCAGGCTTCCCGTAACGCGAATGATGGTATTTCTGT TGCGCAGACCACTGAAGGTGCGCTTTCTGAAATCAACAATAACTTACAGCGTATTCGTGA ATTGTCAGTACAGGCCACTAATGGTACAAACTCTGACTCCGACCTGAATTCAATTCAGGA TGAAATTACACAACGCCTTAGTGAAATTGATCGTGTTTCTAACCAGACACAATTTAATGG TGTAAAAGTTCTGGCTTCTGATCAGACTATGAAAATTCAAGTAGGTGCGAACGATGGTGA AACCATTGAGATTGCCCTTGATAAAATTGATGCTAAAACCTTGGGGCTTGATAACTTTAG $\tt CGTAGCACCAGGAAAAGTTCCAATGTCCTCTGCGGTTGCACTTAAGAGCGAAGCCGCTCC$ TGACTTAACTAAGGTAAATGCAACTGATGGTAGTGTGGGAGGTGCTAAAGCATTCGGTAG CAATTATAAAAATGCTGATGTTGAAACTTATTTTGGTACCGGTAATGTACAAGATACAAA GGATACAACTGATGCGACCGGTACTGCAGGAACAAAAGTTTATCAAGTACAGGTGGAAGG GCAGACTTATTTTGTTGGTCAAGATAATAATACCAACACGAACGGTTTTACATTATTGAA ACAAAACTCTACAGGTTATGAAAAAGTTCAGGTGGGTGGTAAGGATGTTCAGTTAGCAAA CTTTGGTGGTCGTGTAACTGCATTTGTTGAAGATAATGGTTCTGCCACATCAGTTGATTT AGCTGCGGGTAAAATGGGTAAAGCATTAGCTTATAATGATGCACCAATGTCTGTTTATTT TGGGGGAAAAACCTAGATGTCCACCAAGTACAAGATACCCAAGGGAATCCTGTACCTAA TTCATTTGCTGCTAAAACATCAGACGGCACCTACATTGCAGTAAATGTAGATGCCGCTAC AGGTAACACGTCTGTTATTACTGATCCTAATGGTAAGGCAGTTGAATGGCAGTAAAAAA TGATGGTTCTGCACAGGCAATTATGCGTGAAGATGATAAGGTTTATACAGCCAATATCAC GAATAAGACGGCAACCAAAGGTGCTGAACTCAGTGCCTCAGATTTGAAAGCCTTAGCAAC CACAAATCCATTATCCACATTAGACGAAGCTTTGGCAAAAGTTGATAAGTTGCGCAGTTC TTTGGGTGCAGTACAAAACCGTTTCGACTCTGCCATCACCAACCTTGGCAACACCGTAAA CAACCTGTCTTCTGCCCGTAGCCGTATAGAAGATGCTGACTACGCAACCGAAGTGTCTAA CATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTACCTCTGTTCTGGCACAG

GACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCGGGCAAC TCCGTGCTGTCTAA

Figure 10

AACAAAAACCAGTCTGCGCTGTCGACTTCTAT CGAGCGCCTCTCTTCTGGTCTGCGTATTAACAGCGCTAAAGATGACGCCGCGGGCCAGGC GATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAA CGACGGTATCTCTCTGGCGCAGACCACTGAAGGCGCGCTGTCTGAAATCAACAACAACTT GCAGCGTGTGCGTGAGTTGACCGTTCAGGCGACCGACCGGGACTAACTCTGATTCTGACCT GTCTTCTATTCAGGACGAAATCAAATCCCGTCTGGATGAAATTGATCGCGTTTCCGGTCA GACCCAGTTCAACGGCGTGAATGTGCTGGCGAAAGATGGTTCGATGAAGATTCAGGTTGG $\tt CGCGAATGATGGGCAGACTATTAGCATTGATTTGCAGAAGATTGACTCTTCTACATTAGG$ ACTGAACGGTTTCTCCGTTTCGGGTCAGTCACTTAACGTTAGTGATTCCATTACTCAAAT TACCGGTGCCGCCGGGACAAACCTGTTGGTGTTGATTTCACTGCTGTTGCGAAAGATCT GACTACTGCGACAGGTAAAACAGTCGATGTTTCTAGCCTGACGTTACACAACACTCTGGA TGCGAAAGGGGCTGCTACATCACAGTTCGTCGTTCAATCCGGCAATGATTTCTACTCCGC GTCGATTAATCATACAGACGGCAAAGTCACGTTGAATAAAGCCGATGTCGAATACACAGA CACCGATAATGGACTAACGACTGCGGCTACTCAGAAAGATCAACTGATTAAAGTTGCCGC TGACTCTGACGGCTCGGCTGCGGGATATGTAACATTCCAAGGTAAAAACTACGCTACAAC GGTTTCAACGGCACTTGATGATAATACTGCGGCAAAAGCAACAGATAATAAAGTTGTTGT TGAATTATCAACAGCAAAACCGACTGCACAGTTCTCAGGGGCTTCTTCTGCTGATCCACT GCAAAACCGTCTGGATTCCGCAGTAACCAACCTGAACAACACCACCACCAACCTGTCTGA AGCGCAGTCCCGTATTCAGGACGCCGACTATGCTACAGAAGTGTCCAACATGTCGAAAGC GCAGATCATCCAGCAGGCAGGTAACTCGGTGCTGTCCAAA

34/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGC TGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTC TGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCGGGTCAGGCGATTGCTA ACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTA TTTCTGTTGCGCAGACCACCGAAGGCGCGCTGTCCGAAATTAACAACAACTTACAGCGTA TTCGTGAACTGACGGTTCAGGCTTCTACCGGGACTAACTCTGATTCGGATCTGGACTCCA TTCAGGACGAAATCAAATCCCGTCTCGACGAAATTGACCGCGTATCCGGTCAGACCCAGT TCAACGGCGTGAACGTACTGGCAAAAGACGGTTCGATGAAAATTCAGGTTGGTGCGAATG ACGGCCAGACTATCACTATTGATCTGAAGAAAATTGACTCTGATACGCTGGGGCTGAATG GGTTTAATGTGAACGGCAAAGGGGAAACGGCTAATACGGCAGCAACCCTGAAAGATATGT CTGGATTCACAGCTGCGGCGCACCAGGGGGAACTGTTGGTGTAACTCAATATACTGACA AATCGGCTGTAGCAAGTAGCGTAGATATTCTAAATGCTGTTGCTGGCGCAGATGGAAATA AAGTTACAACTAGCGCCGATGTTGGTTTTGGTACACCAGCCGCTGCTGTAACCTATACCT ACAATAAAGACACTAATTCATATTCCGCCGCTTCTGATGATATTTCCAGCGCTAACCTGG CTGCTTTCCTCAATCCTCAGGCCGGAGATACGACTAAAGCTACAGTTACAATTGGTGGCA AAGATCAAGATGTAAACATCGATAAATCCGGTAATTTAACTGCTGCTGATGATGGCGCAG TACTTTATATGGATGCTACCGGTAACTTAACTAAAAATAATGCTGGTGGTGATACACAAG CTACTTTGGCTAAACTTGCTACTGGTGCTAAAGCCGCGACCATCCAAACTGATA AAGGAACATTCACCAGTGACGGTACAGCGTTTGATGGTGCATCAATGTCCATTGATACCA ATACATTTGCAAATGCAGTAAAAAATGACACTTATACTGCCACTGTAGGTGCTAAGACTT ATAGCGTAACAACAGGTTCTGCTGCTGCAGACACCGCTTATATGAGCAATGGGGTTCTCA GTGATACTCCGCCAACTTACTATGCACAAGCTGATGGAAGTATCACAACTACTGAGGATG CGGCTGCCGGTAAACTGGTCTACAAAGGTTCCGATGGTAAGTTAACAACGGATACGACTA GCAAAGCAGAATCAACATCAGATCCGCTGGCAGCTCTTGACGACGCTATCAGCCAGATCG ACAAATTCCGCTCCTCGGTGCGGTGCAAAACCGTCTGGATTCCGCAGTGACCAACC TGAACACCACTACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATG CGACCGAAGTGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGC TGGCAAAAGCTAACCAGGTTCCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

35/96

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACCGAAGGC GCGCTGTCTG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGAACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CTTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

36/96

AACAAATCTCAGTCTTCTCTTAGCTCTGCTA

TTGAGCGTCTGTCTTCTGGTCTGCGTATTAACAGCGCAAAAGACGATGCAGCAGGTCAGG CGATTGCTAACCGTTTTACGGCAAATATTAAAGGTCTGACCCAGGCTTCCCGTAACGCAA TGCAGCGTATTCGTGAACTTTCTGTTCAGGCAACTAACGGTACTAACTCTGACAGCGATC TTTCTTCTATCCAGGCTGAAATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGC AAACTCAGTTTAACGGCGTGAAAGTCCTTGCTGAAAATAATGAAATGAAAATTCAGGTTG GTGCTAATGATGGTGAAACCATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCG GCCTGGACGGTTTTAATATCGATGGCGCGCAGAAAGCAACAGGCAGTGACCTGATTTCTA AATTTAAAGCGACAGGTACTGATAATTATGATGTTGGCGGTAAAACTTATACCGTGAATG TGGAGAGCGCGCGCTTAAGAATGATGCTAATAAAGATGTTTTTGTAAGCGCAGCTGATG GATCGCTGACGACCAGTAGTGATACTAAAGTATCCGGTGAAAGTATTGATGCAACAGAAC TAGCGAAACTTGCAATAAAATTAGCTGACAAAGGCTCCATTGAATACAAGGGCATTACAT TTACTAACAACACTGGCGCAGAGCTTGATGCTAATGGTAAAGGTGTTTTGACCGCAAATA TTGATGGTCAAGATGTTCAATTTACTATTGACAGTAATGCACCCACGGGTGCCGGCGCAA CAATAACTACAGACACAGCTGTTTACAAAAACAGTGCGGGCCAGTTCACCACTACAAAAG TGGAAAATAAAGCCGCAACACTCTCTGATCTGGATCTTAATGCAGCCAAGAAAACAGGTA GCACTTTAGTTGTAAATGGCGCCACCTACAATGTCAGCGCAGATGGTAAAACGGTAACTG ATACTACTCCTGGTGCCCCTAAAGTGATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGA TTCTGGTAAACGAAGATGCAGCAAAATCGTTGCAATCTACCACCAACCCGCTCGAAACTA TCGACAAGGCATTGGCTAAAGTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACC GTTTCGACTCTGCCATCACCAACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTA GCCGTATCGAAGATGCTGACTACGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCC TGCAACAGCGGGTACCTCTGTTCTGGCGCAG

37/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCG CTGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGT CTGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCGGGTCAGGCGATTGCT AACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGT ATTTCCGTTGCACAGACCACTGAAGGCGCGCTGTCCGAAATTAACAACAACTTACAGCGT ATTCGTGAACTGACGGTTCAGGCTTCTACCGGGACTAACTCCGATTCGGATCTGGACTCC ATTCAGGACGAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGCCAGACCCAG TTCAACGGCGTGAACGTGCTGTCCAAAGATGGCTCGATGAAAATTCAGGTCGGCGCGAAC GATGGCGAAACGATTACTATTGATCTGAAGAAAATTGACTCTGATACGCTGAATCTGGCT GGTTTTAACGTTAACGGTAAAGGTTCTGTAGCGAATACAGCTGCGACAAGCGACGATTTA ACAATTAGTAATGACAAAGCCAAAGCTTCCGATCTGTTAGCTAATATCACCGATGGATCA GTGATCACTGGGGGAGGGGCAAACGCTTTTGGCGTGGCTGCAAAGAATGGTTACACCTAT GATGCAGCAAGTAAATCTTATAGTTTTGCTGCAGATGGTGCCGATTCAGCGAAGACGTTA AGCATCATTAATCCAAACACCGGTGATTCGTCGCAGGCGACAGTGACTATTGGTGGTAAA GAGCAGAAAGTTAATATTTCCCAGGATGGAAAAATTACTGCGGCAGATGATAATGCGACG CTGTATTTAGATAAACAGGGAAACTTGACAAAAACGAATGCAGGTAACGATACCGCAGCG ACTTGGGATGGTTTAATTTCCAACAGCGATTCTACCGGTGCGGTTCCAGTTGGGGTTGCA ACTACAATTACAATTACTTCTGGTACAGCTTCCGGAATGTCTGTTCAGTCCGCAGGAGCA GGAATTCAGACCTCAACAAATTCTCAGATTCTTGCAGGTGGTGCATTTGCGGCTAAGGTA AGTATTGAGGGAGGCGCTGCTACAGACATTTTGGTAGCAAGTAATGGAAACATAACAGCG GCTGATGGTAGTGCACTTTATCTTGATGCGACTACTGGTGGATTCACTACAACGGCTGGA GGAAATACAGCTGCTTCGTTAGATAATTTAATTGCTAACAGTAAGGATGCTACCTTAACC GTAACTTCAGGTACCGGCCAGAACACTGTTTATAGCACAACAGGAAGTGGCGCTCAGTTC ACCAGTTTAGCAAAAGTAGACACAGTCAATGTCACCAACGCACATGTCAGTGCCGAAGGT ATGGCAAATCTGACAAAAGCAATTTTACCATTGATATGGGCGGTACAGGTACAGTAACT TACACAGTTTCCAATGGGGATGTGAAAGCTGCTGCAAATGCTGATGTTTATGTCGAAGAT GGTGCACTTTCAGCCAATGCTACAAAAGATGTAACCTACTTTGAACAAAAAAATGGGGCT ATTACCAACAGCACCGGTGGTACCATCTATGAAACAGCTGATGGTAAGTTAACAACAGAA GCTACTACTGCATCCAGTTCCACCGCCGATCCCCTGAAAGCTCTGGACGAAGCCATCAGC TCCATCGACAAATTCCGCTCCCTCCGTGCGGTGCAAAACCGTCTGGATTCCGCGGTC ACCAACCTGAACACCACCTACCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCC GACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCCGGTAAC TCCGTGCTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

ATGGCACAAGTCATTAATACCAACAGC CTCTCGCTGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATC GAGCGTCTGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCGGGTCAGGCG ATTGCTAACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAAC GACGGTATTTCTGTTGCGCAGACCACCGAAGGCGCGCTGTCCGAAATTAACAACAACTTA CAGCGTGTGCGTGAGCTGACTGTTCAGGCGACCACCGGTACTAACTCTGAGTCTGACCTG TCTTCTATCCAGGACGAAATCAAATCTCGCCTGGAAGAGATTGATCGTGTTTCAAGTCAG ACTCAATTTAACGGCGTGAATGTTTTGGCTAAAGATGGGAAAATGAACATTCAGGTTGGG GCAAATGATGGACAGACTATCACTATTGATCTGAAAAAGATCGATTCATCTACACTAAAC CTCTCCAGTTTTGATGCTACAAACTTGGGCACCAGTGTTAAAGATGGGGCCACCATCAAT AAGCAAGTGGCAGTAGGTGCTGGCGACTTTAAAGATAAAGCTTCAGGATCGTTAGGTACC TACGATGCCGAAGTAGATACTAGTAAGGGTAAAATTAACTTCAACTCTACAAATGAAAGT GGAACTACTCCTACTGCAGCGACGGAAGTAACTACTGTTGGCCGCGATGTAAAATTGGAT GCTTCTGCACTTAAAGCCAACCAATCGCTTGTCGTGTATAAAGATAAAAGCGGCAATGAT ATCAGTGATGCTGGTGTTTTATCTATTGGTGCATCTACAACCGCGCCCAAGCAATTTAACA GCTAACCCGCTTAAGGCTCTTGATGATGCAATTGCATCTGTTGATAAATTCCGCTCTTCT CTCGGTGCCGTTCAGAACCGTCTGGATTCTGCCATTGCCAACCTGAACAACACCACTACC AACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCTGACTATGCGACCGAAGTGTCCAAC ATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACCAG GTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

AACAAATCTCAGTCTTCTCTGAGCTCCGCCAT TGAACGTCTCTCTGGCCTGCGTATTAACAGTGCTAAAGATGACGCAGCAGGTCAGGC GATTGCTAACCGTTTTACAGCAAATATTAAAGGTCTGACTCAGGCTTCCCGTAACGCGAA GCAGCGTGTACGTGAACTGACTGTTCAGGCAACTAACGGTACTAACTCTGACAGCGATCT TTCTTCTATCCAGGCTGAAATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGCA AACTCAGTTTAACGGCGTGAAAGTCCTTGCTGAAAATAATGAAATGAAAATTCAGGTTGG TGCTAATGATGGTGAAACCATCACTATCAATCTGGČAAAAATTGATGCGAAAACTCTCGG CCTGGACGGTTTTAATATCGATGGCGCGCAGAAAGCAACTGGCAGTGACCTGATTTCTAA ATTTAAAGCGACAGGTACTGATAACTATGATGTTGGCGGTGATGCTTATACTGTTAACGT AGATAGCGGAGCTGTTAAAGATACTACAGGGAATGATATTTTTGTTAGTGCAGCAGATGG TTCACTGACAACTAAATCTGACACAAACATAGCTGGTACAGGGATTGATGCTACAGCACT CGCAGCAGCGGCTAAGAATAAAGCACAGAATGATAAATTCACGTTTAATGGAGTTGAATT CACAACAACAACTGCAGCGGATGGCAATGGGAATGGTGTATATTCTGCAGAAATTGATGG TAAGTCAGTGACATTTACTGTGACAGATGCTGACAAAAAAGCTTCTTTGATTACGAGTGA GACAGTTTACAAAAATAGCGCTGGCCTTTATACGACAACCAAAGTTGATAACAAGGCTGC CACACTTTCCGATCTTGATCTCAATGCAGCTAAGAAAACAGGAAGCACGTTAGTTGTTAA CGGTGCAACTTACGATGTTAGTGCAGATGGTAAAACGATAACGGAGACTGCTTCTGGTAA CAATAAAGTCATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTAAACGAAGA TGCAGCAAAATCGTTGCAATCTACCACCAACCCGCTCGAAACTATCGACAAAGCATTGGC TAAAGTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCTGCTAT CACCAACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATCGAAGATGC TGACTACGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTAC CTCTGTTCTGGCGCAG

40/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCA CTGGCTTGCGTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTT TCACCTCTAACATTAAAGGCCTGACTCAGGCGGCCCGTAACGCCAACGACGGTATCTCCG TTGCGCAGACCACCGAAGGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTG AACTGACGGTTCAGGCTTCTACCGGGACTAACTCCGATTCGGATCTGGACTCCATTCAGG ACGAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCTGGCCAGACCCAGTTCAACG GCGTGAACGTACTGGCGAAAGACGGTTCAATGAAAATTCAGGTTGGTGCGAATGACGGCC AGACTATCACGATTGATCTGAAGAAAATTGACTCAGATACGCTGGGGCTGAATGGTTTTA ACGTGAATGGTTCCGGTACGATAGCCAATAAAGCGGCGACCATTAGCGACCTGACAGCAG CGAAAATGGATGCTGCAACTAATACTATAACTACAACAAATAATGCGCTGACTGCATCAA AGGCGCTTGATCAACTGAAAGATGGTGACACTGTTACTATCAAAGCAGATGCTGCTCAAA CTGCCACGGTTTATACATACAATGCATCAGCTGGTAACTTCTCATTCAGTAATGTATCGA ATAATACTTCAGCAAAAGCAGGTGATGTAGCAGCTAGCCTTCTCCCGCCGGCTGGGCAAA CTGCTAGTGGTGTTTATAAAGCAGCAAGCGGTGAAGTGAACTTTGATGTTGATGCGAATG GTAAAATCACAATCGGAGGACAGAAAGCATATTTAACTAGTGATGGTAACTTAACTACAA ACGATGCTGGTGGTGCGACTGCGGCTACGCTTGATGGTTTATTCAAGAAAGCTGGTGATG GTCAATCAATCGGGTTTAAGAAGACTGCATCAGTCACGATGGGGGGAACAACTTATAACT TTAAAACGGGTGCTGATGCTGCTGCAACTGCTAACGCAGGGGTATCGTTCACTGATA CAGCTAGCAAAGAACCGTTTTAAATAAAGTGGCTACAGCTAAACAAGGCAAAGCAGTTG CAGCTGACGGTGATACATCCGCAACAATTACCTATAAATCTGGCGTTCAGACGTATCAGG CTGTATTTGCCGCAGGTGACGGTACTGCTAGCGCAAAATATGCCGATAAAGCTGACGTTT CTAATGCAACAGCAACATACACTGATGCTGATGGTGAAATGACTACAATTGGTTCATACA CCACGAAGTATTCAATCGATGCTAACAACGGCAAGGTAACTGTTGATTCTGGAACTGGTA CGGGTAAATATGCGCCGAAAGTAGGGGCTGAAGTATATGTTAGTGCTAATGGTACTTTAA CAACAGATGCAACTAGCGAAGGCACAGTAACAAAAGATCCACTGAAAGCTCTGGATGAAG CTATCAGCTCCATCGACAAATTCCGTTCTTCCCTGGGTGCTATCCAGAACCGTCTGGATT CCGCAGTCACCAACCTGAACAACACCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTC AGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATTCAGCAGG CCGGTAACTCCGTGCTGGCAAAAGCCAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGC AGGGTTAA

41/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATA GTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTA ACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCCGTTGCGCAGA CCACTGAAGGTGCGCTGTCCGAAATCAACAACATTACAGCGTATTCGTGAGCTGACGG AGTCTCGTCTGGACGAAATTGACCGCGTATCCGGTCAGACCCAGTTCAACGGCGTGAACG TGCTGGCGAAAGACGGTTCGATGAAAATTCAGGTTGGTGCGAATGACGGCCAGACTATCA CGATTGATCTGAAGAAAATTGACTCAGATACGCTGGGGCTGAGTGGGTTTAATGTGAATG GTGGCGGGCTGTTGCTAACACTGCTGCATCTAAAGCTGACTTGGTAGCTGCTAATGCAA CTGTGGTAGGCAACAAATATACTGTGAGTGCGGGTTACGATGCTGCTAAAGCGTCTGATT TGCTGGCTGGAGTTAGTGATGGTGATACTGTTCAGGCAACCATTAATAACGGCTTCGGAA CCACAACGCTTCAGCTGCCGATGTTCAGAAATATTTGACCCCGGGCGTTGGTGATACCG CTAAGGGCACTATTACTATCGATGGTTCTGCACAGGATGTTCAGATCAGCAGTGATGGTA AAATTACGTCAAGCAATGGAGATAAACTTTACATTGATACAACTGGGCGCTTAACGAAAA ACGGCTTTAGTGCTTCTTTGACTGAGGCTAGTCTGTCCACACTTGCAGCCAATAATACCA AAGCGACAACCATTGACATTGGCGGTACCTCTATCTCCTTTACCGGTAATAGTACTACGC CGAACACTATTACTTATTCAGTAACAGGTGCAAAAGTTGATCAGGCAGCTTTCGATAAAG CTGTATCAACCTCTGGAAACGATGTTGATTTCACTACCGCAGGTTATAGCGTCGACGGCG CAACTGGCGCTGTAACAAAGGTGTTGCTCCGGTTTATATTGATAACAACGGGGCGTTGA CCACATCTGATACTGTAGATTTTTATCTACAGGATGATGGTTCAGTGACTAACGGCAGCG GTAAGGCAGTTTATAAAGATGCTGACGGTAAATTGACGACAGATGCTGAAACTAAAGCTG CAACCACCGCCGATCCCCTGAAAGCTCTGGACGAAGCCATCAGCTCCATCGACAAATTCC GCTCCTCCCTCGGTGCGGTGCAGAACCGTCTGGATTCCGCGGTCACCAACCTGAACAACA CCACTACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCTGACTATGCGACCGAAG TATCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAG CTAACCAGGTACCACAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

42/96

ATGGCACAAGTCATTAATACCAACAGC

CTCTCGCTGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATC GAGCGTCTGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCG ATTGCTAACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAAC GACGGTATTTCTGTTGCACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTA CAGCGTGTGCGTGAACTGACCGTTCAGGCAACCACCGGTACCAACTCCCAGTCTGACCTG GACTCTATCCAGGACGAAATTAAATCCCGTCTGGACGAAATTGATCGCGTATCCGGTCAG ACCCAGTTCAACGCCTGAACGTGCTGGCAAAAGACGGTTCCATGAAAATTCAGGTTGGC GCGAACGATGGCCAGACCATCACTATCGACCTGAAGAAGATTGACTCTTCTACCTTGAAC CTGACAGGTTTTAACGTTAACGGTTCTGGTTCTGTGGCGAATACTGCAGCAACTAAAGCT GATTTAACCGCTGCTCAACTCTCTGCACCGGGTGCAGCAGACGCAAATGGTACAGTTACT TATACTGTCAGTGCTGGTTATAAAGAATCCACTGCTGCAGATGTTATTGCTAGCATCAAA GACGGCAGTGCTCCGACTTCTGCAATTACTGCAACCATTAATAATGGCTTCGGTGATTCC AGTGCGCTGACTTCCAATGACTATACTTATGACCCAGCAAAAGGCGACTTCACTTACGAC GGTGATACCGCAAATCTGAAAGTAACCGTTGGTACGACATCGGTTGATGTCGTTCTGGCC AGTGATGGTAAGATTACAGCAAAAGATGGTTCTGCATTATATATCGACAGTACAGGTAAC CTGACTCAGAACAGTGCTGGCTTGACCTCTGCTAAACTGGCTACTCTGACTGGCCTTCAG GGCTCTGGTGTTGCTTCAACCATCACTACTGAAGATGGCACTAATATTGATATTGCTGCT AACGGTAATATTGGTCTGACCGGTGTTCGTATCAGTGCTGATTCTCTGCAGTCAGCGACT AAATCTACGGGCTTTACTGTTGGTACTGGCGCTACAGGTCTGACCGTAGGTACTGATGGT AAAGTGACTATCGGCGGGACTACTGCTCAGTCCTACACCAGCAAAGATGGTTCCCTGACT ACTGATAACACCACTAAACTGTATCTGCAGAAAGATGGCTCTGTAACCAACGGTTCAGGT AAAGCGGTCTATGTAGAAGCGGATGGTGATTTCACTACCGACGCTGCAACCAAAGCCGCA ACCACCACCGATCCGCTGAAAGCCCTGGATGAGGCAATCAGCCAGATCGATAAGTTCCGT TCATCCCTGGGTGCTATCCAGAACCGTCTGGATTCCGCGGTCACCAACCTGAACACACC ACTACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTG TCCAACATGTCGAAAGCGCAGATCATTCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCC AACCAGGTACCGCAACAGGTTCTGTCTCTGCTGCAGGGCTAA

WO 99/61458

PCT/AU99/00385

43/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCAC TGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTT TACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCCAACGACGGTATTTCTGT TGCACÁGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTGTGCGTGA ACTGACCGTTCAGGCAACCACCGGTACCAACTCCCAGTCTGACCTGGACTCTATCCAGGA CGAAATTAAATCCCGTCTGGACGAAATTGATCGCGTATCCGGTCAGACCCAGTTCAACGG CGTGAACGTGCTGGCAAAAGACGGTTCCATGAAAATTCAGGTTGGCGCGAACGATGGCCA GACCATCACTATCGACCTGAAGAAGATTGACTCTTCTACCTTGAACCTGACAGGTTTTAA CGTTAACGGTTCTGGTTCTGTGGCGAATACTGCAGCAACTAAAGCTGATTTAACCGCTGC TCAACTCTCTGCACCGGGTGCAGCAGACGCAAATGGTACAGTTACTTATACTGTCAGTGC TGGTTATAAAGAATCCACTGCTGCAGATGTTATTGCTAGCATCAAAGACGGCAGTGCTCC GACTTCTGCAATTACTGCAACCATTAATAATGGCTTCGGTGATTCCAGTGCGCTGACTTC CAATGACTATACTTATGACCCAGCAAAAGGCGACTTCACTTACGACGTAGCTTCAAGCGC CAATAATACTGCTGCCCAGGTTCAGTCCTTCCTGACGCCGAAAGCAGGTGATACCGCAAA TCTGAAAGTAACCGTTGGTACGACATCGGTTGATGTCGTTCTGGCCAGTGATGGTAAGAT TACAGCAAAAGATGGTTCTGCATTATATATCGACAGTACAGGTAACCTGACTCAGAACAG TGCTGGCTTGACCTCTGCTAAACTGGCTACTCTGACTGGCCTTCAGGGCTCTGGTGTTGC TTCAACCATCACTGAAGATGGCACTAATATTGATATTGCTGCTAACGGTAATATTGG TCTGACCGGTGTTCGTATCAGTGCTGATTCTCTGCAGTCAGCGACTAAATCTACGGGCTT TACTGTTGGTACTGGCGCTACAGGTCTGACCGTAGGTACTGATGGTAAAGTGACTATCGG CGGGACTACTGCTCAGTCCTACACCAGCAAAGATGGTTCCCTGACTACTGATAACACCAC TAAACTGTATCTGCAGAAAGATGGCTCTGTAACCAACGGTTCAGGTAAAGCGGTCTATGT AGAAGCGGATGGTGATTTCACTACCGACGCTGCAACCAAAGCCGCAACCACCGATCC GCTGAAAGCCCTGGATGAGGCAATCAGCCAGATCGATAAGTTCCGTTCATCCCTGGGTGC TATCCAGAACCGTCTGGATTCCGCGGTCACCAACCTGAACAACACCACTACCAACCTGTC TGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAA AGCGCAGATCATTCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACCAGGTACCGCA ACAGGTTCTGTCTCTGCTGCAGGGCTAA

GCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGTCTGCGTATTAACAGCGCTAAA GATGACGCTGCGGGCCAGGCGATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGACT CAGGCCGCACGTAACGCCAACGACGGTATTTCTCTGGCGCAGACGGCTGAAGGCGCGCTG TCAGAGATTAACAACAACTTGCAGCGTATTCGTGAACTGACCGTTCAGGCCTCTACCGGC ACGAACTCTGATTCCGACCTGTCTTCTATTCAGGACGAAATCAAATCCCGTCTTGATGAA ATTGACCGTGTATCTGGTCAGACCCAGTTCAACGGTGTGAACGTGCTGTCGAAAAACGAT TCGATGAAGATTCAGATTGGTGCCAATGATAACCAGACGATCAGCATTGGCTTGCAACAA ATCGACAGTACCACTTTGAATCTGAAAGGATTTACCGTGTCCGGCATGGCGGATTTCAGC GCGCGAAACTGACGGCTGCTGATGGTACAGCAATTGCTGCTGCGGATGTCAAGGATGCT GGGGGTAAACAAGTCAATTTACTGTCTTACACTGACACCGCGTCTAACAGTACTAAATAT GCGGTCGTTGATTCTGCAACCGGTAAATACATGGCAGCCACTGTAGTCATTACCAGTACG GCGGCGGCGGTAACTGTTGGTGCAACGGAAGTGGCGGGAGCCGCTACAGCCGAACCGTTA CAAAACCGTCTGGATTCTGCGGTCACCAACCTGAACAACACCACCAACCTGTCTGAA GCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCG CAGATTATCCAGCAGGCG

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATA GTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTA ATATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAATGACGGTATTTCTGTTGCACAGA $\verb|CCACTGAAGGCGCGCTGTCCGAAATCAACAACTTACAGCGTATTCGTGAACTGACGG|$ AATCTCGTCTGGACGAAATTGACCGCGTATCCGGTCAGACCCAGTTCAACGGCGTGAACG TGCTGTCCAAAGATGGTTCAATGAAAATTCAGGTCGGCGCAAATGATGGTGAAACCATCA ATAATACGGGGGTCACTACAGCTGGAGTTAATAGATATATTGCTGACAAAGCCGTCGCAA GTAGCACGGATATTTTGAATGCGGTAGCTGGTGTTGATGGCAGTAAAGTTTCCACGGAGG CAGATGTTGGTTTGGTGCAGCTGCCCCTGGTACGCCAGTGGAATATACTTATCATAAAG ATACTAACACATATACGGCTTCTGCTTCAGTTGATGCGACTCAACTGGCGGCATTCCTGA ATCCTGAAGCGGGTGGTACCACTGCTGCAACAGTAAGTATTGGCAACGGTACAACAGCTC AAGAGCAAAAAGTCATTATTGCTAAAGATGGTTCTTTAACTGCTGCTGATGACGGTGCCG CTCTCTATCTTGATGATACTGGTAACTTAAGTAAAACTAACGCAGGCACTGATACTCAAG CTAAACTGTCTGACTTAATGGCAAACAATGCTAATGCCAAAACAGTCATTACAACAGATA AAGGTACATTTACTGCTAATACGACAAAGTTTGATGGGGTAGATATTTCTGTTGATGCTT CAACGTTTGCTAACGCCGTTAAAAATGAGACTTACACTGCAACTGTTGGTGTAACTTTAC CTGCGACATATACAGTCAATAATGGCACTGCTGCATCAGCGTATTTAGTCGATGGAAAAG TGAGCAAAACTCCTGCCGAGTATTTTGCTCAAGCTGATGGCACTATTACTAGTGGTGAAA ATGCGGCTACCAGTAAAGCTATCTATGTAAGTGCCAATGGTAACTTAACGACTAATACAA CTAGTGAATCTGAAGCTACTACCAACCCGCTGGCAGCATTGGATGACGCTATCGCGTCTA TCGACAAATTCCGTTCTTCCCTGGGTGCTATCCAGAACCGTCTGGATTCCGCAGTCACCA ACCTGAACAACACCACTACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACT ATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATTCAGCAGGCCGGTAACTCCG TGCTGGCAAAAGCCAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATAATAT TAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTAACAT TAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTTGCGCAGACCAC TGAAGGCGCGCTGTCCGAAATTAACAACAACTTACAGCGTATTCGTGAACTGACGGTTCA CCGTCTTGACGAAATTGACCGCGTATCTGGTCAGACCCAGTTCAACGGCGTGAACGTGCT GTCTAAAGATGGCTCGATGAAAATTCAGGTCGGCGCGAACGATGGCGAAACGATTACTAT AGGTTCTGTAGCGAATACCGCTGCGACTACAGATAATCTGACATTGGCTGGTTTTACAGC GGGTACTAAAGCTGCTGATGGCACCGTAACTTATAGCAAAAATGTCCAGTTTGCCGCCGC GACTGCAAGCAATGTACTGGCTGCTAAAGATGGCGACGAAATTACGTTCGCTGGTAA TAACGGCACAGGTATAGCTGCAACTGGGGGGACTTATACTTATCATAAGGACTCTAACTC ATACAGCTTTAGCGCAACGGCTGCATCTAAAGATTCTCTGTTGAGCACACTGGCACCAAA CGCTGGCGATACATTTACCGCTAAAGTGACTATTGGTTCTAAATCGCAAGAAGTTAACGT TAGCAAAGATGGTACGATTACATCCAGCGATGGTAAGGCGCTGTATTTAGATGAGAAGGG CAACCTGACCCAAACAGGTAGTGGCACAACCAAAGCTGCAACCTGGGATAACCTGATGGC CAATACAGATACTACAGGCAAAGATGCCTATGGTAACTCTGCGGCAGCAGCTGTTGGGAC AGTAATCGAAGCAAAAGGAATGACCATCACTTCTGCTGGTGGTAATGCTCAGGTGTTAAA AGACGCGGCTTATAATGCCGCATATGCGACCTCAATTACTACTGGTACTCCGGGTGATGC GGGAGCCGCGGGAGCCGCTGCAACTGCGGGTAATGCCGCGGTGGGAGCGCTGGGCGCAAC GGCAGTTGATAATACCACGGCAGATGTTGCCGATATCTCTATCTCAGCTTCGCAAATGGC GAGCATCCTTCAGGATAAAGATTTCACCTTAAGTGATGGTAGTGATACTTACAACGTGAC CAGCAATGCTGTCACTATCAATGGCAAAGCAGCAAACATTGATGACAGCGGCGCAATCAC AGACCAAACCAGTAAAGTTGTCAATTATTTCGCTCATACTAACGGTAGCGTGACTAACGA TACAGGCTCCACTATTTATGCGACAGAAGATGGTAGCCTGACCACCGATGCAGCAACCAA AGCCGAAACCACCGCCGATCCCCTGAAAGCTCTGGACGAAGCCATCAGCTCCATCGACAA ATTCCGCTCCTCCCTCGGTGCGGTGCAAAACCGTCTGGATTCCGCGGTCACCAACCTGAA CAACACCACCACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGAC CGAAGTGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGC AAAAGCTAACCAGGTACCACAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

47/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTG ATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTG TCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAAC CGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCGGCCCGTAACGCCAACGACGGTATT TCTGTTGCGCAGACCACCGAAGGCGCGCTGTCCGAAATTAACAACAACTTACAGCGTGTG CGTGAGCTGACTGTTCAGGCGACCACCGGTACCAACTCCCAGTCTGATCTGGACTCTATC CAGGACGAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGTCAGACCCAGTTC AACGGCGTGAACGTGCTGGCAAAAGACGGTTCCATGAAAATTCAGGTTGGCGCGAATGAT TTTAACGTGAATGGTTCTGGTTCTGTGGCGAATACTGCGGCGACTAAAGCGGATTTGGCT GCTGCTGCAATTGGTACCCCTGGGGCAGCAGATTCTACAGGTGCCATTGCTTACACAGTA AGTGCTGGGCTGACTAAAACTACAGCCGCAGATGTACTGTCTAGCCTCGCTGATGGTACG ACTATTACAGCCACAGGCGTGAAAAATGGCTTTGCTGCAGGAGCCACTTCCAATGCCTAT AAACTTAACAAAGATAATAATACATTTACTTATGACACGACTGCTACGACAGCTGAGCTG CAGTCTTACCTGACTCCGAAAGCGGGCGACACTGCAACATTCAGTGTTGAAATTGGTGGT ACTACACAAGACGTCGTGCTGTCCAGTGATGGCAAACTCACTGCTAAGGATGGCTCTAAG CTTTACATTGATACAACTGGTAATTTAACTCAGAATGGTGGTAATAACGGTGTTGGAACA CTCGCGGAAGCGACTCTGAGTGGTTTAGCTCTGAACAAAAATGGTTTAACGGCTGTTAAA TCCACAATTACTACAGCTGATAACACTTCGATTGTACTGAATGGTTCAAGCGATGGTACT GGTAATGCTGGTACTGAAGGTACGATTGCTGTTACAGGCGCTGTAATTAGTTCAGCTGCT $\tt CTGCAATCTGCAAGCAAAACGACTGGTTTCACTGTTGGTACAGTAGACACAGCTGGTTAT$ ATCTCTGTAGGTACTGATGGGAGTGTTCAGGCATATGATGCTGCGACTTCTGGCAACAA GCTTCTTACACCAACACTGACGGTACACTGACTACTGATAACACCACTAAACTGTATCTG CAGAAAGATGGCTCTGTAACCAACGGTTCAGGTAAAGCGGTCTATGTAGAAGCGGATGGT GATTTCACTACCGACGCTGCAACCAAAGCCGCAACCACCGATCCGCTGGCCGCTCTG GATGACGCAATCAGCCAGATCGACAAGTTCCGTTCATCCTTGGGTGCTATCCAGAACCGT CTGGATTCTGCAGTCACCAACCTGAACAACACCACCACCAACCTGTCTGAAGCGCAGTCC CGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATCATC CAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACCAGGTACCGCAGCAGGTTCTGTCT CTGCTGCAGGGTTAA

48/96

AACAAATCTCAGTCTTCTCTGAGCTCCGCCATTGAA CGTCTCTCTCTGGCCTGCGTATTAACAGTGCTAAAGATGACGCAGCAGGTCAGGCGATT GCTAACCGTTTTACAGCAAATATTAAAGGTCTGACTCAGGCTTCCCGTAACGCGAATGAT CGTATTCGTGAACTTTCTGTTCAGGCAACTAACGGTACTAACTCTGACAGCGATCTTTCT TCTATCCAGGCTGAAATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGCAAACT CAGTTTAACGGCGTGAAAGTCCTTGCTGAAAATAATGAAATGAAAATTCAGGTTGGTGCT AATGATGGTGAAACCATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCTG GACGGTTTTAATATCGATGGCGCGCAGAAAGCAACCGGCAGTGACCTGATTTCTAAATTT AAAGCGACAGGTACTGATAATTATCAAATTAACGGTACTGATAACTATACTGTTAATGTA GATAGTGGCGTAGTACAGGATAAAGATGGCAAACAAGTTTATGTGAGTACTGCGGATGGT TCACTTACGACCAGCAGTGATACTCAATTCAAGATTGATGCAACTAAGCTTGCAGTGGCT GCTAAAGATTTAGCTCAAGGGAATAAGATTGTCTACGAAGGTATCGAATTTACAAATACC GGCACTGTCGCTATAGATGCCAAAGGTAATGGTAAATTAACCGCCAATGTTGATGGTAAG GCTGTTGAATTCACTATTTCGGGGAGTACTGATACATCAGGTACTAGTGCAACCGTTGCC CCTACGACAGCCCTATACAAAAATAGTGCAGGGCAATTGACTGCAACAAAAGTTGAAAAT AAAGCAGCGACACTATCTGATCTTGATCTTGAACGCTGCCAAGAAAACAGGAAGCACGTTA GTTGTTAACGGTGCAACTTACGATGTTAGTGCAGATGGTAAAACGATAACGGAGACTGCT TCTGGTAACAATAAAGTCATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTA AACGAAGATGCAGCAAAATCGTTGCAATCTACCACCACCCGCTCGAAACTATCGACAAA GCATTGGCTAAAGTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGAC TCTGCCATCACCAACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATC GAAGATGCTGACTACGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAA GCGGGTACCTCTGTTCTGGCACAG

49/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATA GTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTTTTACTTCTA ACATTAAAGGCCTGACTCAGGCGGCACGTAACGCCAACGACGGTATCTCTCTGGCGCAGA CCACCGAAGGTGCGCTGTCTGAAATCAACAACATTACAGCGTGTACGTGAACTGACCG TTCAGGCAACCACCGGTACTAACTCCGACTCGGCTTCTATTCAGGACGAAATCA AATCCCGTCTGGATGAAATTGACCGCGTATCTGGTCAGACTCAGTTCAACGGCGTGAACG TGCTGGCAAAAGACGGTTCCATGAAAATTCAGGTAGGTGCTAACGACGGCCAGACTATCA CTATTGACCTGAAAAAAATCGACTCTGATACTCTGGGCCTGAATGGTTTTAACGTGAATG GTTCTGGGACGATTACCAACAAGCAGCAACTGTCAGTGATGTTACTCGCGCAGGCGGTA CATTGGTGAATGGTGCCTATGATATAAAAACCACTAACACGCGCTGACTACAACTGATG CCTTCGCGAAATTGAATGATGGTGATGTTGTTACTATCAATAATGGTAAGGATACTGCCT ATAAATATAATGCTGCTACAGGTGGGTTTACGACGGATGTCTCCATCTCCGGGGATCCTA CCGCTGCTGACGCTACTGCTAATAAAACTGCCCGTGATGCACTTGCGGCGTCTTTACATG CTGAGCCGGGTAAAACTGTTAATGGTTCTTGGACTACGAATGATGGTACGGTAAAATTTG ATACCGATGCCGATGGTAAGATTTCTATTGGTGGTGTTGCTGCTTATGTAGATGCAGCAG ${\tt CTGCTGCTTCTGCTACTGGTAAGGGTGGATCCCTGACCTTTGGTGACACGACGTATA}$ AAATTGGTCAGGGTACGGCTGGGGTTGATCCTGATGACGCTTCAGATGATGTACTGGGCA CCATTTCTTACTCTAAATCAGTAAGCAAGGATGTTGTTCTTGCTGATACTAAAGCAACTG GTAACACGACAACAGTTGATTTCAACTCCGGTATCATGACTTCAAAGGTTAGTTTCGATG CAGGTACATCAACTGATACATTCAAAGATGCAGATGGTGCTATCACCAAAACTAAAGAAT ACACCACTTCTTATGCTGTAAATAAAGATACTGGTGAAGTTACCGTTGCTGATTATGCTG CGGTAGATAGCGCCGATAAGGCTGTTGATGATACTAAATATAAACCGACTATCGGCGCGA CAGTTAACCTGAATTCTGCAGGTAAATTGACCACTGATACCACCAGTGCAGGCACAGCAA CCAAAGATCCTCTGGCTGCCCTGGACGCTGCTATCAGCTCCATCGACAAATTCCGTTCAT CCCTGGGTGCTATCCAGAACCGTCTGGATTCCGCAGTCACCAACCTGAACACCACTA CCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCA ACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACC AGGTACCGCAGCAGGTTCTGTCTCTGCTACAGGGTTAA

50/96

AACAAAAACCAGTCTGCGCTGTCGACTTCTATC

GAGCGCCTTTCTTCTGGTCTGCGTATTAACAGCGCTAAAGATGACGCTGCGGGCCAGGCG ATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAAC GACGGTATTTCTCTGGCGCAGACCACTGAAGGCGCGCTGTCTGAGATTAACAACAACTTG CAGCGTGTGCGTGAGTTGACTGTACAGGCGACGACCGGGACTAACTCTGATTCTGACCTG TCTTCTATCCAGGATGAAATCAAATCCCGTTTAAGCGAAATTGACCGTGTATCTGGTCAG GCAAATGACGGTCAGACTATCAATATTGACCTGCAGCAAATCGATTCTCATACACTGGGT CTGGATGGTTCAGCGTTAAAAATAATGATGCAGTGAAAACCAGTGCTGCCGTGAATACT CTTGGGGGGGGGCAGGTTCTGTTGCTGTCGCAACAACCAGTTTGACTGCTATC ACTGGTCTCGGTAGCGGTGCTATCAGCGAAATTGCTAAAGACGATAATGGTGATTACTAC GCGCATGTCACAGGGACTACGGGTAATACTGCTGATGGTTACTATGCTGTCGATATCGAC AAGGCTACCGGTGAGGTCGCTCTGAAAGATGGTAACGTAGATACACCGACAGGTACGCCA ACGACGACAAGCACATATGACTTCACAGACGCTGGTCAAACCGTTTCCTTTGGCACTGAT GCTGCAACAGCCGGTATCAGCACTGGTGCTTCTCTCGTTAAACTTCAGGATGAGAAAGGC AATGATACTGCTACTTATGCAATCAAAGCACAAGATGGCAGCCTGTATGCCGCCAACGTT GATGAGGCTACCGGTAAAGTCACTGTCAAAACCGCCAGCTATACTGATGCTGACGGCAAA GCAGTGACCGATGCCGCTGTAAAACTGGGTGGTGACAATGGCACAACCGAAATTGTTGTC GATGCTGCGTCAGGTAAAACTTACGATGCTGGTGCACTGCAAAACGTTGATCTCTCCAGT GACGACGCAATCAGCCAGATCGACAAATTCCGCTCCTCCGTGCGGTGCAGAACCGT CTGGATTCCGCGGTCACCAACCTGAACAACACCACTACCAACCTGTCTGAAGCGCAGTCC CGTATTCAGGACGCTGACTATGCGACCGAAGTATCCAACATGTCGAAAGCGCAGATCATC CAGCAGGCAGGTAACTCCGTGCTGTCCAAA

51/96

GCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGTCTGCGCATTAACAGCGCTAAAG ATGACGCTGCGGGCCAAGCGATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGACTC AGGCCGCACGTAACGCCAACGACGGTATTTCTCTGGCGCAGACCACTGAAGGCGCACTGT CTGAAATCAACAACTTGCAGCGTGTTCGTGAACTGACCGTTCAGGCCACTACCGGTA CTAACTCTGATCTGACCTGTCTTCAATACAGGACGAAATCAAATCCCGTCTCGATGAAA TTGACCGCGTATCCGGTCAGACTCAGTTCAACGGCGTTAATGTTCTTTCCAAAGATGGTT CAATGAAAATTCAGGTTGGTGCGAATGATGGTCAAACTATCTCCATCGATCTGAAGAAAA TTGATTCTTCAACTTTGGGGCTGAATGGCTTCTCAGTTTCTAAAAACTCTCTTAATGTCA GCAATGCTATCACATCTATCCCGCAAGCCGCTAGCAATGAACCTGTTGATGTTAACTTCG GTGATACTGATGAGTCTGCAGCAATCGCAGCCAAATTGGGGGTTTCCGATACGTCAAGCC TGTCGCTGCACACATCCTTGATAAAGATGGTAAGGCAACAGCTGATTATGTTGTTCAGT CAGGTAAAGACTTCTATGCTGCTTCTGTTAATGCCGCTTCAGGTAAAGTAACCTTAAACA CCATTGATGTTACTTATGATGATTATGCGAACGGTGTTGACGATGCCAAGCAAACAGGTC AGCTGATCAAAGTTTCAGCAGATAAAGACGGCGCAGCTCAAGGTTTTGTCACACTTCAAG GCAAAAACTATTCTGCTGGTGATGCGGCAGACATTCTTAAGAATGGAGCAACAGCTCTTA AGTTAACTGATCTGAATTTAAGTGATGTTACTGATACTAATGGTAAGGTAACCACAACTG CGACTGAGCAATTTGAAGGTGCTTCAACTGAGGATCCGCTGGCGCTTCTGGATAAAGCTA TTGCATCAGTCGACAAATTCCGGTCTTCTCTAGGTGCCGTGCAGAACCGTCTCGATTCCG CTATCACCAACCTGAACAACACCACCACCTGTCTGAAGCGCAGTCCCGTATTCAGG ACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCA

52/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCG

CTGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGT CTGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCT AACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGT ATTTCTGTTGCACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGT ATTCGTGAACTGACGGTTCAGGCCACTACAGGGACTAACTCCGATTCTGACCTGGACTCC ATCCAGGACGAAATCAAATCTCGTCTGGACGAAATTGACCGCGTATCTGGTCAGACCCAG TTCAACGGCGTGAACGTGCTGTCTAAAGATGGCTCGATGAAAATTCAGGTCGGCGCAAC GATGGCGAAACGATTACTATTGATCTGAAGAAAATTGACTCTGATACGCTAAATCTGGCT GGTTTTAACGTGAATGGTGCTGGCTCTGTTGATAATGCCAAGGCGACTGGCAAAGATCTT ACTGATGCTGGTTTTACGGCAAGCGCAGCTGATGCTAATGGCAAAATCACTTATACCAAA GACACCGTTACTAAATTCGACAAAGCGACAGCGGCTGATGTATTGGGCAAAGCGGCTGCT GGCGATAGCATTACCTATGCGGGCACTGATACTGGCTTAGGAGTCGCTGCTGATGCCTCG ACTTACACCTACAATGCAGCCAATAAGTCTTACACTTTTGATGCTACTGGTGTTGCCAAG GCGGATGCTGGAACGGCACTGAAAGGGTACTTAGGCGCATCTAACACCGGTAAAATTAAT ATCGGTGGTACCGAGCAAGAAGTTAACATTGCCAAAGATGGCTCCATCACCGATACCAAT GGCGATGCGCTGTATCTCGATAGTACCGGCAACTTAACCAAAAATACCGCGAATTTGGGG GCTGCTGATAAAGCAACTGTAGATAAACTGTTTGCTGGTGCTCAGGATGCAACGATCACC TTCGATAGCGGCATGACAGCTAAATTCGATCAAACTGCTGGTACCGTTGATTTCAAAGGC GCGTCTATTTCTGCTGATGCAATGGCATCAACCTTAAATAATGGTTCCTATACAGCCAAC GTAGGTGGTAAGGCTTATGCCGTAACCGCTGGCGCAGTTCAGACAGGTGGCGCAGATGTG TATAAAGATACCACTGGCGCACTGACGACTGAAGATGACGAAACCGTTACCGCGACCTAC TACGGTTTTGCTGATGGTAAAGTTTCTGACGGTGAAGGTTCTACTGTCTATAAAGCTGCT GATGGTTCCATCACTAAAGATGCGACTACCAAGTCTGAAGCAACCACTGACCCTCTGAAA AACCGTCTGGATTCCGCCGTCACCAACCTGAACAACACCACTACCAACCTGTCTGAAGCG CAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAG ATCATTCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACCAGGTACCGCAGCAGGTT CTGTCTCTGCTGCAGGGTTAA

53/96

AACAAATCTCAGTCTTCTCTTAGCTCTGCTATTGA GCGTCTCTCTGGCCTGCGTATTAACAGTGCTAAAGATGACGCAGCAGGTCAGGCGAT TGCTAACCGTTTTACGGCAAATATTAAAGGTCTGACTCAGGCTTCCCGTAACGCGAATGA GCGTGTACGTGAACTGACTGTTCAGGCAACTAACGGTACTAACTCTGACAGCGATCTTTC $\tt TTCTATTCAGGCAGAAATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGCAAAC$ TCAGTTTAACGGCGTGAAAGTCCTTGCCGAAAATAATGAAATGAAAATTCAGGTTGGTGC TAATGATGGGGAAACCATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCT GGACGGCTTTAATATCGATGGCGCGCAGAAAGCAACTGGCAGTGACCTGATTTCTAAATT TAAAGCGACAGGTACTGATAATTATCAAATTAACGGTACTGATAACTATACTGTTAATGT AGATAGTGGAGCAGTTCAAAATGAGGATGGTGACGCAATTTTTGTTAGCGCTACCGATGG TTCTCTGACTACTAAGAGTGATACAAAAGTCGGTGGTACAGGTATTGATGCGACTGGGCT TGCAAAAGCCGCAGTTTCTTTAGCTAAAGATGCCTCAATTAAATACCAAGGTATTACTTT CACCAACAAAGGCACTGATGCATTTGATGGCAGTGGTAACGGCACTCTAACCGCTAATAT TGATGCAAAGATGTAACCTTTACTATTGATGCGACAGGGAAGGACGCAACATTAAAAAC GTCTGATCCTGTTTACAAAAATAGTGCAGGTCAGTTCACTACAACTAAGGTTGAAAACAA AGCCGCTACAGCATCGGACTTAAATAACGCTAAAAAAGTGGGTAGTTCTTTAGT TGTAAATGGCGCTGATTATGAAGTTAGCGCTGATGGTAAGACAGTAACTGGGCTTGGCAA AACTATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTAAAAGAAGATGCAGC AAAATCGTTGCAATCTACCAACCCGCTCGAAACCATCGACAAGGCATTGGCTAAAGT TGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCTGCTATCACCAA CCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATCGAAGATGCTGACTA CGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTACCTCTGT TCTGGCGCAG

T ICIGGCGCAG

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATA GTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTA ACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGATGGTATTTCTGTTGCACAGA CCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGAACTGACGG TTCAGGCTTCTACCGGGACTAACTCCGATTCGGATCTGGACTCCATTCAGGACGAAATCA AATCCCGTCTGGACGAAATTGACCGCGTATCTGGCCAGACCCAGTTCAACGGCGTGAACG TACTGGCGAAAGACGGTTCAATGAAAATTCAGGTTGGTGCGAATGACGGCCAGACTATCA CGATTGATCTGAAGAAAATTGACTCTGATACGCTGGGGCTGAGTGGGTTTAATGTGAATG GTAGCGGGGCTGTGGCTAATACTGCAGCGACTAAATCTGATTTGGCAGCAGCTCAACTCT TGGCTCCAGGTACTGCTGATGCTAATGGTACAGTTACCTATACTGTTGGCGCAGGCCTGA AAACATCTACAGCTGCAGATGTAATTGCGAGTTTGGCTAATAACGCAAAAGTTAATGCCA GCGATTTTACATATAGTGCAACTATTGCAGCTGGTACAAATTCTGGTGATAGTAACAGTG CTCAGTTACAATCCTTCCTGACACCAAAAGCGGGCGATACTGCTAACTTAAACGTTAAAA TTGGTTCTACGTCAATTGACGTTGTATTGGCTAGCGACGGTAAAATTACCGCGAAAGATG AAGCAGCCACTCTTGATGCACTGACTAAAAACTGGCATACAACAGGCACACCGAGTGCCG CTACTACTTCTGGTGCAATCACTGTAGCAAATGCAAGAATGAGTGCTGAGTCTCTTCAAT CGGCAACTAAGTCCACAGGATTCACAGTTGATGTTGGAGCTACTGGTACCAGCGCAGGCG ATATTAAAGTTGATAGTAAAGGTATAGTACAACAACACAGGTACAGGTTTTGAAGACG $\tt CTTACACCAAAGCTGATGGTTCACTGACTACCGATAATACAACCAATCTGTTTTTGCAAA$ AAGACGGAACTGTGACCAATGGTTCAGGTAAAGCAGTCTATGTTTCAGCGGATGGTAATT TTACTACTGACGCTGAAACTAAAGCTGCAACCACCGCCGATCCACTGAAAGCTCTGGACG AAGCGATCAGCTCCATCGACAAATTCCGTTCTTCCCTCGGTGCGGTGCAAAACCGTCTGG ATTCCGCAGTCACCAACCTGAACAACACCACTACTAACCTGTCTGAAGCGCAGTCCCGTA TTCAGGACGCTGACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATCATCCAGC AGGCCGGTAACTCCGTGCTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGC TGCAGGGTTAA

AACAAAAACCAGTCTGCGCTGTCGACTTCTATCGAGCGCCTCTCTT CTGGTCTGCGCATTAACAGCGCTAAAGATGACGCTGCGGGCCAGGCGATTGCTAACCGCT TCACTTCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAACGACGGTATCTCTC TGGCGCAGACCACTGAAGGCGCACTGTCTGAAATCAACAACAACTTGCAGCGTGTTCGTG AGCTGACCGTTCAGGCCACTACCGGTACTAACTCTGATTCTGACCTGTCTTCAATCCAGG ACGAAATCAAATCCCGTCTCGATGAAATTGACCGCGTATCCGGTCAGACTCAGTTCAACG GCGTGAACGTACTGGCAAAAGATAACACCATGAAGATTCAGGTTGGTGCGAACGATGGTC AGACTATATCCATCGACCTGCAAAAAATCGACTCTTCTACTCTTGGTTTGAACGGTTTCT CCGTTTCTAAAAATGCTCTCGAAACTAGCGAAGCGATCACTCAGTTGCCGAACGGTGCGA ATGCACCAATCGCTGTGAAGATGGATGCGTCTGTTCTGACCGATCTTAACATTACTGATG CTTCCGCTGTTTCGCTGCACAACGTAACTAAAGGTGGTGTCGCAACGTCTACTTATGTTG TTCAGTATGGCGATAAGAGCTATGCAGCATCTGTTGATGCGGGAGGTACAGTAAAACTGA ATAAAGCCGACGTAACATATAACGACGCAGCAAATGGTGTTACGAATGCCACCCAGATTG GTAGTCTGGTTCAGGTTGGTGCTGATGCAAACAATGATGCAGTTGGTTTTGTTACCGTGC AGGGGAAAAACTATGTTGCTAATGACTCATTAGTCAATGCTAATGGCGCTGCTGGCGCTG CAGCAACTAGAGTTACAATTGATGGTGATGGTAGCCTTGGAGCTAACCAGGCTAAAATTG ATCCACTGACTCTGCTGGACAAAGCTATCGCATCTGTTGATAAATTCCGTTCTTTTGG GGGCGGTACAGAACCGTCTGAGCTCCGCTGTAACCAACCTGAACAACACCACTACCAACC TGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGT CGAAAGCGCAGATCATCCAGCAGGCAGGTAACTCCGTGCTGTCCAAA

THE SECTION OF THE SE

56/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATAATATCAACAAGA ACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTGTCTTCTGGCTTGCGTATTAACAGCG $\tt CGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTAACATTAAAGGCC$ TGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTTGCACAGACCACTGAAGGCG CGCTGTCCGAAATCAACAACAACTTACAGCGTATTCGTGAACTGACGGTTCAGGCGACGA CCGGAACTAACTCCACCTCTGACCTGGACTCCATTCAGGACGAAATCAAATCCCGTCTTG ATGAAATTGACCGCCTATCCGGCCAAACCCAGTTCAACGGCGTGAACGTACTGTCAAAAG ATGGCTCGATGAAAATTCAGGTCGGCGCAAATGATGGTGAAACCATCACGATTGATCTGA AAAAGATCGACTCTTCTACATTGAAGCTGACCAGCTTCAATGTTAACGGTAAAGGCGCTG TTGATAATGCTAAAGCCACTGAAGCAGATCTGACCGCTGCGGGCTTCTCCCAAGGTGCAG ${\tt TCGTCAGTGGCAACAGCACCTGGACTAAATCTACTGTTACTACCTTTAATGCAGCAACAG}$ ${\tt CTACCGACGTGCCAAGCGTTAGCGGCGGCAGCACTATTAGCGGTTATACCGGTACAA}$ ACAATGGATTAGGCGTAGCGGCTTCTACTGCATATACCTACAACGCAACCAGCAAGTCTT ATTCATTTGACGCAACCGCACTTACCAATGGCGATGGTACTGGGGCCACCACTAAAGTTG CTGATGTGCTGAAAGCCTATGCAGCAAACGGTGATAATACGGCTCAGATCTCCATCGGCG CTTTATATATTGGTTCTGACGGCAACCTGACTAAAAACCAGGCCGGCGGTCCAGATGCGG CAACGTTGGACGGTATTTTCAACGGTGCGAATGGTAATGCAGCAGTTGATGCGAAGATTA CATTCGGCAGCGGCATGACCGTTGATTTCACCCAGGCTAGCAAAAAAGTGGATATTAAGG GCGCAACGGTATCCGCCGAAGATATGGACACTGCGTTAACTGGGCAGGCTTATACCGTAG CTAACGGCGCACAGTCTTTTGACGTTGCCGCTGGTGGGGCAGTAACCGCTACTACAGGTG GCGCTACCGTAAATATTGGTGCTGATGGTGAACTGACGACTGCGACCAACAAGACTGTCA CAGAAACTTATCACGAATTTGCTAACGGCAATATTCTGGATGATGACGGCGCGCTCTGT ACAAAGCGGCTGACGGTTCTCTGACCACTGAAGCTACTGGTAAATCCGAAGTGACCACGG ATCCGCTGAAAGCGCTGGACGATGCTATCGCATCCGTAGACAAATTCCGCTCCTCG GTGCGGTGCAGAACCGTCTGGATTCCGCAGTCACCAACCTGAACAACACCACTACCAACC TGTCTGAAGCGCAGTCCCGCATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGT CGAAAGCGCAGATCATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCCAACCAGGTAC CGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

57/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCAC TGGCTTGCGTATTAACAGCGCTAAGGATGACGCCGCGGGTCAGGCGATTGCTAACCGTTT TACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGT TGCGCAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGA ACTGACGGTTCAGGCTTCTACCGGGACTAACTCCGATTCGGATCTGGACTCCATTCAGGA CGAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCTGGCCAGACCCAGTTCAACGG CGTGAACGTACTGGCGAAAGACGGTTCAATGAAAATTCAGGTTGGTGCGAATGACGGCCA GACTATCACTATTGATCTGAAGAAAATTGACTCAGATACGCTGGGGCTGAGTGGGTTTAA TGTGAATGGTGGCGGGGCTGTTGCTAATACTGCAGCGACTAAAGATGATTTGGTCGCTGC ATCAGTTTCAGCTGCGGTAGGTAATGAATACACTGTCTCTGCTGGCCTGTCGAAATCAAC TGCTGCTGATGTTATTGCTAGTCTCACAGATGGTGCGACAGTAACTGCGGCTGGTGTAAG TTTTACTTACAATACCACCTCAACAGCGGCAGAACTCCAATCTTACCTCACGCCTAAGGC GGGGGATACCGCAACTTTCTCCGTTGAAATTGGTGGCACCAAGCAGGATGTTGTTCTGGC TAGTGATGGCAAAATCACAGCAAAAGACGGGTCTAAACTTTATATTGACACCACAGGGAA TTTAACCCAAAACGGTGGAGGTACTTTAGAAGAAGCTACCCTCAATGGCTTAGCTTTCAA CCACTCTGGTCCAGCCGCTGCTGTACAATCTACTATTACTACTGCGGATGGAACTTCAAT AGTTCTAGCAGGTTCTGGCGACTTTGGAACAACAAAACTGCTGGGGCTATTAATGTCAC AGGAGCAGTGATCAGTGCTGATGCACTTCTTTCCGCCAGTAAAGCGACTGGGTTTACTTC TGGCACTTATACCGTAGGTACAGATGGAGTTGTTAAATCTGGTGGCAATGACGTTTATAA CAAAGCTGACGGGACGGGATTAACTACTGACAATACCACAAAATATTATTTACAAGATGA CGGGTCTGTAACTAATGGTTCTGGTAAAGCTGTGTATGCTGATGCAACAGGAAAACTAAC TACTGACGCTGAAACTAAAGCCGAAACCACCGCCGATCCCCTGAAAGCTCTGGACGAAGC GATCAGCTCCATCGACAAATTCCGTTCTTCCCTCGGTGCGGTGCAAAACCGTCTGGATTC CGCGGTCACCAACCTGAACAACACCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTCA GGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGC CGGTAACTCCGTGCTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCA GGGTTAA

Figure 35

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCAC TGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCGGGTCAGGCGATTGCTAACCGTTT TACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCCGT TGCGCAGACCACCGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGA CGAAATCAAATCTCGTCTTGATGAAATTGACCGCGTATCTGGTCAGACCCAGTTCAATGG CGTGAATGTGTTCCCAAAGACGGTTCAATGAAAATTCAGGTGGGCGCAAATGATGGTGA AACCATCACGATTGACCTGAAAAAAATCGACTCTTCTACACTGAAGCTGACCAGCTTCAA CGTCAACGGTAAAGGCGCTGTTGATAATGCAAAAGCCACTGAAGCAGATCTGACCGCTGC GGGCTTCTCCCAAAGTGCAGTTGTCAGTGGCAATAGCACCTGGACTAAATCTACTGTTAC TACCTTTAATGCAGCAACAGCTACCGATGTGCTGGCTAGCGTTAGTGGCGGCAGCACTAT TAGCGGTTATGCTGGCACAACAATGGGTTAGGCGTAGCGGCTTCTACTGCATATACCTA CAACGCAACCAGCAAGTCTTATTCATTTGACGCAACCGCACTTACTAATGGTGATGGTAC TGCGGGCTCAACTAAAGTTGCTGATGTTCTGAAAGCCTATGCAGCAAACGGCGATAACAC GGCTCAGATCTCCATCGGTGGTAGCGCTCAGGAAGTTAAAATTGCCAGCGATGGTACCCT GACGGATACTAATGGCGATGCTTTATACATTGGTGCTGACGGTAACCTGACGAAAAACCA GGCCGCCGCCGCCGCCACCTTGGACGTATTTTCAACGGTGCGAATGGTCATGA TGCAGTTGATGCGAAGATTACCTTCGGCAGCGGCATGACCGTTGACTTCACCCAGGTTAG CAACAATGTGGATATTAAGGGCGCGACGGTATCCGCCGAAGATATGAACACTGCGTTAAC CGGTCAGGCTTATACCGTAGCTAACGGCGCACAGTCTTATGACGTTGCCGCTGATGGTGC AGTAACTGCTACTACAGGTGGAGCGACCGTAAATATTGGTGCTGAGGGTGAACTGACGAC TGCGGCCAACAAGACTGTCACAGAAACTTATCACGAATTTGCTAACGGCAATATTCTGGA TGATGACGGCGCGCTCTGTATAAAGCGGCTGACGGCTCTCTGACCACTGAAGCTACAGG TAAATCTGAAGCGACCACGGATCCGCTGAAAGCGCTGGACGATGCTATCGCATCCGTAGA CAAATTCCGTTCTTCCCTGGGTGCCGTGCAGAACCGTCTGGATTCCGCAGTCACCAACCT GAACAACACCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGC

GGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

AACAAAACCAGTCTGCGCTGTCGACTTCTAT

CGAGCGCCTCTCTCTGGTCTGCGCATTAACAGCGCTAAAGATGACGCTGCGGGCCAGGC GATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAA CGACGGTATCTCTCTGGCGCAGACCACTGAAGGCGCACTGTCTGAAATCAACAACATT GCAGCGTGTGCGTGAGTTGACTGTTCAGGCGACGACCGGGACTAACTCTGATTCTGACCT GTCTTCTATTCAGGACGAAATCAAATCCCGTCTGGATGAAATTGACCGTGTTTCCGGTCA GACCCAGTTCAACGGCGTGAACGTGCTGGCTAAAAACGGTTCTATGGCGATTCAGGTTGG CGCGAATGATGGGCAGACCATCAACATCGACCTGCAGAAAATCGACTCTTCTACTCTGGG CCTGGGCGGCTTCTCCGTATCTAACAATGCACTGAAACTGAGCGATTCTATCACTCAGGT TGGTGCGAGTGGTTCACTGGCAGATGTGAAACTGAGCTCTGTTGCCTCGGCTCTGGGTGT AGACGCAAGCACTCTGACTCTGCACAACGTACAGACCCCAGCTGGCGCAGCAACAGCTAA ${\tt CTATGTTGTCTCTGGTTCTGACAACTACTCAGTATCTGTTGAAGATAGCTCCGGTAC}$ AGTTACGCTGAACACCACTGATATAGGTTATACCGATACCGCTAATGGCGTTACTACCGG TTCCATGACTGGTAAGTACGTTAAAGTTGGAGCTGATGCATTGGGTGCTGTAGGTTA TGTCACCGTACAGGGACAAAACTTCAAAGCTGATGCTGGCGCGCTGGTTAACTCCAAGAA TGCTGCTGGTAGTCAGAATGTTACTTCTGCAATTGGCGATATTGCTAATAAAGCGAATGC TAACATTTACACTGGAACCTCTTCTGCAGATCCACTGGCTCTGCTGGACAAAGCTATCGC ATCTGTTGATAAATTCCGTTCTTCTCTAGGGGCGGTGCAGAACCGTCTGAGCTCTGCTGT AACCAACCTGAACAACACCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGC CGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCGGGTAA CTCCGTGCTGTCTAAA

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCA

 $\tt CTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCCGGTCAGGCGATTGCTAACCGTT$ TTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAATGACGGTATTTCTG TTGCACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATTCGTG AACTGACGGTTCAGGCTTCTACCGGGACTAACTCTGATTCGGATCTGGACTCCATTCAGG ACGAAATCAAATCCCGTCTCGACGAAATTGACCGCGTATCCGGTCAGACCCAGTTCAACG GCGTGAACGTACTGGCAAAAGACGGTTCGATGAAAATTCAGGTTGGTGCGAACGACGGCC AGACTATCACTATTGATCTGAAGAAAATTGACTCTGATACGCTGGGGCTGAGTGGGTTTA ACGTAAATGGTAGCGCAGATAAGGCAAGTGTCGCGGCGACAGCTGACGGAATGGTTAAAG ACGGATATATCAAAGGGTTAACTTCATCTGACGGCAGCACTGCATATACTAAAACTACAG CAAATACTGCAGCAAAAGGATCTGATATTCTTGCGGCGCTTAAGACTGGCGATAAAATTA CCGCAACAGGTGCAAATAGCCTTGCTGATAATGCGACATCGACAACTTATACTTATAATG CAACCAGCAATACCTTCTCCTATACGGCTGACGGTGTAAACCAAACGAATGCTGCAGCAA ATCTCATACCTGCAGCAGGGAAAACGACAGCTGCATCAGTTACTATTGGTGGGACAGCAC AGAATGTAAATATTGATGATTCGGGCAATATTACTTCAAGTGATGGCGATCAACTTTATC TGGATTCAACAGGTAACCTGACTAAAAACCAGGCCGGCAACCCGAAAAAAGCAACCGTTT CTGGGCTTCTCGGAAATACGGATGCGAAAGGTACTGCTGTTAAAACAACCATCAAGACAG AGGCTGGTGTAACAGTTACAGCTGAAGGTAATACAGGTACTGTAAAAATTGAAGGTGCTA CTGTTTCAGCATCTGCATTTACGGGCATTGCATATTCCGCCAACACCGGTGGGAATACTT ATGCTGTTGCCGCAAATAATACTACAAATGGTTTCCTGGCGGGGGATGACTTAACCCAGG ATGCTCAAACTGTTTCAACCTACTACTCGCAAGCCGATGGCACGGTCACGAATAGCGCAG GCAAAGAAATCTATAAAGACGCTGATGGTGTCTACAGCACAGAGAATAAAACATCGAAGA ${\tt CGTCCGATCCATTGGCTGCGCTTGACGACGCAATCAGCTCCATCGACAAATTCCGTTCAT}$ CCTTGGGTGCTATCCAGAACCGTCTGGATTCCGCGGTCACCAACCTGAACAACACCACTA CCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCA ACATGTCGAAAGCGCAGATCATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCTAACC AGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGCTAA

AACAAATCTCAGTCTTCTCTGAGCTCCGCCATTGAACGTCTCTCTTCTGGCCTGCGTA TTAACAGTGCTAAAGATGACGCAGCAGGTCAGGCGATTGCTAACCGTTTTACAGCAAATA TTAAAGGTCTGACTCAGGCTTCCCGTAACGCGAATGATGGTATTTCTGTTGCGCAGACCA AGGCAACTAACGGTACTAACTCTGACAGCGATCTTTCTTCTATCCAGGCTGAAATTACTC AACGTCTGGAAGAAATTGACCGTGTATCTGAGCAAACTCAGTTTAACGGCGTGAAAGTCC TTGCTGAAAATAATGAAATGAAAATTCAGGTTGGTGCTAATGATGGTGAAACCATCACTA TCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCTGGACGGTTTTAATATCGATGGCG CGCAGAAAGCAACTGGCAGTGACCTGATTTCTAAATTTAAAGCGACAGGTACTGATAACT ATGATGTTGGCGGTGATGCTTATACTGTTAACGTAGATAGCGGAGCTGGGTAATGACTCC AACTTATTGATAGTGTTTTATGTTCAGATAATGCCCGATGACTTTGTCATGCAGCTCCAC CGATTTTGAGAACGACAGCGACTTCCGTCCCAGCCGTGCCAGGTGCTGCCTCAGATTCAG GTTATGCCGCTCAATTCGCTGCGTATATCGCTTGCTGATTACGTGCAGCTTTCCCTTCAG GCGGGATTCATACAGCGGCCAGCCATCCGTCATCCATATCACCACGTCAAAGGGTGACAG CAGGCTCATAAGACGCCCCAGCGTCGCCATAGTGCGTTCACCGAATACGTGCGCAACAAC CGTCTTCCGGAGCCTGTCATACGCGTAAAACAGCCAGCGCTGGCGCGATTTAGCCCCGAC ATAGTCCCACTGTTCGTCCATTTCCGCGCAGACGATGACGTCACTGCCCGGCTGTATGCG CGAGGTTACCGACTGCGGCCTGAGTTTTTTAAGTGACGTAAAATCGTGTTGAGGCCAACG CCCATAATGCGGGCAGTTGCCCGGCATCCAACGCCATTCATGGCCATATCAATGATTTTC TGGTGCGTACCGGGTTGAGAAGCGGTGTAAGTGAACTGCAGTTGCCATGTTTTACGGCAG TGAGAGCAGAGATAGCGCTGATGTCCGGCGGTGCTTTTGCCGTTACGCACCACCCCGTCA GTAGCTGAACAGGAGGGACAGCTGATAGAAACAGAAGCCACTGGAGCACCTCAAAAACAC CATCATACACTAAATCAGTAAGTTGGCAGCATTACCGCGGAGCTGTTAAAGATACTACAG GGAATGATATTTTTGTTAGTGCAGCAGATGGTTCACTGACAACTAAATCTGACACAAACA TAGCTGGTACAGGGATTGATGCTACAGCACTCGCAGCAGCGGCTAAGAATAAAGCACAGA ATGATAAATTCACGTTTAATGGAGTTGAATTCACAACAACAACTGCAGCGGATGGCAATG GGAATGGTGTATATTCTGCAGAAATTGATGGTAAGTCAGTGACATTTACTGTGACAGATG CTGACAAAAAGCTTCTTTGATTACGAGTGAGACAGTTTACAAAAATAGCGCTGGCCTTT ATACGACAACCAAAGTTGATAACAAGGCTGCCACACTTTCCGATCTTGATCTCAATGCAG CTAAGAAAACAGGAAGCACGTTAGTTGTTAACGGTGCAACTTACGATGTTAGTGCAGATG GTAAAACGATAACGGAGACTGCTTCTGGTAACAATAAAGTCATGTATCTGAGCAAATCAG AAGGTGGTAGCCCGATTCTGGTAAACGAAGATGCAGCAAAATCGTTGCAATCTACCACCA ACCCGCTCGAAACTATCGACAAAGCATTGGCTAAAGTTGACAATCTGCGTTCTGACCTCG GTGCAGTACAAAACCGTTTCGACTCTGCTATCACCAACCTTGGCAACACCGTAAACAACC TGTCTTCTGCCCGTAGCCGTATCGAAGATGCTGACTACGCGACCGAAGTGTCTAACATGT CTCGTGCGCAGATCCTGCAACAAGCGGGTACCTCTGTTCTGGCGCAG

62/96

AACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTGT CTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACC GTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTT CTGTTGCGCAGACCACCGAAGGCGCTGTCCGAAATCAACAACAACTTACAGCGTGTGC GTGAACTGACCGTTCAGGCAACCACCGGTACCAACTCCCAGTCTGACCTGGACTCTATCC AGGACGAAATTAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGTCAGACCCAGTTCA ACGGCGTGAACGTACTGGCAAAAGACGGTTCCATGAAAATTCAGGTTGGCGCGAACGATG TTAACGTGAATGGCAAAGCAGCGGTTGATAATGCTAAAGCGACGGATGCAAATCTGACTA CCGCCGGTTTTACACAAGGCGTTGTGGATTCAAATGGTAATAGTACTTGGACTAAATCAA CTACGACTAATTTCGATGCGGCAACTGCAGTAAACGTACTAGCAGCAGTTAAAGATGGCA GCACAATCAATTACACCGGTACTGGTAATGGTTTAGGGATTGCTGCAACAAGTGCTTATA CATATCACGATAGCACTAAATCCTATACCTTTGATTCTACGGGGGCTGCAGTAGCTGGTG CCGCGTCCAGCCTGCAAGGTACTTTTGGTACAGATACGAATACTGCAAAAATCACCATCG ATGGTTCTGCTCAAGAAGTAAACATCGCTAAAGATGGGAAAATTACTGATACTGATGGTA AAGCTTTATATATCGATTCCACTGGTAATTTGACTAAGAACGGCTCTGATACTTTAACTC AGGCAACATTGAATGATGTCCTTACTGGTGCTAATTCAGTTGATGATACAAGGATTGACT TCGATAGCGGCATGTCTGTCACCCTTGATAAAGTGAACAGCACTGTAGATATCACTGGCG CATCTATTTCAGCCGCTGCAATGACTAATGAGTTGACAGGTAAGGCCTATACCGTAGTAA ATGGTGCAGAATCTTACGCTGTAGCTACTAATAACACAGTAAAAACGACTGCTGATGCTA AAAATGTTTATGTTGATGCTAGTGGTAAATTAACTACTGATGACAAAGCCACTGTTACAG AAACTTATCATGAATTTGCGAATGGCAATATCTATGATGATAAAGGCGCTGCTGTTTATG CGGCGGCGGATGGTTCTCTGACTACAGAAACTACAAGTAAATCAGAAGCTACAGCTAACC CGCTGGCCGCTCTGGACGACGCAATCAGCCAGATCGACAAATTCCGTTCATCCCTGGGTG CTATCCAGAACCGTCTGGATTCCGCAGTCACCAACCTGAACAACACCACTACCAATCTGT CTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTCGA AAGCGCAGATCATCCAGCAGGCAGGCAACTCCGTGCTGGCAAAA

AACAAAAACCAGTCTGCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGTC TGCGCATTAACAGCGCTAAAGATGACGCTGCGGGCCAGGCGATTGCTAACCGCTTCACTT CTAACATCAAAGGTCTGACTCAGGCTGCACGTAACGCCAATGACGGTATTTCTCTAGCAC AGACAGCGGAAGGCGCGCTGTCAGAGATTAACAACAACTTGCAGCGTGTGCGTGAGTTGA CCGTGCAGGCAACCACTGGTACCAACTCTGATTCCGATCTCTCTTCTATTCAGGATGAAA TTAAATCTCGTCTGGATGAAATTGACCGCGTCTCTGGTCAGACCCAGTTTAACGGCGTGA ACGTACTGGCTAAAAACGGTTCTATGGCAATTCAGGTTGGCGCGAACGATGGCCAGACTA TCTCTATCGACCTGCAGAAAATAGACTCTTCTACTCTGGGTCTGAGCGGCTTCTCTGTTT CTCAGAACTCCCTGAAACTGAGCGATTCTATCACTACGATCGGCAATACTACTGCTGCAT CGAAGAACGTGGACCTGAGCGCAGTAGCAACTAAACTGGGCGTGAATGCAAGCACCCTGA GCCTGCACGAAGTTCAGGACTCTGCTGGTGACGGTACTGGTACCTTCGTTGTTTCTTCTG GCAGCGACAACTATGCTGTGTCTGTAGACGCGGCCTCTGGTGCAGTTAACCTGAACACCA CTGACGTCACCTATGATGACGCTACTAATGGTGTTACTGGCGCGACTCAGAACGGTCAGC TGATCAAAGTAACTTCTGACGCCAACGGTGCAGCTGTTGGTTACGTAACCATTCAGGGTA AAAACTATCAGGCTGGTGCGACCGGTGTTGACGTTCTGGCGAACAGCGGTGTTGCAGCTC CAACTACAGCTGTTGATACCGGTACTCTGCAACTGAGCGGTACTGGTGCAACTACTGAGC TGAAAGGTACTGCAACTCAGAACCCACTGGCACTATTGGACAAAGCTATCGCTTCTGTTG TGAATAACACCACCACTAACCTGTCTGAAGCGCAGTCCCGTATTCAGGATGCCGACTATG CGACCGAAGTGTCAAATATGTCTAAAGCGCAGATCGTTCAGCAGGCCGGTAAC

CONTROL OFFICE CONTROL OFFICE CONTROL OF CONTROL OFFICE CONTROL OFFICE CONTROL OF CONTROL OFFICE CONTROL OFFI CONTROL OFFICE CONTROL OFFICE CONTROL OFFI C

The sale of the sa

65/96

GGTCTGCGTATTAACAGCGCAAAAGACGATGCAGCAGGTCAGGCGATTGCTAACCGTTTT ACGGCAAATATTAAAGGTCTGACCCAGGCTTCCCGTAACGCAAATGATGGTATTTCTGTT GCGCAGACCACTGAAGGTGCGCTGAATGAAATTAACAACCACCTGCAGCGTATTCGTGAA GAAATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGCAAACTCAGTTTAACGGC GTGAAAGTCCTTGCTGAAAATAATGAAATGAAAATTCAGGTTGGTGCTAATGATGGTGAA ACCATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCTGGACGGTTTTAAT ATCGATGGCGCGCAGAAAGCAACAGGCAGTGACCTGATTTCTAAATTTAAAGCGACAGGT ${\tt ACTGATAATTATGATGTTGGCGGTAAAACTTATACCGTGAATGTGGAGAGCGGCGCGGTT}$ AAGAATGATGCTAATAAAGATGTTTTTGTAAGCGCAGCTGATGGATCGCTGACGACCAGT AGTGATACTAAAGTATCCGGTGAAAGTATTGATGCAACAGAACTAGCGAAACTTGCAATA AAATTAGCTGACAAAGGCTCCATTGAATACAAGGGCATTACATTACTAACAACACTGGC GCAGAGCTTGATGCTAATGGTAAAGGTGTTTTGACCGCAAATATTGATGGTCAAGATGTT CAATTTACTATTGACAGTAATGCACCCACGGGTGCCGGCGCAACAATAACTACAGACACA GCTGTTTACAAAAACAGTGCGGGCCAGTTCACCACTACAAAAGTGGAAAATAAAGCCGCA ACACTCTCTGATCTGGATCTTAATGCAGCCAAGAAACAGGTAGCACTTTAGTTGTAAAT GGCGCCACCTACAATGTCAGCGCAGATGGTAAAACGGTAACTGATACTACTCCTGGTGCC CCTAAAGTGATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTAAACGAAGAT GCAGCAAAATCGTTGCAATCTACCACCAACCCGCTCGAAACTATCGACAAGGCATTGGCT AAAGTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCTGCCATC ACCAACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATCGAAGATGCT GACTACGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTACC TCTGTTCTGGCGCAG

TCTCTGCTGCAGGGTTAA

66/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACT GGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTC ACCTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTT GCACAGACCACCGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGAA CTGACGGTTCAGGGCTTCTACCGGGACTAACTCTGATTCGGATCTGGACTCCATTCAGGAC GAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGCCAGACCCAGTTCAACGGC GTGAACGTGCTGGCGAAAGACGGTTCAATGAAAATTCAGGTTGGTGCGAATGACGGCCAG ACTATCACTATTGATCTGAAGAAAATTGACTCTGATACTCTGGGTTTGAGTGGATTTAAT GTGAATGGCAAAGGGGCTGTGGCTAACGCAAAAGCGACCGAAGCAGATTTAACGGGGGCCT GGTTTCTCTCAAGGAGCGGTGGATACAACGGAAATAGTACTTGGACAAAATCAACCACC ACCAATTACTCAGCTGCAACAACTGCTGACTTGTTATCGACCATTAAGGATGGCTCTACT GTTACATATGCAGGGACAGACACCGGATTAGGGGTCGCAGCAGCAGGAAATTATACTTAT GATGCGAACAGTAAATCTTATTCCTTCAATGCCAATGGTCTGACGGGCGCAAATACCGCA ACTGCACTCAAAGGTTACTTGGGGACAGGTGCTAACACCCGCTAAAATTTCTATCGGTGGT ACAGAGCAGGAAGTGAATATTGCCAAAGATGGCACTATTACAGATACGAATGGTGATGCG CTCTATCTGGATATTACCGGCAACCTGACTAAGAACTATGCGGGTTCACCACCTGCAGCA ACGCTGGATAACGTATTAGCTTCCGCAACTGTAAATGCCACTATCAAGTTTGATAGCGGT ATGACGGTTGATTACACTGCAGGTACTGGCGCGAATATTACAGGTGCATCCATTTCTGCA GATGACATGGCCGCAAAACTGAGCGGAAAGGCGTACACTGTTGCCAATGGTGCTGAGTCT TATGACGTTGCTGCAGTTACGGGGGCTGTAACAACTACAGCAGGTAATTCACCTGTGTAT GCCGATGCAGACGGTAAATTAACGACGAGTGCCAGTAATACGGTTACTCAGACTTATCAC GAGTTTGCTAATGGTAACATTTATGATGACAAAGGCTCGTCACTGTATAAAGCTGCAGAT GGCTCTCTGACTTCTGAAGCTAAAGGGAAATCTGAAGCAACCGCCGATCCCCTGAAAGCT CGTCTGGATTCTGCGGTGACCAACCTGAACAACACCACTACCAACCTGTCTGAAGCGCAG TCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATC ATCCAGCAGGCCGGTAACTCCGTGTTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTG

GCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGTTTGCGCATTAACAGCGCTA AAGATGACGCTGCGGGCCAGGCGATTGCTAACCGCTTCACTTCTAACATCAAAGGTCTGA CTCAGGCCGCACGTAACGCCAACGACGGTATCTCTCTGGCGCAGACCACTGAAGGCGCAC TGTCTGAAATCAACAACAACTTGCAGCGTGTTCGTGAACTGACCGTTCAGGCCACTACCG GTACTAACTCTGATTCTGACCTGTCTTCAATCCAGGACGAAATCAAATCCCGCTTGGCTG AAATCGATCGTGTCTCTGGTCAGACCCAGTTCAACGGCGTGAACGTGCTGGCTAAAAACG GTTCTCTGAATATTCAGGTTGGCGCGAATGATGGGCAGACCATCTCTATCGATTTGCAGA AAATAGACTCTTCTGCCCTTGGTTTAAGTGGTTTTAGTGTTGCCGGTGGGGCGCTAAAAT TAAGCGATACAGTGACGCAGGTCGGCGATGGTTCAGCCGCGCCAGTTAAAGTGGATCTGG ATGCAGCAGCAACAGATATTGGTACTGCTTTGGGGCAAAAGGTTAATGCAAGTTCTTTAA CGTTGCACAATATCTTAGACAAAGATGGTGCGGCAACTGAGAACTATGTTGTTAGCTATG GTAGTGATAATTACGCTGCATCTGTTGCAGATGACGGGACTGTAACTCTTAATAAAACGG ATATTACTTATTCAGGCGGTGATATTACCGGCGCTACCAAAGATGATACGTTGATTAAAG TTGCTGCTAATTCTGACGGAGAGGCCGTTGGTTTCGCTACCGTTCAGGGTAAGAATTATG AAATTACAGATGGTGTAAAAAACCAGTCCACTGCTGCACCAACCGATATTGCTCAGACCA TTGATCTGGATACGGCTGATGAATTTACTGGGGCTTCCACTGCTGATCCACTGGCACTTT GTCTGGATTCCGCAGTCACCAACCTGAACAACACTACTACCAACCTGTCTGAAGCGCAGT CCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATCA TCCAGCAGGCC

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACT GGCTTGCGTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTTTT ACTTCTAATATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAATGACGGTATTTCTCTG GCGCAGACCACTGAAGGCGCACTGTCTGAAATCAACAACAACTTGCAGCGTGTGCGTGAA GAAATCAAATCCCGTCTGGAAGAGATTGACCGCGTATCCGGCCAGACTCAGTTCAACGGC GTGAATGTGCTGGCAAAAGACGGCACCATGAAAATTCAGGTAGGCGCGAACGATGGTCAG ACTATCTCTATCGATCTGAAAAAAATCGACTCTTCAACCCTGGGCCTGACCGGTTTTGAT GTTTCGACGAAAGCGAATATTTCTACGACAGCAGTAACGGGGGGCGCAACGACCACTTAT GCTGATAGCGCCGTTGCAATTGATATCGGAACGGATATTAGCGGTATTGCTGCTGATGCT GCGTTAGGAACGATCAATTTCGATAATACAACAGGCAAGTACTACGCACAGATTACCAGT GCGGCCAATCCGGGCCTTGATGGTGCTTATGAAATCCATGTTAATGACGCGGATGGTTCC TTCACTGTAGCAGCGAGTGATAAACAAGCGGGTGCTGCTCCGGGTACTGCTCTGACAAGC GGTAAAGTTCAGACTGCAACCACCACGCCAGGTACGGCTGTTGATGTCACTGCGGCTAAA ACTGCTCTGGCTGCAGCAGGTGCTGACACGAGTGGCCTGAAACTGGTTCAACTGTCCAAC ACGGATTCCGCAGGTAAAGTGACCAACGTGGGTTACGGCCTGCAGAATGACAGCGGCACT ATCTTTGCAACCGACTACGATGGCACCACTGTGACCACGCCGGGCGCAGAGACTGTGACT TACAAAGATGCTTCCGGTAACAGCACCACTGCGGCTGTCACACTGGGTGGCTCTGATGGC AAAACCAATCTGGTTACCGCCGCTGACGGCAAAACGTACGGTGCGACTGCACTGAATGGT GCTGATCTGTCCGATCCTAATAACACCGTTAAATCTGTTGCAGACAACGCTAAACCGTTG CAAAACCGTCTGGATTCCGCAGTCACCAACCTGAACAACACCACTACCAACCTGTCTGAA GCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCG CAGATTATCCAGCAGGCAGGTAACTCCGTGCTGTCCAAAGCTAACCAGGTTCCGCAGCAG GTTCTGTCTCTGCTGCAGGGTTAA

69/96

AACAAAAACCAGTCTGCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGT CTGCGTATTAACAGCGCTAAAGATGACGCCGCGGGCCAGGCGATTGCTAACCGCTTTACT TCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAACGACGGTATTTCTCTGGCG CAGACGGCTGAAGGCGCGCTGTCAGAGATTAACAACAACTTGCAGCGTATTCGTGAACTG ACCGTTCAGGCCTCTACCGGCACGAACTCTGATTCCGACCTGTCTTCTATTCAGGACGAA ATCAAATCCCGTCTTGATGAAATTGACCGTGTATCTGGTCAGACCCAGTTCAACGGTGTG AACGTGCTGTCGAAAAACGATTCGATGAAGATTCAGATTGGTGCCAATGATAACCAGACG ATCAGCATTGGCTTGCAACAATCGACAGTACCACTTTGAATCTGAAAGGATTTACCGTG TCCGGCATGGCGGATTTCAGCGCGGCGAAACTGACGGCTGCTGATGGTACAGCAATTGCT GCTGCGGATGTCAAGGATGCTGGGGGTAAACAAGTCAATTTACTGTCTTACACTGACACC GCGTCTAACAGTACTAAATATGCGGTCGTTGATTCTGCAACCGGTAAATACATGGAAGCC ACTGTAGCCATTACCGGTACGGCGGCGGCGGTAACTGTTGGTGCAGCGGAAGTGGCGGGA GCCGCTACAGCCGATCCGTTAAAAGCACTGGATGCCGCAATCGCTAAAGTCGACAAATTC CGCTCCTCCGCTGCCGTTCAAAACCGTCTGGATTCTGCGGTCACCAACCTGAACAAC ACCACCACCAACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAA GTGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCAAA

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTC GCTTGCGTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTTTTA CCTCTAACATTAAAGGTCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTTG CACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTATCCGTGAAC TGACGGTTCAGGCTTCTACCGGGACTAACTCCGATTCGGATCTGGACTCCATTCAGGACG AAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGTCAAACCCAGTTCAACGGTG TGAACGTACTGGCGAAAGACGGTTCGATGAAAATTCAGGTTGGTGCGAATGACGGCCAGA CTATCACGATTGATCTGAAGAAAATTGACTCAGATACGCTGGGGCTGAATGGTTTCAACG TTAATGGCAAAGGCACTATTGCGAACAAAGCTGCTACAGTCAGCGATCTGACCGCTGCTG ATGCACTGTCTCGCCTGAAAACCGGAGATACAGTTACTACTACTGGCTCGAGTGCTGCGA TCTATACTTATGATGCGGCTAAAGGGAACTTCACCACTCAAGCAACAGTTGCAGATGGCG ATGTTGTTAACTTTGCGAATACTCTGAAACCAGCGGCTGGCACTACTGCATCAGGTGTTT ATACTCGTAGTACTGGTGATGTGAAGTTTGATGTAGATGCTAATGGCGATGTGACCATCG CATCTTCAGCGAAATTGTCCGATCTGTTTGCTAGCGGTAGTACCTTAGCGACAACTGGTT CTATCCAGCTGTCTGGCACAACTTATAACTTTGGTGCAGCGGCAACTTCTGGCGTAACCT ACACCAAAACTGTAAGCGCTGATACTGTACTGAGCACAGTGCAGAGTGCTGCAACGGCTA ACACAGCAGTTACTGGTGCGACAATTAAGTATAATACAGGTATTCAGTCTGCAACGGCGT CCTTCGGTGGTGAATACTAATGGTGCTGGTAATTCGAATGACACCTATACTGATGCAG ACAAAGAGCTCACCACAACCGCATCTTACACTATCAACTACAACGTCGATAAGGATACCG GTACAGTAACTGTAGCTTCAAATGGCGCAGGTGCAACTGGTAAATTTGCAGCTACTGTTG GGGCACAGGCTTATGTTAACTCTACAGGCAAACTGACCACTGAAACCACCAGTGCAGGCA CTGCAACCAAAGATCCTCTGGCTGCCCTGGATGAAGCTATCAGCTCCATCGACAAATTCC GTTCATCCCTGGGTGCTATCCAGAACCGTCTGGATTCCGCGGTTACCAACCTGAACAACA CCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAG TGTCCAACATGTCGAAAGCGCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAAG CCAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

71/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCAC TGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTT TACTTCTAATATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAATGACGGTATTTCTGT TGCACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTACAGCGTGTGCGTGA ACTGACCGTTCAGGCGACCACCGGTACCAACTCCCAGTCTGATCTGGACTCTATCCAGGA CGAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGTCAGACTCAGTTCAACGG CGTGAACGTACTGGCAAAAGACGGTTCCATGAAAATTCAGGTTGGCGCGAATGATGGCCA CGTGAATGGTTCTGGTTGTGGCGAATACTGCGGCGACTAAAGACGAACTGGCTGCTGC TGCTGCGGCGGCGGTACAACTCCTGCTGTCGGTACTGACGGCGTGACCAAATATACCGT AGACGCAGGGCTTAACAAAGCCACAGCAGCAAACGTGTTTGCAAACCTTGCAGATGGTGC TGTTGTTGATGCTAGCATTTCCAACGGTTTTGGTGCAGCAGCAGCCACAGACTACACCTA CAATAAGCTACAAATGATTTCACTTTCAATGCCAGCATTGCTGCTGGTGCTGCGGCCGG TGATAGTAACAGCGCAGCTCTGCAATCCTTCCTGACTCCAAAAGCAGGTGATACAGCTAA TACAGCGAAAGATGGCTCAGCTCTGTATATCGACTCAACGGGTAACCTGACTCAGAACAG CGCAGGCACTGTAACAGCAGCAACCCTGGATGGACTGACCAAAAACCATGATGCGACAGG AGCTGTTGGTGTTGATATCACGACCGCAGATGGCGCAACTATCTCTCTGGCAGGCTCTGC TAACGCGGCAACAGGTACTCAATCAGGTGCAATTACACTGAAAAATGTTCGTATCAGTGC TGATGCTCTGCAGTCTGCCGAAAGGTACTGTTATCAATGTTGATAATGGTGCTGATGA TATTTCTGTTAGTAAAACCGGGTGTCGTTACTACCGGAGGTGCGCCTACTTATACTGATG CTGATGGTAAATTAACGACAACCAACACCGTTGATTATTTCCTGCAAACTGATGGCAGCG TAACCAATGGTTCTGGTAAAGGGGTTTACACCGATGCAGCTGGTAAATTCACTACCGACG CTGCAACCAAAGCCGCAACCACCGATCCGCTGAAAGCCCTTGATGACGCAATCAGCC AGATCGATAAGTTCCGTTCATCCCTGGGTGCTATCCAGAACCGTCTGGATTCCGCGGTTA CCAACCTGAACACCACTACCAACCTGTCCGAAGCGCAGTCCCGTATTCAGGACGCCG ACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATCATCCAGCAGGCCGGTAACT CCGTGTTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

CTGCGTATTAACAGCGCAAAAGACGATGCAGCAGGTCAGGCGATTGCTAACCGTTTTACG GCAAATATTAAAGGTCTGACCCAGGCTTCCCGTAACGCGAATGATGGTATTTCTGTTGCG CAGACCACTGAAGGTGCGCTGAATGAAATTAACAACAACCTGCAGCGTATTCGTGAACTT ATTACTCAACGTCTGGAAGAAATTGACCGTGTATCTGAGCAAACTCAGTTTAACGGCGTG AAAGTCCTTGCTGAAAATAATGAAATGAAAATTCAGGTTGGTGCTAATGATGGTGAAACC ATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCTGGACGGTTTTAATATC GATGGCGCGCAGAAAGCAACCGGCAGTGACCTGATTTCTAAATTTAAAGCGACAGGTACT GATAATTATCAAATTAACGGTACTGATAACTATACTGTTAATGTAGATAGTGGAGTAGTA CAGGATAAAGATGGCAAACAAGTTTATGTGAGTGCTGCGGATGGTTCACTTACGACCAGC AGTGATACTCAATTCAAGATTGATGCAACTAAGCTTGCAGTGGCTGCTAAAGATTTAGCT CAAGGTAATAAGATTGTCTACGAAGGTATCGAATTTACAAATACCGGCACTGGCGCTATA CCTGCCACAGGTAATGGTGAATTAACCGCCAATGTTGATGGTAAGGCTGTTGAATTCACT ATTTCGGGGAGTGCTGATACATCAGGTACTAGTGCAACCGTTGCCCCTACGACAGCCCTA TACAAAAATAGTGCAGGGCAATTGACTGCAACAAAAGTTGAAAATAAAGCAGCGACACTA TCTGATCTTGATCTGAACGCTGCCAAGAAAACAGGAAGCACGTTAGTTGTTAACGGTGCA ACTTACGATGTTAGTGCAGATGGTAAAACGATAACGGAGACTGCTTCTGGTAACAATAAA GTCATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTAAACGAAGATGCAGCA AAATCGTTGCAATCTACCACCAACCCGCTCGAAACTATCGACAAAGCATTGGCTAAAGTT GACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCTGCCATCACCAAC CTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATCGAAGATGCTGACTAC GCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTACCTCTGTT CTGGCACAG

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCAC TGGCTTGCGTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTTT CACCTCTAACATTAAAGGCCTGACTCAGGCGGCCCGTAACGCCAACGACGGTATCTCCGT TGCGCAGACCACCGAAGGCGCGCTGTCCGAAATCAACAACTTACAGCGTGTGCGTGA ACTGACGGTACAGGCCACTACCGGTACTAACTCTGAGTCTGATCTGTCTTCTATCCAGGA CGAAATTAAATCCCGTCTGGATGAAATTGACCGCGTATCTGGTCAGACCCAGTTCAACGG CGTGAACGTGCTGGCAAAAAATGGCTCCATGAAAATCCAGGTTGGCGCAAATGATAACCA GACTATCACTATCGATCTGAAGCAGATTGATGCTAAAACTCTTGGCCTTGATGGTTTTAG CGTTAAAAATAACGATACAGTTACCACTAGTGCTCCAGTAACTGCTTTTGGTGCTACCAC CACAAACAATATTAAACTTACTGGAATTACCCTTTCTACGGAAGCAGCCACTGATACTGG CGGAACTAACCCAGCTTCAATTGAGGGTGTTTATACTGATAATGGTAATGATTACTATGC GAAAATCACCGGTGGTGATAACGATGGGAAGTATTACGCAGTAACAGTTGCTAATGATGG TACAGTGACAATGGCGACTGGAGCAACGGCAAATGCAACTGTAACTGATGCAAATACTAC TAAAGCTACAACTATCACTTCAGGCGGTACACCTGTTCAGATTGATAATACTGCAGGTTC CGCAACTGCCAACCTTGGTGCTGTTAGCTTAGTAAAACTGCAGGATTCCAAGGGTAATGA TACCGATACATATGCGCTTAAAGATACAAATGGCAATCTTTACGCTGCGGATGTGAATGA AACTACTGGTGCTGTTTCTGTTAAAACTATTACCTATACTGACTCTTCCGGTGCCGCCAG TTCTCCAACCGCGGTCAAACTGGGCGGAGATGATGGCAAAACAGAAGTGGTCGATATTGA TGGTAAAACATACGATTCTGCCGATTTAAATGGCGGTAATCTGCAAACAGGTTTGACTGC TGGTGGTGAGGCTCTGACTGCTGTTGCAAATGGTAAAACCACGGATCCGCTGAAAGCGCT GGACGATGCTATCGCATCTGTAGACAAATTCCGTTCTTCCCTCGGTGCGGTGCAAAACCG TCTGGATTCCGCGGTTACCAACCTGAACAACACCACTACCAACCTGTCTGAAGCGCAGTC CCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTCGAAAGCGCAGATCAT CCAGCAGGCCGGTAACTCCGTGTTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTGTC TCTGCTGCAGGGTTAA

The state of the s

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACT GGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTT ACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTCTGTT GCGCAGACCACCGAAGGCGCGCTGTCTGAAATCAACAACAACTTACAGCGTATTCGTGAA CTGACGGTTCAGGCTTCTACCGGGACTAACTCTGATTCGGATCTGGACTCCATTCAGGAC GAAATCAAATCCCGTCTGGACGAAATTGACCGCGTATCCGGTCAAACCCAGTTCAACGGT GTGAACGTACTGGCGAAAGACGGTTCGATGAAAATTCAGGTTGGTGCGAATGACGGCCAG ACTATCACTATTGATCTGAAGAAAATTGACTCTGATACGCTGGGGCTGAATGGTTTTAAC GTTAACGGCAAAGGTACTATTGCGAACAAAGCGGCAACCATTAGTGATCTGGCGGCGACG GGGGCGAATGTTACTAACTCAAGCAATATTGTTGTCACGACAAAGTTCAATGCCTTGGAT GCAGCGACTGCATTTAGCAAACTCAAAGATGGTGATTCTGTTGCCGTTGCTGCTCAGAAA TATACTTATAACGCATCGACCAATGATTTTACGACAGAAAATACAGTAGCGACAGGCACT GCAACGACAGATCTTGGCGCTACTCTGAAGGCTGCTGCTGGGCAGAGTCAATCAGGTACA TATACCTTTGCAAATGGTAAAGTTAACTTTGATGTTGATGCAAGCGGTAATATCACTATT GGCGGCGAAAAGGCTTTCTTGGTTGGTGGAGCGCTGACTACTAACGATCCCACCGGCTCC ACTCCAGCAACGATGTCTTCCCTGTTTAAGGCCGCGGATGACAAAGATGCCGCTCAATCC TCGATTGATTTTGGCGGGAAAAAATACGAATTTGCTGGTGGCAATTCTACTAATGGTGGC GGCGTTAAATTCAAAGACACGGTGTCTTCTGACGCGCTTTTGGCTCAGGTTAAAGCGGAT AGTACTGCTAATAATGTAAAAATCACCTTTAACAATGGTCCTCTGTCATTCACTGCATCG TTCCAAAATGGTGTATCTGGCTCCGCGGCATCGAATGCAGCCTACATTGATAGCGAAGGC GAACTGACAACTACTGAATCCTACAACACAAATTATTCCGTAGACAAAGACACGGGGGCT GTAAGTGTTACAGGGGGGGGGGGTACGGGTAAATACGCCGCAAACGTGGGTGCTCAGGCT TATGTAGGTGCAGATGGTAAATTAACCACGAATACTACTAGTACCGGCTCTGCAACCAAA GATCCACTAAATGCGCTGGATGAGGCAATTGCATCCATCGACAAATTCCGTTCTTCCCTG GGGGCTATCCAGAACCGTCTGGATTCCGCAGTCACCAACCTGAACAACACCACTACCAAC CTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATG TCGAAAGCGCAGATCATCCAGCAGGCCGGTAACTCCGTGTTGGCAAAAGCTAACCAGGTA CCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

75/96

AACAAGAACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTGTC TTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCGGGTCAGGCGATTGCTAACCG TTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACGACGGTATTTC TGTTGCGCAGACCACCGAAGGCGCGCTGTCCGAAATTAACAACAACTTACAGCGTGTGCG TGAGCTGACTGTTCAGGCGACCACCGGTACTAACTCTGAGTCTGACCTGTCTTCTATCCA GGACGAAATCAAATCTCGCCTGGAAGAGATTGATCGTGTTTCAAGTCAGACTCAATTTAA $\tt CGGCGTGAATGTTTTGGCTAAAGATGGGAAAATGAACATTCAGGTTGGGGCAAGTGATGG$ ACAGACTATCACTATTGATCTGAAAAAGATCGATTCATCTACACTAAACCTCTCCAGTTT TGATGCTACAAACTTGGGCACCAGTGTTAAAGATGGGGCCACCATCAATAAGCAAGTGGC AGTAGATGCTGGCGACTTTAAAGATAAAGCTTCAGGATCGTTAGGTACCCTAAAATTAGT TGAGAAAGACGGTAAGTACTATGTAAATGACACTAAAAGTAGTACTACGATGCCGA AGTAGATACTAGTAAGGGTGAAATTAACTTCAACTCTACAAATGAAAGTGGAACTACTCC TACTGCAGCGACGGAAGTAACTACTGTTGGCCGCGATGTAAAATTGGATGCTTCTGCACT TAAAGCCAACCAATCGCTTGTCGTGTATAAAGATAAAAGCGGCAATGATGCTTATATCAT TCAGACCAAAGATGTAACAACTAATCAATCAACTTTCAATGCCGCTAATATCAGTGATGC TGGTGTTTTATCTATTGGTGCATCTACAACCGCGCCAAGCAATTTAACAGCTGACCCGCT TAAGGCTCTTGATGATGCAATTGCATCTGTTGATAAATTCCGCTCTTCTCTCGGTGCCGT TCAGAACCGTCTGGATTCTGCCATTGCCAACCTGAACAACACCACTACCAACCTGTCTGA AGCGCAGTCCCGTATTCAGGACGCTGACTATGCGACCGAAGTGTCCAACATGTCGAAAGC GCAGATTATCCAGCAGGCCGGTAACTCCGTGCTGGCAAAA

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAA GCGTATTAACAGCGCGAAGGATGACGCAGCGGGTCAGGCGATTGCTAACCGTTTCACCTC TAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCTAACGATGGTATCTCTCTGGCGCA GACCACTGAAGGCGCACTGTCTGAGATTAACAACAACTTACAACGTGTGCGTGAGTTGAC TGTACAGGCGACCACCGGTACTAACTCTGATTCTGACCTGGCTTCTATTCAGGACGAAAT CAAATCCCGTTTGTCTGAAATTGACCGCGTATCCGGGCAGACCCAGTTCAACGGCGTGAA CGTATTGTCTAAAGATGGCTCCCTGAAAATTCAGGTTGGCGCAAATGATGGTCAGACTAT CTCTATCGACCTGAAGAAAATTGACTCTGATACTCTGGGTTTGAATGGTTTCAACGTTAA TGGTTCTGGTACCATTGCAAACAAGCGGCCACAATCAGTGACTTGACTCAGAAAGC CGTTGACAACGGTAATGGTACTTATAAAGTTACAACTAGCAACGCTGCACTTACTGCATC TCAGGCATTAAGTAAGCTGAGTGATGGCGATACTGTAGATATTGCAACCTATGCTGGTGG TACAAGTTCAACAGTTAGTTATAAATACGACGCAGATGCAGGTAACTTCAGTTATAACAA TACTGCAAACAAACAAGTGCTGCGGCTGGAACTCTGGCAGATACTCTTCTCCCGGCAGC TGGCCAGACTAAAACCGGTACTTACAAGGCTGCTACTGGTGATGTTAACTTTAATGTTGA CGCAACTGGTAATCTGACAATTGGCGGACAGCAAGCCTACCTGACTACTGATGGTAACCT TACAACAACAACTCCGGTGGTGCGGCTACTGCAACTCTTAAAGAGCTGTTTACTCTTGC TGGCGATGGTAAATCTCTGGGGAACGGCGGTACTGCTACCGTTACTCTGGATAATACTAC GTATAATTTCAAAGCTGCTGCGAACGTTACTGATGGTGCTGGTGTCATCGCTGCTGCTGG TGTAACTTATACAGCCACTGTTTCTAAAGATGTCATTCTGGCACAACTGCAATCTGCAAG TCAGGCAGCAGCACCGCTACCGACGGTGATACTGTCGCAACGATCAACTATAAATCTGG TGTCATGATCGGTTCCGCTACCTTTACCAATGGTAAAGGTACTGCCGATGGTATGACTTC TGGTACAACTCCAGTCGTAGCTACAGGTGCTAAAGCTGTATATGTTGATGGCAACAATGA ACTGACTTCCACTGCATCTTACGATACGACTTACTCTGTCAACGCAGATACAGGCGCAGT AAAAGTGGTATCAGGTACTGGTACTGGTAAATTTGAAGCTGTTGCTGGTGCGGATGCTTA TGTAAGCAAAGATGGCAAATTAACGACAGAAACCACCAGTGCAGGCACTGCAACCAAAGA TCCTTTGGCTGCCCTGGATGCTGCTATCAGCTCCATCGACAAATTCCGTTCCTCCCTGGG TGCTATCCAGAACCGTCTGGATTCCGCAGTCACCAACCTGAACACACCACTACTAACCT GTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAATATGTC GAAAGCGCAGATCATCCAGCAGGCCGGTAACTCTGTGTTGGCAAAAGCTAACCAGGTACC GCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

77/96

ATGGCACAAGTCATTAATACCAACAGCC

TCTCGCTGATCACTCAAAATAATATCAACAAGAACCAGTCTGCGCTGTCGAGTTCTATCG AGCGTCTGTCTTCTGGCTTGCGTATTAACAGCGCGAAGGATGACGCCGCAGGTCAGGCGA TTGCTAACCGTTTTACTTCTAACATTAAAGGCCTGACTCAGGCTGCACGTAACGCCAACG ACGGTATTTCTGTTGCACAGACCACTGAAGGCGCGCTGTCCGAAATCAACAACAACTTAC AGCGTATTCGTGAACTGACGGTTCAGGCTTCTACCGGGACTAACTCTGATTCGGATCTGG ACTCCATTCAGGACGAAATCAAATCCCGTCTCGACGAAATTGACCGCGTTTCCGGTCAGA CCCAGTTCAACGGCGTGAACGTGCTGGCGAAAGACGGTTCGATGAAGATTCAGGTTGGCG CGAATGACGGCAGACCATCTCTATCGATTTGCAGAAAATTGATTCTTCAACGCTGGGAT TGAAAGGTTTCTCGGTATCAGGGAACGCATTAAAAGTTAGCGATGCGATAACTACAGTTC CTGGTGCTAATGCTGGCGATGCCCCGGTTACGGTTAAATTTGGTGCGAACGATACCGCTG CTGCCGCAATGGCTAAAACATTGGGAATAAGTGATACATCAGGCTTGTCCCTACATAACG TACAAAGCGCGGATGGTAAAGCGACAGGAACCTATGTTGTTCAATCTGGTAATGACTTCT ATTCGGCTTCCGTTAATGCTGGTGGCGTTGTTACGCTTAATACCACCAATGTTACTTTCA CTGATCCTGCGAACGGTGTTACCACAGCAACACAGACAGGTCAGCCTATCAAGGTCACGA CGAATAGTGCTGGCGGGCTGTTGGCTATGTTACTATTCAAGGCAAAGATTACCTTGCTG GTGCAGACGGTAAGGATGCAATTGAAAACGGTGGTGACGCTGCAACAAATGAAGACACAA AAATCCAACTTACCGATGAACTCGATGTTGATGGTTCTGTAAAAACAGCGGCAACAGCAA CATTTTCTGGTACTGCAACCAACGATCCGCTGGCACTTTTAGACAAAGCTATCTCGCAAG TTGATACTTTCCGCTCCTCCGTGCCGTACAAAACCGTCTGGATTCTGCGGTCACCA ACCTGAATAACACCACCACCACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACT ATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCGGGTAACTCTG TGCTGTCTAAAGCTAACCAGGTACCGCAGCAGGTTCTGTCTCTGCTGCAGGGTTAA

78/96

CTTCTCTTAGCTCTGCTATTGAGCGTCTGTCTTCTGGTCTGCGTATTAACAGCGCAAAAG ACGATGCAGCAGGTCAGGCGATTGCTAACCGTTTTACGGCAAATATTAAAGGTCTGACCC AGGCTTCCCGTAACGCGAATGATGGTATTTCTGTTGCGCAGACCACTGAAGGTGCGCTGA ATGAAATTAACAACAACCTGCAGCGTATTCGTGAACTTTCTGTTCAGGCAACTAACGGTA CTAACTCTGACAGCGATCTTTCTTCTATCCAGGCTGAAATTACTCAACGTCTGGAAGAAA TTGACCGTGTATCTGAGCAAACTCAGTTTAACGGCGTGAAAGTCCTTGCTGAAAATAATG AAATGAAAATTCAGGTTGGTGCTAATGATGGTGAAACCATTGACCTGCCCCCACGATTAG ATACAACACTCAGTTAGTAACGTCGGAATCTTCATTCTCAGAATGACCCTTTCTCCAGCC ATCCTGCCGCCAGTCATTAATAATTTTCCTGGCATGAACGATATCGCTGAACCAGTGCTC ATTCAAACATTCATCGCGAAATCGTCCGTTAAAGCTCTCAATAAATCCGTTCTGCGTTGG CTTGCCCGGCTGGATTAAGCGCAACTCAACACCATGCTCAAAGGCCCATTGATCCAGTGC ACGGCAAGTGAACTCCGGCCCCTGGTCAGTTCTTATCGTCGCCGGATAGCCTCGAAACAG TGCAATGCTGTCCAGAATACGCGTGACCTGAACGCCTGAAATCCCAAAGGCAACAGTGAC CGTCAGGCATTCCTTTGTGAAATCATCGACGCAGGTAAGACACTTGATCCTGCGACCGGT CAGCGGCAGACGTTCTGTTGCCAGCCCTTTACGACGTCTTCTGCGTTTTACGCCCAGGCC ACTGAGGTGATAAAGCCGGTACACGCGCTTATGATTAACATGAAGCCCTTCACGGCGCAG CAACTGCCAAATACGACGGTAGCCAAAACGCCTGCGCTCCAGTGCCAGCTCAGTGATGCG CCCTGATAAATGCGCATCAGCAGCCGGACGGTGAGCCTCATAGCGGCAGGTCGACAGGGA TAAACCTGTAAGCCTGCAGGCACGACGTTGCGACAGACCGGTCGCATCACACATCAACAT CACGGCTTCCCGCTTCTGGTCTGTCGTCAGTACTTTCGCCCAAGAGCCACCTGAAGCGCC TCTTTATCCAGCATGGCTTCGGCAAGCAGCTTCTTGAGTCTGGTGTTCTCTTCCTCAAGC GACTTCAGGCGCTTAACTTCAGGCACCTCCATACCGCCATACTTCTTACGCCAGGTGTAA GCTTCGCGGAGAATACTGATGATCTGTTCGTCGGAAAAACGCTTCTTCATGGGGATGTCC TCATGTGGCTTATGAAGACATTACTAACATCGGGGTGTACTAATCAACGGGGAGCAGGTC ACCATCACTATCAATCTGGCAAAAATTGATGCGAAAACTCTCGGCCTGGACGGTTTTAAT ATCGATGGCGCGCAGAAAGCAACCGGCAGTGACCTGATTTCTAAATTTAAAGCGACAGGT ACTGATAATTATCAAATTAACGGTACTGATAACTATACTGTTAATGTAGATAGTGGAGTA GTACAGGATAAAGATGGCAAACAAGTTTATGTGAGTGCTGCGGATGGTTCACTTACGACC AGCAGTGATACTCAATTCAAGATTGATGCAACTAAGCTTGCAGTGGCTGCTAAAGATTTA GCTCAAGGTAATAAGATTGTCTACGAAGGTATCGAATTTACAAATACCGGCACTGGCGCT ATACCTGCCACAGGTAATGGTAAATTAACCGCCAATGTTGATGGTAAGGCTGTTGAATTC ACTATTTCGGGGAGTGCTGATACATCAGGTACTAGTGCAACCGTTGCCCCTACGACAGCC CTATACAAAATAGTGCAGGGCAATTGACTGCAACAAAAGTTGAAAATAAAGCAGCGACA CTATCTGATCTTGATCTGAACGCTGCCAAGAAAACAGGAAGCACGTTAGTTGTTAACGGT GCAACTTACGATGTTAGTGCAGATGGTAAAACGATAACGGAGACTGCTTCTGGTAACAAT AAAGTCATGTATCTGAGCAAATCAGAAGGTGGTAGCCCGATTCTGGTAAACGAAGATGCA GCAAAATCGTTGCAATCTACCACCAACCCGCTCGAAACTATCGACAAAGCATTGGCTAAA GTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCTGCCATCACC AACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGCCGTATCGAAGATGCTGAC TACGCGACCGAAGTGTCTAACATGTCTCGTGCGCAGATCCTGCAACAAGCGGGTACCTCT GTTCTGGCACAGGCTAACC

79/96

AACAAAAACCAGTCTGCGCTGTCGACTTCTATCGAGCGCCTCTCT TCTGGTCTGCGCATTAACAGCGCTAAAGATGACGCTGCGGGCCAGGCGATTGCTAACCGC TTCACTTCTAACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAACGACGGTATCTCT CTGGCGCAGACCACTGAAGGCGCACTGTCTGAAATCAACAACAACTTGCAGCGTGTTCGT GAACTGACCGTTCAGGCCACTACCGGTACTAACTCTGATTCTGACCTGTCTTCAATCCAG GACGAAATCAAATCCCGTCTCGATGAAATTGACCGCGTATCCGGTCAGACTCAGTTCAAC GGCGTGAACGTACTGGCAAAAGATGGCTCGATGAAAATTCAGGTCGGTGCAAATGATGGT CAGACAATCAGCATTGATTTGCAGAAGATTGATTCTTCTACTTTAGGGTTAAATGGTTTT TCTGTTTCCAAAAATGCAGTATCTGTTGGTGATGCTATTACTCAATTGCCTGGCGAGACG GCAGCCGATGCACCAGTAACCATCAAGTTTGATGATTCAGTAAAAACTGATTTAAAACTG CAGTATGTTGTACAGAATGGCGGAAAATCTTACGCTGCTACAGTCGCTGCCAATGGTAAT GTTACGCTGAACAAGCAAATGTAACCTACAGCGATGTCGCAAACGGTATTGATACCGCA ACGCAGTCAGGCCAGTTAGTTCAGGTTGGTGCAGATTCTACCGGTACGCCAAAAGCATTC GTGTCTGTCCAAGGTAAAAGCTTTGGCATTGATGACGCCGCCTTGAAGAATAACACTGGT GATGCTACCGCTACTCCACCGGGAACATCTGGGACAACAGTTGTCGCAGCGTCAATTCAT ${\tt CTGAGTACGGGCAAAAACTCTGTAGACGCTGATGTAACGGCTTCCACTGAATTCACAGGT}$ GCTTCAACCAACGATCCACTGACTCTGCTGGACAAAGCTATCGCATCTGTTGATAAATTC ACCACCACCACCTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAA

AACAAAAACCAGTCTGCGCTGTCGACTTCTATCGAACGCCTCTCTTCTGG CCTGCGTATTAACAGTGCGAAAGATGACGCTGCCGGTCAGGCGATAGCTAACCGTTTCAC CTCTAACATTAAAGGCCTGACTCAGGCTGCGCGTAACGCCAACGACGGTATTTCTCTGGC GCAGACCACAGAAGGTGCGTTGTCTGAAATCAACAACAACTTGCAACGTGTGCGTGAGTT GACCGTTCAGGCGACCGGTACTAACTCTGATTCTGACCTGTCATCTATTCAGGACGA AATCAAATCCCGTCTGGATGAGATTGACCGTGTTTCCGGTCAGACCCAGTTCAACGGCGT GAATGTACTGGCAAAAGACGGTTCGATGAAGATTCAGGTTGGCGCGAATGATGGCCAGAC TATTAGCATTGATTTACAGAAAATTGACTCTTCTACATTAGGGTTGAATGGTTTCTCCGT TTCTGCTCAATCACTTAACGTTGGTGATTCAATTACTCAAATTACAGGAGCCGCTGGGAC AAAACCTGTTGGTGTTGATTTCACTGCTGTTGCGAAAGATCTGACTACTGCGACAGGTAA AACTGTCGATGTTTCCAGCCTGACGTTACACAACACCCTGGATGCGAAAGGGGCTGCCAC CGCACAGTTCGTCGTTCAATCCGGTAGTGATTTCTACTCCGCGTCCATTGACCATGCAAG TGGTGAAGTGACGTTGAATAAAGCCGATGTCGAATACAAAGACACCGATAATGGACTAAC GACTGCAGCTACTCAGAAAGATCAGCTGATTAAAGTTGCCGCTGACTCTGACGGCGCGC TGCGGGATATGTAACATTCCAGGGTAAAAACTACGCTACAACGGCTCCAGCGGCGCTTAA TGATGACACTACGGCAACAGCCACAGCGAACAAGTTGTTGTTGAATTATCTACAGCAAC TCCGACTGCGCAGTTCTCAGGGGCTTCTTCTGCTGATCCACTGGCACTTTTAGACAAAGC CATTGCACAGGTTGATACTTTCCGCTCCTCCGTGCCGTTCAAAACCGTCTGGACTC TGCGGTAACCAACCTGAACACCACCACCAACCTGTCTGAAGCGCAGTCCCGTATTCA GGACGCCGACTATGCGACCGAAGTGTCTAACATGTCGAAAGCGCAGATCATCCAGCAGGC GGGTAACTCTGTGCTGTCTAAA

The first control of the first

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACTGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGGACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTC GACGAAATTG ACCGCGTATC CGGTCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

82/96

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCAGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CGGCCCGTAA CGCCAACGAC GGTATTTCTG TTGCGCAGAC CACCGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATTCGTG AACTGACGGT TCAGGCCACT ACAGGGACTA ACTCCGATTC TGACCTGGAC TCCATCCAGG ACGAAATCAA ATCTCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT GCTGGCGAAA GACGGTTCAA TGAAAATTCA GGTTGGTGCG AATGACGGCG AAACCATCAC GATCGACCTG AAAAAATCG ATTCTGATAC TCTGGGTCTG AATGGCTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC AGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACTAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTGCT GATTCAGCTT CAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TCAAAGCAGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACAGAATATA CCATCGCAAA AGCAACTCCT GCGACAACCA CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATC ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCAATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CCGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT CATTCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCTAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCAGCGGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCGCAGAC CACCGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATTCGTG AACTGACGGT TCAGGCCACT ACAGGGACTA ACTCCGATTC TGACCTGGAC TCCATCCAGG ACGAAATCAA ATCTCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT GCTGGCGAAA GACGGTTCAA TGAAAATTCA GGTTGGTGCG AATGACGGCG AAACCATCAC GATCGACCTG AAAAAAATCG ATTCTGATAC TCTGGGTCTG AATGGCTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC AGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACTAAATC TACTGCTGGT ACGGGTGTAA ACGCCGCGGC GCAGGCTGCT GATTCAGCTT CAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TCAAAGCAGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACAGAATATA CCATCGCAAA AGCAACTCCT GCGACAACCA CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATC ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGCACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCAATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCGGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CCGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT CATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCTAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACTGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGGACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTC GACGAAATTG ACCGCGTATC CGGTCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

PCT/AU99/00385

85/96

ATGGCACAAGTCATTAATACCAACAGCCTCTCGCTGATCACTCAAAATAATATCAACAAG AACCAGTCTGCGCTGTCGAGTTCTATCGAGCGTCTGTCTTCTGGCTTGCGTATTAACAGC GCGAAGGATGACGCCGCAGGTCAGGCGATTGCTAACCGTTTTACTTCTAACATTAAAGGC CTGACTCAGGCGGCCCGTAACGCCAACGACGGTATTTCTGTTGCGCAGACCACCGAAGGC GCGCTGTCCGAAATCAACAACAACTTACAGCGTATTCGTGAACTGACGGTTCAGGCCACT ACAGGGACTAACTCCGATTCTGACCTGGACTCCATCCAGGACGAAATCAAATCTCGTCTT GATGAAATTGACCGCGTATCCGGCCAGACCCAGTTCAACGGCGTGAACGTGCTGGCGAAA GACGGTTCAATGAAAATTCAGGTTGGTGCGAATGACGGCGAAACCATCACGATCGACCTG AAAAAAATCGATTCTGATACTCTGGGTCTGAATGGCTTTAACGTAAATGGTAAAGGTACT ATTACCAACAAGCTGCAACGGTAAGTGATTTAACTTCTGCTGGCGCGAAGTTAAACACC ACGACAGGTCTTTATGATCTGAAAACCGAAAATACCTTGTTAACTACCGATGCTGCATTC GATAAATTAGGGAATGGCGATAAAGTCACAGTTGGCGGCGTAGATTATACTTACAACGCT AAATCTGGTGATTTTACTACCACTAAATCTACTGCTGGTACGGGTGTAGACGCCGCGGCG CAGGCTGCTGATTCAGCTTCAAAACGTGATGCGTTAGCTGCCACCCTTCATGCTGATGTG TCAGCAGGTAATATCACCATCGGTGGAAGCCAGGCATACGTAGACGATGCAGGCAACTTG ACGACTAACAACGCTGGTAGCGCAGCTAAAGCTGATATGAAAGCGCTGCTCAAAGCAGCG AGCGAAGGTAGTGACGTGCCTCTCTGACATTCAATGGCACAGAATATACCATCGCAAAA GCAACTCCTGCGACAACCACTCCAGTAGCTCCGTTAATCCCTGGTGGGATTACTTATCAG GCTACAGTGAGTAAAGATGTAGTATTGAGCGAAACCAAAGCGGCTGCCGCGACATCTTCA ATTACCTTTAATTCCGGTGTACTGAGCAAAACTATTGGGTTTACCGCGGGTGAATCCAGT GATGCTGCGAAGTCTTATGTGGATGATAAAGGTGGTATCACTAACGTTGCCGACTATACA GTCTCTTACAGCGTTAACAAGGATAACGGCTCTGTGACTGTTGCCGGGTATGCTTCAGCG ACTGATACCAATAAAGATTATGCTCCAGCAATTGGTACTGCTGTAAATGTGAACTCCGCG GGTAAAATCACTACTGAGACTACCAGTGCTGGTTCTGCAACGACCAACCCGCTTGCTGCC CTGGACGACGCAATCAGCTCCATCGACAAATTCCGTTCTTCCCTGGGTGCTATCCAGAAC CGTCTGGATTCCGCAGTCACCAACCTGAACAACACCACTACCAACCTGTCCGAAGCGCAG TCCCGTATTCAGGACGCCGACTATGCGACCGAAGTGTCCAACATGTCGAAAGCGCAGATC ATTCAGCAGGCCGGTAACTCCGTGCTGGCAAAAGCTAACCAGGTACCGCAGCAGGTTCTG TCTCTGCTGCAGGGTTAA

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCAGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCGCAGAC CACCGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATTCGTG AACTGACGGT TCAGGCCACT ACAGGGACTA ACTCCGATTC TGACCTGGAC TCCATCCAGG ACGAAATCAA ATCTCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT GCTGGCGAAA GACGGTTCAA TGAAAATTCA GGTTGGTGCG AATGACGGCG AAACCATCAC GATCGACCTG AAAAAATCG ATTCTGATAC TCTGGGTCTG AATGGCTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC AGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACTAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTGCT GATTCAGCTT CAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TCAAAGCAGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACAGAATATA CCATCGCAAA AGCAACTCCT GCGACAACCA CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATC ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGCACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCAATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCGGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CCGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT CATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCTAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

87/96

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACTGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGGACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTC GACGAAATTG ACCGCGTATC CGGTCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACACC ACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTTCTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

88/96

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCAGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CGGCCCGTAA CGCCAACGAC GGTATTTCTG TTGCGCAGAC CACCGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATTCGTG AACTGACGGT TCAGGCCACT ACAGGGACTA ACTCCGATTC TGACCTGGAC TCCATCCAGG ACGAAATCAA ATCTCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT GCTGGCGAAA GACGGTTCAA TGAAAATTCA GGTTGGTGCG AATGACGGCG AAACCATCAC GATCGACCTG AAAAAAATCG ATTCTGATAC TCTGGGTCTG AATGGCTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC AGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACTAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTGCT GATTCAGCTT CAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TCAAAGCAGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACAGAATATA CCATCGCAAA AGCAACTCCT GCGACAACCA CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATC ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCAATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CCGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT CATTCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCTAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACCGAAGGC GCGCTGTCTG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGAACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTT GATGAAATTG ACCGCGTATC CGGCCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CTTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTACTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

ATGGCACAAG TCATTAATAC CAACAGCCTC TCGCTGATCA CTCAAAATAA TATCAACAAG AACCAGTCTG CGCTGTCGAG TTCTATCGAG CGTCTGTCTT CTGGCTTGCG TATTAACAGC GCGAAGGATG ACGCCGCGGG TCAGGCGATT GCTAACCGTT TTACTTCTAA CATTAAAGGC CTGACTCAGG CTGCACGTAA CGCCAACGAC GGTATTTCTG TTGCACAGAC CACTGAAGGC GCGCTGTCCG AAATCAACAA CAACTTACAG CGTATCCGTG AGCTGACGGT TCAGGCTTCT ACCGGGACTA ACTCTGATTC GGATCTGGAC TCCATTCAGG ACGAAATCAA ATCCCGTCTC GACGAAATTG ACCGCGTATC CGGTCAGACC CAGTTCAACG GCGTGAACGT ACTGGCAAAA GACGGTTCGA TGAAAATTCA GGTTGGTGCG AATGACGGTG AAACTATCAC TATCGACCTG AAGAAAATCG ATTCTGATAC TCTGGGTCTG AATGGTTTTA ACGTAAATGG TAAAGGTACT ATTACCAACA AAGCTGCAAC GGTAAGTGAT TTAACTTCTG CTGGCGCGAA GTTAAACAC CACGACAGGT CTTTATGATC TGAAAACCGA AAATACCTTG TTAACTACCG ATGCTGCATT CGATAAATTA GGGAATGGCG ATAAAGTCAC CGTTGGCGGC GTAGATTATA CTTACAACGC TAAATCTGGT GATTTTACTA CCACCAAATC TACTGCTGGT ACGGGTGTAG ACGCCGCGGC GCAGGCTACT GATTCAGCTA AAAAACGTGA TGCGTTAGCT GCCACCCTTC ATGCTGATGT GGGTAAATCT GTTAATGGTT CTTACACCAC AAAAGATGGT ACTGTTTCTT TCGAAACGGA TTCAGCAGGT AATATCACCA TCGGTGGAAG CCAGGCATAC GTAGACGATG CAGGCAACTT GACGACTAAC AACGCTGGTA GCGCAGCTAA AGCTGATATG AAAGCGCTGC TTAAAGCCGC GAGCGAAGGT AGTGACGGTG CCTCTCTGAC ATTCAATGGC ACTGAATATA CTATCGCAAA AGCAACTCCT GCGACAACCT CTCCAGTAGC TCCGTTAATC CCTGGTGGGA TTTCTTATCA GGCTACAGTG AGTAAAGATG TAGTATTGAG CGAAACCAAA GCGGCTGCCG CGACATCTTC AATTACCTTT AATTCCGGTG TACTGAGCAA AACTATTGGG TTTACCGCGG GTGAATCCAG TGATGCTGCG AAGTCTTATG TGGATGATAA AGGTGGTATT ACTAACGTTG CCGACTATAC AGTCTCTTAC AGCGTTAACA AGGATAACGG CTCTGTGACT GTTGCCGGGT ATGCTTCAGC GACTGATACC AATAAAGATT ATGCTCCAGC AATTGGTACT GCTGTAAATG TGAACTCCGC GGGTAAAATC ACTACTGAGA CTACCAGTGC TGGTTCTGCA ACGACCAACC CGCTTGCTGC CCTGGACGAC GCTATCAGCT CCATCGACAA ATTCCGTTCT TCCCTGGGTG CTATCCAGAA CCGTCTGGAT TCCGCAGTCA CCAACCTGAA CAACACCACT ACCAACCTGT CTGAAGCGCA GTCCCGTATT CAGGACGCCG ACTATGCGAC CGAAGTGTCC AACATGTCGA AAGCGCAGAT TATCCAGCAG GCCGGTAACT CCGTGCTGGC AAAAGCCAAC CAGGTACCGC AGCAGGTTCT GTCTCTGCTG CAGGGTTAA

The second secon

91/96

ATGCGACGTATAGAACGAATACCGGGGTTATCGGCGTAAGCGGGGCAAA GTTTACGATTTATTTTTGGCTTAATGACACGAACAGCAACGAGGAAGGG GATAACAGGGTTGACGGCGACGAAGCCGAAGGGTGGAAGCCCAATACTT AAACCGTAGACTTGAAAACAGGAAAATGAATCATGGCACAAGTCATTAAT ACCAACAGCCTCTCGCTGATCACTCAAAATAATATCAACAAGAACCAGTC TGCGCTGTCGACTTCTATCGAGCGCCTCTCTTCTGGTCTGCGCATTAACAG CGCTAAAGATGACGCTGCGGGCCAAGCGATTGCTAACCGCTTCACTTCTA ACATCAAAGGTCTGACTCAGGCCGCACGTAACGCCAACGACGGTATTTCT CTGGCGCAGACCACTGAAGGCGCACTGTCTGAAATCAACAACAACTTGCA GCGTGTTCGTGAACTGACCGTTCAGGCCACTACCGGTACTAACTCTGATTC TGACCTGTCTTCAATACAGGACGAAATCAAATCCCGTCTCGATGAAATTG ACCGCGTATCCGGTCAGACTCAGTTCAACGGCGTTAATGTTCTTTCCAAAG ATGGTTCAATGAAAATTCAGGTTGGTGCGAATGATGGTCAAACTATCTCC ATCGATCTGAAGAAAATTGATTCTTCAACTTTGGGGCTGAATGGCTTCTCA GTTTCTAAAAACTCTCTTAATGTCAGCAATGCTATCACATCTATCCCGCAA GCCGCTAGCAATGAACCTGTTGATGTTAACTTCGGTGATACTGATGAGTCT GCAGCAATCGCAGCCAAATTGGGGGTTTCCGATACGTCAAGCCTGTCGCT GCACAACATCCTTGATAAAGATGGTAAGGCAACAGCTGATTATGTTGTTC AGTCAGGTAAAGACTTCTATGCTGCTTCTGTTAATGCCGCTTCAGGTAAAG TAACCTTAAACACCATTGATGTTACTTATGATGATTATGCGAACGGTGTTG ACGATGCCAAGCAAACAGGTCAGCTGATCAAAGTTTCAGCAGATAAAGAC GGCGCAGCTCAAGGTTTTGTCACACTTCAAGGCAAAAACTATTCTGCTGGT GATGCGGCAGACATTCTTAAGAATGGAGCAACAGCTCTTAAGTTAACTGA TCTGAATTTAAGTGATGTTACTGATACTAATGGTAAGGTAACCACAACTGC GACTGAGCAATTTGAAGGTGCTTCAACTGAGGATCCGCTGGCGCTTCTGG ATAAAGCTATTGCATCAGTCGACAAATTCCGGTCTTCTCTAGGTGCCGTGC AGAACCGTCTCGATTCCGCTATCACCAACCTGAACAACACCACCACCAAC CTGTCTGAAGCGCAGTCCCGTATTCAGGACGCCGACTATGCGACCGAAGT GTCCAACATGTCGAAAGCGCAGATCATCCAGCAGGCAGGTAACTCCGTGC TGTCTAAAGCGAACCAGGTACCGCAGCAAGTTCTGTCACTGTTACAAGGC TAATGGCCTTAACCTGCCTGACCCGCCACCGGCGGGGTTTTTTCTGTCCG CAATTTACCGATAACCCCCAAATAACCCCTCATTTCACCCACTAATCGTCC GATTAAAAACCCTGCAGAAACGGATAATCATGCCGATAACTCATATAACG CAGGCTGTTTATCGTGAATTCACTCTATACCGCTGAAGGTGTAATGGATA **AACACTCGCTG**

WO 99/61458

PCT/AU99/00385

92/96

AACAGCCTCTCGCTGATCACTCAGAACAACATCAACAAAAACCAGTCTTC
AATGTCTACTGCCATTGAGCGTCTGTCTTCCGGTCTGCGTATCAACAGCGC
AAAAGATGACGCTGCTGGCCAGGCGATTGCCAACCGCTTCACCTCTAACA
TCAAAGGTCTGACTCAGGCAGCTCGTAACGCCAACGACGGTATCTCCGTT
GCACAGACCACTGAAGGCGCACTGTCTGAAATCAACAACAACCTGCAGCG
TATCCGTGAGCTGACTGTTCAGTCTTCTACGGGTACTAACTCTGAATCCGA
TCTGAACTCAATCCAGGACGAAATTAAATCCCGTCTGGACGAAATTGACC
GCGTATCCGGTCAGACCCAGTTCAACGGCGTGAACGTGCTGCAAAAGAC
GGCTCCATGAAAATTCAGGTTGGCGCGAACGATGGTGAAACCATCACCAT
CGACCTGAAAAAAAATTGACTCTTCTACTTTAAACCTGACTAGCTTTAA

The state of the s

Figure 70A

93/96

AGCCTGTCGCTGTTGACCCAGAATAACCTGAACAAATCTCAGTCTTCTCTG
AGCTCCGCCATTGAGCGTCTCTCTTCTGGCCTGCGTATTAACAGTGCTAAA
GATGACGCAGCAGGTCAGGCGATTGCTAACCGTTTTACAGCAAATATTAA
AGGTCTGACTCAGGCTTCCCGTAACGCGAATGATGGTATTTCTGTTGCGCA
GACCACTGAAGGCGCGCTGAATGAAATTAACAACAACCTGCAGCGTGTAC
GTGAACTGACTGTTCAGGCAACTAACGGTACTAACTCTGACAGCGATCTTT
CTTCTATCCAGGCTGAAATTACTCAACGTCTGGAAGAAATTGACCGTGTAT
CTGAG CAAACTCAGTTTAACGGCGTGAAAGTCCTTGCTGAAAAT


A CONTROL OF THE CONT

GCACGTTAGTTGTTAACGGTGCAACTTACGATGTTAGTGCAGATGGTAAA
ACGATAACGGAGACTGCTTCTGGTAACAATAAAGTCATGTATCTGAGCAA
ATCAGAAGGTGGTAGCCCGATTCTGGTAAACGAAGATGCAGCAAAATCGT
TGCAATCTACCACCAACCCGCTCGAAACTATCGACAAAGCATTGGCTAAA
GTTGACAATCTGCGTTCTGACCTCGGTGCAGTACAAAACCGTTTCGACTCT
GCTATCACCAACCTTGGCAACACCGTAAACAACCTGTCTTCTGCCCGTAGC
CGTATCGAAGATGCTGACTACGCGACCGAAGTGTCTAACATGTCTCGTGC
GCAGATCCTGCAACAAGCGGGTACCTCTGTTCTGGCGCAGGCTAACCAGA
CCACGCAGAACGTAC

The state of the s

FIGURE 73A

Sequence of the polylinker region of plasmid pTrc99A:



96/96

FIGURE 73B

Sequence in the junction region between vector and the 5' end of the H antigen gene:

AGGAAACAGACC ATG GCA CAA GTC ATT AAT ACC SD Hantigen gene

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare:

(Application Serial No.)

That my residence, post office address and citizenship are as stated below next to my name.

That I verily believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and

	ANTIGENS ANI						a patent is sought on the			
	is attached hereto.									
	was filed on <u>21/05/1999</u> as International Application Serial No. <u>PCT/AU99/00385</u> and was amended or <u>01/05/2000</u> (if applicable).									
	we reviewed and until treferred to above.	nderstand the con	itents of the above-	identified spec	ification,	including	the claims, as amended			
	knowledge the duty le of Federal Regula		mation known to be	e material to pa	itentability	of this a	application in accordance			
patent or inventor		d below and have	ve also identified	below any for	reign app	lication 1	foreign application(s) for for patent or inventor's			
Prior Foreign App	plication(s)				Claimed	1				
DOT/ALION/00285	•	PCT	2	1/05/1000		∐ Yes	No			
PCT/AU99/00385 (Number)	(Country		(Day/Month/Yea	1/05/1999 r Filed)	 -	1 68	NO			
PP3634 (Number)	A (Country	ustralia	21/05/199 (Day/Month/Yea		✓ Yes	□ No				
Trumber)	(County	<i>')</i>	(Day/Month) 1 ea	i i ileu)		<u>,</u> 🗆				
(Number)	(Country	<i>'</i>)	(Day/Month/Yea	r Filed)	Yes	No				
and, insofar as the the manner provide information as de-	e subject matter of edded by the first par	each of the claim agraph of Title Code of Federal	s of this application 35, United States (Regulations, §1.56	n is not disclos Code, §112, I 5(a) which occ	ed in the acknowle	prior Un dge the o	oplication(s) listed below ited States application in duty to disclose material filing date of the prior			
United States App	lication(s)									
•4										
(Application Serial No.)		(Filing Date)		(Status)-(Patented, pending, abandoned)						
(Application Seria	l No.)	(Filing Date)		(Status)-(Pater	nted, pend	ling, abai	ndoned)			

-1-

(Status)-(Patented, pending, abandoned)

(Filing Date)

That all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

I hereby appoint the following attorneys, with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith and request that all correspondence and telephone calls in respect to this application be directed to: WELSH & KATZ, LTD., 120 South Riverside Plaza, 22nd Floor, Chicago, Illinois 60606-3913, Telephone No.: (312) 655-1500:

Attorney		Registration No.
A. Sidney Katz Richard L. Wood Jerold B. Schnayer Eric C. Cohen Joseph R. Marcus Gerald S. Schur Gerald T. Shekleton James A. Scheer Daniel R. Cherry Kathleen A. Rheintgen Edward P. Gamson Thomas W. Tolpin Shannon L. Nebolsky Mitchell J. Weinstein Charles R. Krikorian		24,003 22,839 28,903 27,429 25,060 22,053 27,466 29,434 29,054 34,044 29,381 26,700 41,217 37,963 40,687
Full name of sole or one joint inventor:	- -	Peter Richard Reeves
Inventor's signature:		15/3/2001
Date:		15/3/2001
Residence and Post Office Address:		20 Mansfield Street
	_	Glebe NSW 2037 The Supplemental Control of Supplementa
		AUSTRALIA
Citizenship:		Great Britain
Full name of additional joint inventor, if any:		Lei Wang
•		lo'tra
Inventor's signature:	10	15/3/2001
Date:		
Residence and Post Office Address:		8A Holt Street
		North Ryde NSW 2113

Citizenship:

Address of the control of the contro

The state of the s

Address for Correspondence:

WELSH & KATZ, LTD.

120 <u>South Riverside</u> Plaza 22nd Eloor

Chicago, Illinois 60606-3913

PCT09

ENTERED

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/701,132A

DATE: 10/23/2001 TIME: 10:29:44

Input Set : A:\P30384.app

Output Set: N:\CRF3\10232001\I701132A.raw

```
3 <110> APPLICANT: THE UNIVERSITY OF SYDNEY
      5 <120> TITLE OF INVENTION: ANTIGENS AND THEIR DETECTION
      7 <130> FILE REFERENCE: REEVES
C--> 9 <140> CURRENT APPLICATION NUMBER: US/09/701,132A
```

C--> 10 <141> CURRENT FILING DATE: 2001-06-15

12 <160> NUMBER OF SEQ ID NOS: 68

14 <170> SOFTWARE: PatentIn Ver. 2.0

16 <210> SEO ID NO: 1 17 <211> LENGTH: 1773 18 <212> TYPE: DNA

19 <213> ORGANISM: Escherichia coli

#21 <400> SEQUENCE: 1 22 atgcgacgta tagaacgaat accggggtta tcggcgtaag cggggcaaag tttacgattt 60 23 attttttggc ttaatgacac gaacagcaac gaggaagggg agtatttcga ccgctagaaa 120 4 aaaattctaa aggttgtgag tgaccagacg ataacagggt tgacggcgac gaagccgaag 180 5 ggtggaagcc caatacttaa accgtagact tgaaaacagg aaaatgaatc atggcacaag 240 🚧 tcattaatac caacageete tegetgatea eteaaaataa tateaacaag aaceagtetg 300 🜬 7 cgctgtcgac ttctatcgag cgcctctctt ctggtctgcg cattaacagc gctaaagatg 360 憶 acqctqcqqq ccaaqcqatt qctaaccqct tcacttctaa catcaaaggt ctgactcagg 420 指29 cegeaegtaa egecaaegae ggtatttete tggegeagae caetgaagge geaetgtetg 480 30 aaatcaacaa caacttgcag cgtgttcgtg aactgaccgt tcaggccact accggtacta 540 31 actotgatto tgacotgtot toaatacagg acgaaatcaa atocogtoto gatgaaattg 600 accgogtato oggtoagact cagttoaacg gogttaatgt totttocaaa gatggttoaa 660 33 tgaaaattca ggttggtgcg aatgatggtc aaactatctc catcgatctg aagaaaattg 720 4 attottcaac tttggggotg aatggottot cagtttotaa aaactotott aatgtcagca 780 \$\frac{1}{2}\$5 atgetateae atetateeeg eaageegeta geaatgaaee tgttgatgtt aactteggtg 840 🕼6 atactgatga gtctgcagca atcgcagcca aattgggggt ttccgatacg tcaagcctgt 900 🟭7 cqctqcacaa catccttqat aaaqatgqta aggcaacagc tgattatgtt gttcagtcag 960 38 gtaaagactt ctatgctgct tctgttaatg ccgcttcagg taaagtaacc ttaaacacca 1020 39 ttgatgttac ttatgatgat tatgcgaacg gtgttgacga tgccaagcaa acaggtcagc 1080 40 tgatcaaagt ttcagcagat aaagacggcg cagctcaagg ttttgtcaca cttcaaggca 1140 41 aaaactattc tgctggtgat gcggcagaca ttcttaagaa tggagcaaca gctcttaagt 1200 42 taactgatct gaatttaagt gatgttactg atactaatgg taaggtaacc acaactgcga 1260 43 ctgagcaatt tgaaggtgct tcaactgagg atccgctggc gcttctggat aaagctattg 1320 44 catcagtcga caaattccgg tcttctctag gtgccgtgca gaaccgtctc gattccgcta 1380 45 teaceaacet gaacaacace accaceaace tgtetgaage geagteeegt atteaggaeg 1440 46 ccgactatgc gaccgaagtg tccaacatgt cgaaagcgca gatcatccag caggcaggta 1500 47 actccgtgct gtctaaagcg aaccaggtac cgcagcaagt tctgtcactg ttacaaggct 1560 48 aatggcctta acctgcctga ccccgccacc ggcggggttt tttctgtccg caatttaccg 1620 49 ataaccccca aataacccct catttcaccc actaatcgtc cgattaaaaa ccctgcagaa 1680 50 acggataatc atgccgataa ctcatataac gcagggctgt ttatcgtgaa ttcactctat 1740 51 acceptgaag gtgtaatgga taaacactcg ctg 53 <210> SEQ ID NO: 2

54 <211> LENGTH: 500

55 <212> TYPE: DNA

56 <213> ORGANISM: Escherichia coli

58 <400> SEQUENCE: 2

RAW SEQUENCE LISTING DATE: 10/23/2001 PATENT APPLICATION: US/09/701,132A TIME: 10:29:44

Input Set : A:\P30384.app

```
59 aacageetet egetgateae teagaacaae ateaacaaaa accagtette aatgtetaet 60
 60 gccattgagc gtctgtcttc cggtctgcgt atcaacagcg caaaagatga cgctgctggc 120
 61 caggogatty ccaaccyctt cacctctaac atcaaaggtc tgactcaggc agctcgtaac 180
 62 qccaacqacq qtatctccqt tgcacagacc actgaaggcg cactgtctga aatcaacaac 240
 63 aacctqcaqc qtatccqtqa qctqactqtt caqtcttcta cqqqtactaa ctctqaatcc 300
 64 gatetgaact caatecagga egaaattaaa teeegtetgg aegaaattga eegegtatee 360
 65 qqtcaqaccc agttcaacqq cgtgaacqtg ctggcaaaaq acggctccat gaaaattcag 420
 66 gttggcgcga acgatggtga aaccatcacc atcgacctga aaaaaattga ctcttctact 480
                                                                        500
 67 ttaaacctga ctgggtttaa
 69 <210> SEO ID NO: 3
 70 <211> LENGTH: 500
 71 <212> TYPE: DNA
 72 <213> ORGANISM: Escherichia coli
 74 <400> SEQUENCE: 3
 75 ctcagtatgc tgtcaccggc agtacaggtg ccgtaactta cgatccagat acagatcctg 60
 76 ccgcqactgq tgatattgtt tctgcttatg ttgatgatgc aggtacattg acaactgatg 120
腳7 caaacaaaac tgtaaaatat tatgcccaca ctaatggtag cgtcacgaac gacagtggtt 180
🜃8 cagetattta egeaactgaa gegggeaaat tgaetaetga agegtetaea getgetgaaa 240
🧊9 ctaccgctaa cccactgaaa gccctggacg atgcaatcag ccagatcqac aaattccgtt 300
80 cttctctggg tgctgtacag aaccgtctgg attctgcggt aaccaacctg aacaacaca 360 81 ccaccaacct gtctgaagcg cagtcccgta ttcaggacgc cgactatgcg accgaagtgt 420
82 caaatatgtc taaagcgcag atcatccagc aggccggtaa ctccgtgttg gctaaagcta 480
#83 accaggttcc tcagcaggtt
                                                                        500
85 <210> SEQ ID NO: 4
86 <211> LENGTH: 399
# 87 <212> TYPE: DNA
📲88 <213> ORGANISM: Escherichia coli
90 <400> SEQUENCE: 4
91 agootgtogo tgttgaccca gaataacctg aacaaatoto agtottotot gagotoogoo 60

20 attgaqcqtc tctcttctqq cctgcqtatt aacagtgcta aagatgacgc agcaggtcag 120

93 gegattgeta acceptitac agcaaatatt aaaggtetga etcaggette cegtaacgeg 180
94 aatgatggta tttctgttgc gcagaccact gaaggcgcgc tgaatgaaat taacaacaac 240
🌬5 ctgcagcgtg tacgtgaact gactgttcag gcaactaacg gtactaactc tgacagcgat 300
 96 ctttcttcta tccaggctga aattactcaa cgtctggaag aaattgaccg tgtatctgag 360
                                                                        399
 97 caaactcagt ttaacggcgt gaaagtcctt gctgaaaat
 99 <210> SEO ID NO: 5
 100 <211> LENGTH: 417
 101 <212> TYPE: DNA
 102 <213> ORGANISM: Escherichia coli
 104 <400> SEOUENCE: 5
 105 gcacgttagt tgttaacggt gcaacttacg atgttagtgc agatggtaaa acgataacgg 60
 106 agactgcttc tggtaacaat aaagtcatgt atctgagcaa atcagaaggt ggtagcccga 120
 107 ttctggtaaa cgaagatgca gcaaaatcgt tgcaatctac caccaacccg ctcgaaacta 180
 108 tcgacaaagc attggctaaa gttgacaatc tgcgttctga cctcggtgca gtacaaaacc 240
 109 gtttcgactc tgctatcacc aaccttggca acaccgtaaa caacctgtct tctgcccgta 300
 110 geogratega agatgetgae taegegaeeg aagtgtetaa eatgtetegt gegeagatee 360
 111 tgcaacaagc gggtacctct gttctggcgc aggctaacca gaccacgcag aacgtac
 113 <210> SEQ ID NO: 6
 114 <211> LENGTH: 950
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/701,132A

DATE: 10/23/2001
TIME: 10:29:44

Input Set : A:\P30384.app

```
115 <212> TYPE: DNA
 116 <213> ORGANISM: Escherichia coli
 118 <400> SEQUENCE: 6
 119 aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
 120 aacaqcqcta aaqatqacqc cqcqqqccaq qcqattqcta accqctttac ttctaacatc 120
 121 aaaggtetga eteaggeege aegtaaegee aacgaeggta tttetetgge geagaegget 180
 122 qaaqqcqcqc tqtcaqaqat taacaacaac ttqcaqcqta ttcqtqaact gaccqttcag 240
 123 geotetaceq geacquaete tgatteegae etgeteteta tteaggaega aatcaaatee 300
 124 cgtcttgatg aaattgaccg tgtatctggt cagacccagt tcaacggtgt gaacgtgctg 360
 125 toqaaaaacq attoqatqaa gattoaqatt qqtqccaatq ataaccagac gatcagcatt 420
 126 ggcttgcaac aaatcgacag taccactttg aatctgaaag gatttaccgt gtccggcatg 480
 127 gcggatttca gcgcggcgaa actgacggct gctgatggta cagcaattgc tgctgcggat 540
 128 qtcaaqqatq ctqqqqqtaa acaaqtcaat ttactqtctt acactqacac cqcqtctaac 600
 129 agtactaaat atgcggtcgt tgattctgca accggtaaat acatggaagc cactgtagtc 660
 130 attaccggta cggcggcggc ggtaactgtt ggtgcagcgg aagtggcggg agccgctaca 720
 131 geogateegt taaaageact ggatgeegea ategetaaag tegacaaatt eegeteetee 780
#組32 ctcqqtqccq ttcaaaaccq tctqqattct qcqqtcacca acctqaacaa caccaccacc 840
33 aacctgtctg aagcgcagtc ccgtattcag gacgccgact atgcgaccga agtgtccaac 900
34 atqtcqaaag cgcagattat ccagcaggcg ggcaactccg tgctgtctaa
336 <210> SEQ ID NO: 7
137 <211> LENGTH: 1212
138 <212> TYPE: DNA
139 <213> ORGANISM: Escherichia coli
1141 <400> SEQUENCE: 7
#142 aacaaaaacc aqtctqcqct qtcqacttct atcqaqcqcc tctcttctgg tctgcgtatt 60
143 aacagegeta aagatgaege egegggeeag gegattgeta acegetteae ttetaacate 120
120 144 aaaggtetga eteaggeege aegtaaegee aaegaeggta tetetetgge geagaeeaet 180
145 gaaggegege tgtetgaaat caacaacae ttgcagegtg tgcgtgagtt gaccgttcag 240
 146 gcgacgaccg ggactaactc tgattctgac ctgtcttcta ttcaggacga aatcaaatcc 300
47 cgtctggatg aaattgatcg cgtttccggt cagacccagt tcaacggcgt gaatgtgctg 360
48 qcqaaagatg gttcgatgaa gattcaggtt ggcgcgaatg atgggcagac tattagcatt 420
🚟 49 gatttgcaga agattgactc ttctacatta ggactgaacg gtttctccgt ttcgggtcag 480
4150 tcacttaacg ttagtgattc cattactcaa attaccggtg ccgccgggac aaaacctgtt 540
 151 ggtqttgatt tcactgctgt tgcgaaagat ctgactactg cgacaggtaa aacagtcgat 600
 152 qtttctaqcc tqacqttaca caacactctg gatgcgaaag gggctgctac atcacagttc 660
 153 gtcqttcaat ccqqcaatga tttctactcc gcgtcgatta atcatacaga cggcaaagtc 720
 154 acqttqaata aaqccqatqt cqaatacaca qacaccqata atggactaac qactqcqqct 780
 155 acteagaaag ateaactgat taaagttgee getgaetetg aeggetegge tgegggatat 840
 156 qtaacattcc aaqqtaaaaa ctacqctaca acqqtttcaa cggcacttga tgataatact 900
 157 gcggcaaaag caacagataa taaagttgtt gttgaattat caacagcaaa accgactgca 960
 158 cagttetcag gggettette tgetgateca etggeaettt tagacaaage tattgeacag 1020
 159 gttgatactt tecgeteete eeteggtgeg gtgcaaaace gtetggatte egeagtaace 1080
 160 aacctgaaca acaccaccac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1140
 161 tatgctacag aagtgtccaa catgtcgaaa gcgcagatca tccagcaggc aggtaactcg 1200
 162 qtqctqtcca aa
                                                                       1212
 164 <210> SEQ ID NO: 8
 165 <211> LENGTH: 1647
 166 <212> TYPE: DNA
 167 <213> ORGANISM: Escherichia coli
```

RAW SEQUENCE LISTING

DATE: 10/23/2001 TIME: 10:29:44 PATENT APPLICATION: US/09/701,132A

Input Set : A:\P30384.app

169	<400> SEQUE	ENCE: 8							
			caacagcctc	tcgctgatca	ctcaaaataa	tatcaacaag	60		
171	aaccagtctg	cgctgtcgag	ttctatcgag	cgtctgtctt	ctggcttgcg	tattaacagc	120		
					ttacttctaa				
					ttgcgcagac				
					aactgacggt				
					acgaaatcaa				
176	gacgaaattg	accocotato	cggtcagacc	cagttcaacg	gcgtgaacgt	actggcaaaa	420		
					agactatcac				
					atgtgaacgg				
					tcacagctgc				
					ctgtagcaag				
					caactagcgc				
					aagacactaa				
					tcctcaatcc				
					aagatgtaaa				
					atatggatgc				
					tggctaaact				
					cattcaccag				
					ttgcaaatgc				
					taacaacagg				
					ctccgccaac				
					ccggtaaact				
					cagaatcaac				
					teegeteete				
					acaccactac				
					aagtgtccaa				
					aagctaacca				
	caggttctgt				-		1647		
	<210> SEQ 1								
	<211> LENGT								
	<212> TYPE: DNA								
	<213> ORGANISM: Escherichia coli								
204	<400> SEQUE	ENCE: 9							
205	atggcacaag	tcattaatac	caacagcctc	tcgctgatca	ctcaaaataa	tatcaacaag	60		
206	aaccagtctg	cgctgtcgag	ttctatcgag	cgtctgtctt	ctggcttgcg	tattaacagc	120		
207	gcgaaggatg	acgccgcggg	tcaggcgatt	gctaaccgtt	ttacttctaa	cattaaaggc	180		
208	ctgactcagg	ctgcacgtaa	cgccaacgac	ggtatttctg	ttgcacagac	caccgaaggc	240		
209	gcgctgtctg	aaatcaacaa	caacttacag	cgtatccgtg	agctgacggt	tcaggcttct	300		
210	accggaacta	actctgattc	ggatctggac	tccattcagg	acgaaatcaa	atcccgtctt	360		
					gcgtgaacgt				
212	gacggttcga	tgaaaattca	ggttggtgcg	aatgacggtg	aaactatcac	tatcgacctg	480		
					acgtaaatgg				
					ctggcgcgaa				
					taactaccga				
					tagattatac				
					cgggtgtaga				
					ccacccttca				
219	ggtaaatctg	${\tt ttaatggttc}$	ttacaccaca	aaagatggta	ctgtttcttt	cgaaacggat	900		

RAW SEQUENCE LISTING DATE: 10/23/2001 PATENT APPLICATION: US/09/701,132A TIME: 10:29:44

Input Set : A:\P30384.app

```
220 tcagcaggta atatcaccat cqqtqqaaqc caqqcatacq tagacgatgc aggcaacttg 960
 221 acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
 222 agcgaaggta gtgacggtgc ttctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
 223 gcaactectg egacaacete tecagtaget cegttaatee etggtgggat taettateag 1140
 224 gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
 225 attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
 226 gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
 227 gtctcttaca gcqttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
 228 actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
 229 ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
 230 ctgqacqacq ctatcaqctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
 231 cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
 232 tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
 233 atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
                                                                       1758
 234 tctctgctgc agggttaa
 236 <210> SEQ ID NO: 10
#237 <211> LENGTH: 1383
238 <212> TYPE: DNA
 239 <213> ORGANISM: Escherichia coli
241 <400> SEQUENCE: 10
42 aacaaatctc aqtcttctct taqctctqct attqaqcqtc tqtcttctgg tctgcgtatt 60
43 aacagegeaa aagaegatge ageaggteag gegattgeta acegttttae ggeaaatatt 120
44 aaaqqtctqa cccaqqcttc ccqtaacqca aatqatqqta tttctgttgc gcagaccact 180
🙀 45 qaaqqtqcqc tqaatqaaat taacaacaac ctgcaqcgta ttcgtgaact ttctgttcag 240
246 gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
247 cqtctqqaaq aaattqaccq tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
248 gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
249 aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
250 cagaaagcaa caggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
 251 qatqttqqcq qtaaaactta taccgtgaat gtggagagcg gcgcggttaa gaatgatgct 600
252 aataaagatg tttttgtaag cgcagctgat ggatcgctga cgaccagtag tgatactaaa 660
👼53 qtatccqqtq aaaqtattqa tqcaacaqaa ctagcgaaac ttgcaataaa attagctgac 720
254 aaaqqctcca ttqaatacaa qqqcattaca tttactaaca acactggcqc agagcttgat 780
 255 gctaatggta aaggtgtttt gaccgcaaat attgatggtc aagatgttca atttactatt 840
 256 gacagtaatg cacccacggg tgccggcgca acaataacta cagacacagc tgtttacaaa 900
 257 aacagtgcgg gccagttcac cactacaaaa gtggaaaata aagccgcaac actctctgat 960
 258 ctgqatctta atqcaqccaa qaaaacaqqt agcactttag ttqtaaatqq cqccacctac 1020
 259 aatgtcagcg cagatggtaa aacggtaact gatactactc ctggtgcccc taaagtgatg 1080
 260 tatctqaqca aatcaqaaqq tqqtaqcccq attctqqtaa acqaaqatqc agcaaaatcg 1140
 261 ttgcaatcta ccaccaaccc gctcgaaact atcgacaagg cattggctaa agttgacaat 1200
 262 ctgcqttctg acctcqqtqc aqtacaaaac cgtttcgact ctgccatcac caaccttggc 1260
 263 aacaccgtaa acaacctgtc ttctgcccgt agccgtatcg aagatgctga ctacgcgacc 1320
 264 gaagtgtcta acatgtctcg tgcgcagatc ctgcaacaag cgggtacctc tgttctggcg 1380
 265 cag
 267 <210> SEQ ID NO: 11
 268 <211> LENGTH: 2013
 269 <212> TYPE: DNA
 270 <213> ORGANISM: Escherichia coli
 272 <400> SEOUENCE: 11
```

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/701,132A

DATE: 10/23/2001 TIME: 10:29:47

Input Set : A:\P30384.app

Output Set: N:\CRF3\10232001\I701132A.raw

L:9 M:270 C: Current Application Number differs, Replaced Application Number L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date

81

PCT09

RAW SEQUENCE LISTING

Input Set A:\P30384.app

Output Set N:\CRF3\01232001\I701132.raw

PATENT APPLICATION US/09/701,132

DATE: 01/23/2001 TIME 11:14 28

ENTERED

3 <110> APPLICANT THE UNIVERSITY OF SYDNLY 5 <120 - TITLE OF INVENTION. ANTICENS AND THEIR DETECTION 7 <130> FILE REFERENCE REEVES C--> 9 <140> CURRENT APPLICATION NUMBER: US/09/701,132 C--> 10 <141> CURRENT FILING DATE: 2000-11-21 12 <160> NUMBER OF SEQ ID NOS 68 14 <170> SOFTWARE PatentIn Vor 2 0 $16 < 210 > S \pm Q ID NC - 1$ 17 <211> LENGTH 1773 18 <212> TYPE: DNA 19 <213> ORGANISM Escherichia coil 21 <400> SEOUENCE, I 22 atgegacgea tagaacgaat accggggtla teggeglaag eggggeaaag iltacgatti 60 23 attfiligge flaatgacae gaacagcaac gaggaagggg agtatticga cegetagaaa 120 24 aaaaltotaa aggitgigag igaccagacg araacagggt tgacggcgac gaagccgaag 186 25 ggfgguagne caatactfaa aenguagant fgaaaanagy aaautgaate atggeanan; 240 26 teattaarae haanagente Ingotgatea eteaaaataa taheaanaay aaccaghetg 300 27 egetgtegae tietategig egeoletett etggtetgeg eattaacage getaaagatg 360 28 acyclynygg ccaagcgatt yntaaccgot reactietaa caleaaaggi eiganteagg 420 29 degrangtaa egenaangan ggtattteln iggegnagan naorgaagge grantgining 480 30 aaatcaacsa caantigoag ogtgitogig aactganogi teaggenact accognacta 540 31 actetuatro tganetquet feaataeugg angaaaleaa ulencqtete gatgaaattg 600 32 accycg atr rygteagaet ragtfeaacy gryfiaatyf frilleeaaa gafygtiraa 660 33 tgaadarica ggliggigg aalgalggte adactatote canegatotg aagadaalig 720 34 attelleage filggggetg agiggettet egglitelag agaetetett agigteggeg 780 35 atgetateae atriateeng caadeegota graatraace igrigatgit aactieggig 840 36 atacigunga gtotgoagca atogoagcoa aatogogggt thoogatacg todagcorgt 900 37 egetyeacaa cateefryat aaagotygia aggeaanage tyattatyit qiicaqicaq 960 38 gtaaagacit cratgotgol totgitaatg obgoltoagg taaagtaaco tiaaacacca 1020 39 tigatginas thatgatgut hangegaaeg geginganga ngocaageaa acaggicage 1080 40 tgatcaaagt tiragcagat aaayacggog cagetraagg tiltgiraca etroaaggra 1140 41 aaaactatto tgotggtgat qoggoagacu ttottaagaa tggagoaaca gotottaag: 1200 42 taacigatet gaaittaagi galgitacig alactaalgg taagglaace acanolgoga 1260 43 etgageaalt lgaaggtger teaactgagg aleegetgge gettetggat aaagetattg 1320 44 cathagtoga caaattoogg fottototag gtgccqtgea qaaccgtoto gattoogota 1380 45 teaccaacet gauraarare accaseaare ighelgaage geagteeegt altraggaeg 1440 46 cogactatge gaceguagty tocaacatgi egadagegea gateatecag caggeaggia 1500 47 actromiget girtaaayog aarraggtus ogragraagt tolgreactg tiacaagget 1560 48 aatggeeffa acctgeetga encogecade ggeggggtif filetgteeg caalifaceg 1620 49 ataannooca aalaaoocht natitheenn antautogin ngattaaaaa occigoagaa 1680 50 acggalaate atgeogataa e catataac geagggetgi tialogigaa ticactetai 1740 51 accordgaag glytaalgga taaacactcy ctg 53 <210> SEQ ID NO 2 54 <211> LENGTH 500

500

55 <212> TYPE: DNA

58 <400> SPOUENCE

56 <213> ORGANISM. Escherich:a coli

RAW SEQUENCE LISTING DATE 01/23/2001 PAIENT APPLICATION US/09/701,132 THE 11 14 28


```
59 accapentet egetyalean teugaweaan alhaacaaaa accapteite aatgintunt 60
60 qccaitgagn gictgtetth eggtetgegt athaacageg caaaagatga egnigetgge 120
61 caggogatty ecaacogott cacetotaac atcacaggic tyactolage anotogicae 180
62 genaacqaeq qtatrichqt tgcaraqae; aciqaaqqoq caetqicig; aaicaacaac 240
63 aauctgoago gtatoogtga gotgacigti caqtottota cyggitantaa onotgaaico 300
64 gatetyaach cuatocagga egawattaaa teeegtetgg ucgawattga eegegta ee 360
65 ggleagacht agthraangy cytgaacgtg ofggeaaaug acogeteeat gaaaatteag 420
66 gtiggryrga acgutqqtqa waccatcach atogarctga aaaaaathga btouthtart 480
67 trauacotga otgogittaa
69 <210> SEO 10 NO 3
70 <211> LLNCTH 500
71 <212> TYPE DNA
72 <213> OkGANISM Escherichia coli
74 <400> SECUENCE 3
75 obcaquatge Eghnacegge agranaguig onglaachta ogatocagat acagalonig 50
76 degegaring igalatight inigettate tigateatee agetacatie acaacteaty 120
77 cadacadado tigidadatat talinocoaca otaaliggiag ogicaciqaao gacuqitgiti 180
78 cagetatila eyeaaetgaa gegogeaaat tyactaetga ageytetaea qetyetgaaa 240
79 otacogotaa cocactgada goodtggacg atgcaatcag ocayalogac aaattocytt 300
80 officintygg tyctytacag aacegictyg affictycygt aaceaachty aaraacacca 360
81 ecaecuaect giotquageg cagicoeqia ticaggaege egactuigeg accgaagigt 420
82 caaalatgro taaagogoag alcalooago aggooggtaa oloogigtig gotaaagota 480
83 accapathre reageagett
85 <210> SEQ 1D NO 4
86 <211> LENCTH 399
87 <212> TYPE. DNA
88 <213> ORGANISH Aschericia coli
90 <400> SEQUENCE 1
91 agoctytogo tyttyaonia gaataacoty aacaaatote aglottotot gagotengoo 60
92 attgayegic teteiletyg entgegtall aacagtycia aagaiguege ageaggicag 120
93 gegatigeta acceptitude ageauatati aaaggietga eleaggetie eegiaangeg 180
94 aatyalydta tiictgitgo ydagaccadt daaggegoge igaatgaaat faacaacuac 240
95 objectively targitalist quotantous goalectallog gracetalists transfer and 300
96 ottifoliofa recaggetga auttacteaa egtetggaag aaattgaeeg tgtatetgag 360
97 caaachdagt tuaunggegt gaaagtoott gotgaaaut
99 <210> SEO ID NO. 5
100 <211> IFNGTH 417
102 <>13> OPGANISM Escherichia coli
104 <400> SEQUENCE. 5
105 gracqtfaqi tqttuacqqt qcaacttacq aiqttaytqc agatqqtaaa acqataacqq 60
106 agactgette tiggtaacaat aaagteatgt atetgageaa afeagaaggt ggtageeega 120
107 Euctygica cgaagatyca gcaaaatcyi tgcaatcsac caccaaccog ctogauacta 180
108 teganaaago attigoniaaa gtilgadaalo tgegitoiga ooroggigoa giadaaaado 240
109 gittequete Eqetuteuce amentitgea acacegiama epacetigiol tetigocogia 300
110 geografica agatgotgae tangegueeg aagtgtelaa cargtetegt gegeagatee 360
111 tycoacuago gggtacetot ytteiggege aggstaacca gaccaegeag aacgtae
113 <210> SEQ 1D NO 6
114 <211> 1ENGIH 950
```

RAW SEQUENCE LISTING DATE 01/23/2001 PATENT APPLICATION US/09/701,132 TIME 1: 14 29

```
115 <212> TYPE, DNA
116 <213> ORGANISH Escherichia coti
118 <4005 SLODENCE: 6
119 Baduadaade agthighqui glogacithi blogachqe totottotgg totgcgfatt 60
120 along great ungulgation of eggs of the second section and 120
121 aaauguntega otoaggoogo acgraangon aacgaeggta titoletgge geagaegget 180
122 gaaggogogo tyteugadat taacaucaan itqoagogtu tiogigaact gacogitcam 240
123 gretchachg gracquaeld (quitterman chybriteta thraggacha dateauatec 400
124 catchiguig sashigaeng hatsteiggl eagscenagi thisoggigt gasegigking 360
125 trousayang astegathas quiffeuga't gotgecuaig atwaccugae gatrageatt 420
126 ggottgezae agatogacag rachanttug authtgaaag gatttacegt gtorggodig 480
127 geogratica georggegaa acigaegget getgalggta cagedatige igelgeogat 540
128 gtoaaggitg rtoggggtaa araaglraul Ffuntgrott arabtgacao ogogtotaao 600
129 antectauat argegytogt tgariotigoa acoggitadar acarggaago cactigitagio 660
130 attanoogia nygoggogo yotaanty i aqtignayogo aagtigoogo agoogotaba 720
131 gengalengt tiaangeart ggalgeegla itoyetaaag tegacaaatt degeteelee 780
132 cleggigned ricalalaced letigatint designates acctdadea eaccaceaec 840
133 aacolytota aagogoayte eeqtattoaa gaugeegaet atgegaeega agtqtecaac 900
134 a gtogadag ngcagattat coageaggog ggoaacterg tgotgtotaa
136 <210> SFQ ID NO 7
137 <211> LENCUL | 1212
138 <212> 1YPE DNA
139 <213> ORGANISM Escherichia coli
141 <400> SEQUENCE: 7
142 aacaamaacc aqtetqogot qtoqacttrt atoqagogor totottotgg totqogtatt 60
143 addagnorta uagaigacgo ngogugodug gogutigota achqottoac ftotaanath 120
144 awaytetga ethuggooge andtukence warganggta thtethotogo geagannant 180
145 guaggegege tytetgaaat baacaacaac itgeageoig tgegtgagit gabegiteug 240
146 gegacqueeq qquetauete tquitetque eligietteta ticaggacqu autrauatec 300
147 cyrchagata azatlyatog nytttooggi bayabbayt teaaoggogt gaw atgotg 350
148 gegaacquig ghicquigas gaticugett geograaly atygecagae tatuageath 420
149 guttivoaga aguttyacin utniunarra ggwnigaang gfittotoogi tiogggioag 480
150 tracttaacq tractgatto cattacteaa attaccqqtg cogoogggac assacctgtt 540
151 ggrgtraatt thuckgorg: "gogaaagut otgastactg ogacaggtaa uacagtogat 600
152 githelagee Egacquitaea haaran..etq qalgegaaag ggyetgetae utoacagillo 660
153 gingiteaa: ooggeaaiqa Litelacice qootngatta atratacaga eggeaaagie 720
154 angtigaata aagcogatgi ngaatanaca ganacegata atggactaac gactgoggot 780
155 actedquay atcountgat tawaytique quiganturg acquetogge tgoqqqatat 840
156 glacuttos appraauaa otacquiaca acceptitoaa cogractiga repitaatact 900
157 geggeaaaag caacagataa taaagitgit qitgaabrat caacagcaaa acegacigca 960
158 caytteteag ggyettette tgetgateer etggraéitt tagacaaage tattycocay 1020
159 gittgatactt tengetonte entegnigeg gigeaasabe gierggatte egoagtaane 1080
160 accompans acaccaccac nancetyrot gaagegragh decentation ggacgengae 1140
161 tatgetadag aagtstedaa datstegada segeagated tecaseasge asstaactes 1200
162 gigotgices aa
164 <2'0> SFQ 'D NO 8
165 <211> LENGTH, 1647
166 <212> TYPE DMA
```

167 <213> ORCANISM Escherionia coli

PAW SEQUENCE LISTING PATENT APPLICATION US/09/701,132

DATE 31/23/2001

TIME: .1 14 25

```
169 <400> SEQUENCE: 8
170 alggermaag imaltaatan baabagooth ingotgatba hthaabaataa tathaabaag 60
171 accountning egoiglogae thotalogae egicternit eterriteed taliaacage 120
172 genazgyang acgeogogy teaggogatt getaaeogtt tlacttotaa bathaaagge 180
173 olqurfolig olgologila oqoralogac gqlatttotg tigogolgac cacegalaggo 240
174 gagatqtaaq aaattaacaa caacttacag agtattagtg aactgacqgt teaggattat 300
175 accygiaela actetoatte ggatetygae feentteagg uegaaateaa atecemtete 360
176 gacquaatlg arogograto oggicagaes cagiteaaeg gegigaaegt aciggcaaaa 420
177 gacgettega tgaaaalbea qqttggigog aatgacggoo aguctuteac tattgatetg 480
178 aaqaaaatty actotgatae getggggety aatqqgtiia alvigaaegg caaaqggqaa 540
179 anggotiaalu oggoagnaan ootgaaagat atglotiggat toknagotigo ggoggoakoa 600
180 gagggaactg tradigitaac Leaatatact gacaaatrgg etglagcaag tagogtagat 660
181 atletoadig etgitgetog egedgatgga datodaguita eductagege egargttggt 720
182 tiliggiaran rageogetge tigtaaneral acetaraara aaguractaa ttratatrice 780
183 gregetieta ataavatite eugegetaac etggutgett Leoleaatee teaggeegga 840
184 qatarqarta aaqrtaraqt tacaat+gqt qqcaaaqatr aaqatgtaaa catcgataaa 900
185 teegginati taacigoigo tgatgafqqo qoaqiacitt afacqqatqo taccqqtaac 960
\pm 86 likariana uluargotyg lyolgalara raayotacti tyyclaaact tyylaciyci \pm 1020
187 actogligela algeryegae catecaauct garaaaggua caticaceag tgucggtaca 1080
188 gog: (tgatg grgcatcaat gtocattgat accaatacat tigcaaatgc agiadaaaat 1110
189 quouctiala etgecactift aggigetaag actiatugeg taacaacagg itetgetgot 1200
190 geagacaecy etharalgag caalggggtt etmagtgara etmogreaac itaetatgma 1260
191 caaqotquitg gaag-atcac anotactgag gatqoggotg coggtabact ggfotacuaa 1320
192 gqtloogatg gtaayttaac aacggatang actagcaaag cagaatcaac atcagatoog 1380
193 ctogragere tigargacge tateageeag ategacaaat teegeteete eetgggigeg 1440
194 glyrauaacc glolggatto ogdagtgang aacctgaada adaccactac daaccigtol 1500
195 gaaqughadt choqtaltoa ggacgoogae tafgogaeng aagtgtobaa catqtogaua 1560
196 goynayatta tonaqoaggo nqqtaactoo qtgotgocaa aagofaacca qqttooqoaq 1620
197 caggitergt etetgetgea gggttaa
199 <210> SEO ID NO: 9
200 <211> LENGTH 1758
201 <212> TYPF DNA
202 <213> ORGANISM Escherichia coli
204 <400> SLOUENCE, 9
205 at mountag teathaatan caacagooth togotgatea otoaaaataa tatcaacaag 60
20% approxyunts ognistogas thetatogas estetstett etgsettges tattaacase 120
207 gegaaggarg aegoegeggg teaggogatt getaacogtt thaetrotaa caftaaagge 180
208 ctgae cagg ctgeangtae ngchaangan ggtatttetg ttghacagan canngaage 240
209 gegeratetg aaateaacaa caacttaeug ogtateegtg agetgaeggt teaggettet 300
210 aerggaarta actitgatte ggaletggae terattragg argaaateaa atroegiett 360
2.11 gatgabaltg accycqtate eggerayaec eagtteaaeg gegtgaargt actggcaaaa 420
212 gunggtroga rgauaattoa ygttqytgog aatganggtg aaactatean tateganetg 480
213 augaeuatog attotgatan totgggtotg aatggtttta anglaeetgg tabaggtant 540
214 altarraara aagetgraac gelaagtgat tiaactictg riggegegaa gitaaarace 600
215 argaraggic fitatyatot yaaaarogaa aataoortgi taactarrga tgotgraite 660
216 gataas tag ogaatggega laaagtcaee gitggeggeg tagatratae ficeaaeget 720
217 aas/ctygtg attittactac caccasatot actgetggta egggtgtaga egeogeggeg 780
218 cannotarty alleagetaa aaaacatyat gegitagetg ceacceitea tgetgatgig 840
219 gglaaalotg Llaatggtto tlacaccaca aaagatggta otgillotit ogaaacggat 900
```

CATH 01/23/2001 RAW SEQUENCE LISTING PATENT APPLICATION US/09/701,132 TIME 11.14 29

Input Set . A:\P30384.app

```
220 teageagita atateareat eggtggaage eaggeaturg lagaegatge aggearetty 960
221 acquetama acquetgatag cqcaqctama grtgatatga marcqctqct tamuqccqcq 1020
222 agegaaggha ghgacggtge tterotoaca theaatggca crysatatuc tatogcaada 1080
223 geneticity egacalecte treagtaget engitables cigotogogat lacitateag 1140
224 getacagiya qiaaagatgi agtuttgago qaaaccaaag oggoiyoogo gacatotica 1200
225 attacettta atteeggigt artgagnada ariatigggt ilacegeggg lgaateeagt 1260
226 qatqotqoqa agtottalgt qqatqotaaa qqtqqtatta ctaacqttgo cqactataca 1320
227 quetettara gegituacia ggaraacqee Fetgigartg ligergggta tgetheageg 1380
228 actyatzena ataaagatha Egehodagda attggladtg cighanatgt gaadtoogog 1440
229 ggladawied claelgagde tuecagiget gguteigedd rgaccadeed geligiciged 1500
230 obggacgacy realcagete raingacula teorgeteet coolgggige talocagaar 1560
231 eqtetqqath enyeagteac caanetqaac aucaccarta chaanetqte tqaaqcqeaq 1620
232 tecegitatic aggaegoega ciatgegaec gaagigicea acaigicgaa agegeagati 1680
233 alreageagg coggiaacte egigotygea aaagerauce aggiacogea geaggiteig 1740
234 tototgotgo agggttaa
236 <210> SFQ 10 NO 70
237 <211> LENGTH. 1383
238 <212> TYPE DNA
239 <213> ORGANISM Escherichia coli
241 <400> SLOUENCE 10
242 adoualtore agrettetet tageterget attgagegre typettotgg tetgegtati 60
243 aaragricaa aagargatgo agragotrag yoqactgota acrigttitar gocaaatatt 120
244 adaggtriga conaggette ongtalogea alatgatggta ttforgttge goagaceaet 180
245 gaaggtgege igaatgaaat laanaacaac etgnagngta thegtgaact thetgiteag 240
246 grauntaacg glantaueth igacagngat chilottotta Locaggoiga aalfactoaa 300
247 egictggaag aaaltgaceg ligtatelgag caaacleagt thaacggegt galagteett 360
248 grigadacia afgadatigaa uattraggii qifgcibulg atiggtgadac cafcactaic 420
249 aatrtygeaa aautigatge gaaaactete ggeelggaeg gtiltaatat egatggegev 480
250 cagaaugean caggeagtga cotgattiot anatiticaag ogacaggtac igutaatitat 540
251 gaigtiggeg gtaaaacria taocgigaat gtogagaacg gegeggttaa gaatgatget 600
252 aaraaagalg tittigtuag ogragotgut ggalogolga ogarcagtag igalantuaa 660
253 gtateeggtg adagtattga Lgodaragaa otamegawac tigodataaa attagetgae 720
254 adaggeteea tiguataeaa yggeattaea tifactaara acartggege agagetigat 780
255 getaafggra aaggtgittit gadegeaaut attgatggfe aagatgtiea uitfacfaft 840
256 garagtaatg racchanggg tgroggogra abastaarra bagarabado Egittabaaa 900
257 accagtigning greattiteac cantaraaaa gtgyaaaata aagongcaac actobotgut 960
258 clygafotta atgragodaa gaaaacaqqt agrantttag tigtawatqq ogodanntac 1020
259 autyteagew magatygtaa aaeggtaact gatactaete etggtgeece faaagtgatg 1080
260 tutofgagos aatoagaugg togfagoong attotggfas acgaagatgo ugoaaaatog 1140
261 tigoaatota coaccaacco gologaaact alegacaaqq caltigotaa aqtigacaat 1200
262 etgegtietg accleggige agracaaaac egittegaet etgecateae eaaceligye 1260
263 aacacceptaa anaaccipto trobpoccept agreeptating aayitgotga chacegogane 1320
264 gaagtgteta acutoteteg foegeagate etgeaacaag egggtacete tgttetggeg 1380
265 cag
                                                                      1383
267 <210> SEO ID NO - H
268 <211> LENGTH 2013
269 <212> TYPE DNA
270 <213> ORCANISM Escherichia coli
272 <400> SEQUENCE 1:
```

VERIFICATION SUMMARY

PATENT APPLICATION US/09/701.132

DATE 51/23/2001 TIME 13 14 30

Input Set A:\P30384.app
output Set. N:\CRF3\01232001\I701132.raw

1:9 M:270 C. Current Application Number differs, Replaced Application Number 1:10 M:271 C. Current Filing Date differs, Replaced Current Filing Date

SEQUENCE LISTING

```
<110> THE UNIVERSITY OF SYDNEY
 <120> ANTIGENS AND THEIR DETECTION
 <130> REEVES
 <140>
 <141>
 <160> 68
 <170> PatentIn Ver. 2.0
 <210> 1
 <211> 1773
 <212> DNA
 <213> Escherichia coli
 <400>1
atgcgacgta tagaacgaat accggggtta tcggcgtaag cggggcaaag tttacgattt 60
attttttggc ttaatgacac gaacagcaac gaggaagggg agtatttcga ccgctagaaa 120
aaaattctaa aggttgtgag tgaccagacg ataacagggt tgacggcgac gaagccgaag 180
ggtggaagcc caatacttaa accgtagact tgaaaacagg aaaatgaatc atggcacaag 240
tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag aaccagtctg 300
cgctgtcgac ttctatcgag cgcctctctt ctggtctgcg cattaacagc gctaaagatg 360
acgctgcggg ccaagcgatt gctaaccgct tcacttctaa catcaaaggt ctgactcagg 420
ccgcacgtaa cgccaacgac ggtatttctc tggcgcagac cactgaaggc gcactgtctg 480
aaatcaacaa caacttgcag cgtgttcgtg aactgaccgt tcaggccact accggtacta 540
actotgatto tgacotgtot toaatacagg acgaaatcaa atocogtoto gatgaaattg 600
accgcgtatc cggtcagact cagttcaacg gcgttaatgt tctttccaaa gatggttcaa 660
tgaaaattca ggttggtgcg aatgatggtc aaactatctc catcgatctg aagaaaattg 720
attetteaac tttggggetg aatggettet eagtttetaa aaactetett aatgteagea 780
atgctatcac atctatcccg caagccgcta gcaatgaacc tgttgatgtt aacttcggtg 840
atactgatga gtctgcagca atcgcagcca aattgggggt ttccgatacg tcaagcctgt 900
cgctgcacaa catccttgat aaagatggta aggcaacagc tgattatgtt gttcagtcag 960
gtaaagactt ctatgctgct tctgttaatg ccgcttcagg taaagtaacc ttaaacacca 1020
ttgatgttac ttatgatgat tatgcgaacg gtgttgacga tgccaagcaa acaggtcagc 1080
tgatcaaagt ttcagcagat aaagacggcg cagctcaagg ttttgtcaca cttcaaggca 1140
aaaactattc tgctggtgat gcggcagaca ttcttaagaa tggagcaaca gctcttaagt 1200
taactgatct gaatttaagt gatgttactg atactaatgg taaggtaacc acaactgcga 1260
ctgagcaatt tgaaggtgct tcaactgagg atccgctggc gcttctggat aaagctattg 1320
catcagtega caaatteegg tettetetag gtgeegtgea gaacegtete gatteegeta 1380
tcaccaacct gaacaacacc accaccaacc tgtctgaagc gcagtcccgt attcaggacg 1440
ccgactatgc gaccgaagtg tccaacatgt cgaaagcgca gatcatccag caggcaggta 1500
acteegtget gtetaaageg aaccaggtae egcageaagt tetgteactg ttacaagget 1560
aatggcctta acctgcctga ccccgccacc ggcggggttt tttctgtccg caatttaccg 1620
ataaccccca aataacccct catttcaccc actaatcgtc cgattaaaaa ccctgcagaa 1680
acggataatc atgccgataa ctcatataac gcagggctgt ttatcgtgaa ttcactctat 1740
accgctgaag gtgtaatgga taaacactcg ctg
<210> 2
<211> 500
<212> DNA
<213> Escherichia coli
<400> 2
aacagcetet egetgateae teagaacaae ateaacaaaa accagtette aatgtetaet 60
gccattgagc gtctgtcttc cggtctgcgt atcaacagcg caaaagatga cgctgctggc 120
caggogattg ccaacogott cacototaac atcaaaggto tgactcaggo agotogtaac 180
gccaacgacg gtatctccgt tgcacagacc actgaaggcg cactgtctga aatcaacaac 240
aacctgcagc gtatccgtga gctgactgtt cagtcttcta cgggtactaa ctctgaatcc 300
gatctgaact caatccagga cgaaattaaa tcccgtctgg acgaaattga ccgcgtatcc 360
ggtcagaccc agttcaacgg cgtgaacgtg ctggcaaaag acggctccat gaaaattcag 420
gttggcgcga acgatggtga aaccatcacc atcgacctga aaaaaattga ctcttctact 480
ttaaacctga ctgggtttaa
```

```
<210> 3
 <211> 500
 <212> DNA
 <213> Escherichia coli
 <400> 3
 ctcagtatgc tgtcaccggc agtacaggtg ccgtaactta cgatccagat acagatcctg 60
 ccgcgactgg tgatattgtt tctgcttatg ttgatgatgc aggtacattg acaactgatg 120
 caaacaaaac tgtaaaatat tatgcccaca ctaatggtag cgtcacgaac gacagtggtt 180
 cagctattta cgcaactgaa gcgggcaaat tgactactga agcgtctaca gctgctgaaa 240
 ctaccgctaa cccactgaaa gccctggacg atgcaatcag ccagatcgac aaattccgtt 300
 cttctctggg tgctgtacag aaccgtctgg attctgcggt aaccaacctg aacaacacca 360
 ccaccaacct gtctgaagcg cagtcccgta ttcaggacgc cgactatgcg accgaagtgt 420
 caaatatgtc taaagcgcag atcatccagc aggccggtaa ctccgtgttg gctaaagcta 480
 accaggttcc tcagcaggtt
 <210> 4
 <211> 399
 <212> DNA
 <213> Escherichia coli
 <400> 4
 agcetgtege tgttgaecea gaataacetg aacaaatete agtettetet gageteegee 60
 attgagcgtc tctcttctgg cctgcgtatt aacagtgcta aagatgacgc agcaggtcag 120
gcgattgcta accgttttac agcaaatatt aaaggtctga ctcaggcttc ccgtaacgcg 180
aatgatggta tttctgttgc gcagaccact gaaggcgcgc tgaatgaaat taacaacaac 240
ctgcagcgtg tacgtgaact gactgttcag gcaactaacg gtactaactc tgacagcgat 300
ctttcttcta tccaggctga aattactcaa cgtctggaag aaattgaccg tgtatctgag 360
caaactcagt ttaacggcgt gaaagtcctt gctgaaaat
<210> 5
<211> 417
<212> DNA
<213> Escherichia coli
<400> 5
gcacgttagt tgttaacggt gcaacttacg atgttagtgc agatggtaaa acgataacgg 60
agactgette tggtaacaat aaagteatgt atetgageaa ateagaaggt ggtageeega 120
ttctggtaaa cgaagatgca gcaaaatcgt tgcaatctac caccaacccg ctcgaaacta 180
tcgacaaagc attggctaaa gttgacaatc tgcgttctga cctcggtgca gtacaaaacc 240
gtttcgactc tgctatcacc aaccttggca acaccgtaaa caacctgtct tctgcccgta 300
geogtatega agatgetgae taegegaeeg aagtgtetaa catgtetegt gegeagatee 360
tgcaacaagc gggtacctct gttctggcgc aggctaacca gaccacgcag aacgtac
<210> 6
<211> 950
<212> DNA
<213> Escherichia coli
<400> 6
aacaaaaacc agtetgeget gtegaettet ategagegee tetettetgg tetgegtatt 60
aacagcgcta aagatgacgc cgcgggccag gcgattgcta accgctttac ttctaacatc 120
aaaggtetga eteaggeege aegtaaegee aaegaeggta tttetetgge geagaegget 180
gaaggcgcgc tgtcagagat taacaacaac ttgcagcgta ttcgtgaact gaccgttcag 240
geetetaceg geacgaacte tgatteegae etgtetteta tteaggaega aateaaatee 300
cgtcttgatg aaattgaccg tgtatctggt cagacccagt tcaacggtgt gaacgtgctg 360
tcgaaaaacg attcgatgaa gattcagatt ggtgccaatg ataaccagac gatcagcatt 420
ggcttgcaac aaatcgacag taccactttg aatctgaaag gatttaccgt gtccggcatg 480
geggatttea gegeggegaa aetgaegget getgatggta eageaattge tgetgeggat 540
gtcaaggatg ctgggggtaa acaagtcaat ttactgtctt acactgacac cgcgtctaac 600
agtactaaat atgcggtcgt tgattctgca accggtaaat acatggaagc cactgtagtc 660
attaccggta cggcggcggc ggtaactgtt ggtgcagcgg aagtggcggg agccgctaca 720
geogateegt taaaageact ggatgeegea ategetaaag tegacaaatt eegeteetee 780
ctoggtgoog ttcaaaacog totggattot goggtcacca acotgaacaa caccaccacc 840
aacctgtctg aagcgcagtc ccgtattcag gacgccgact atgcgaccga agtgtccaac 900
atgtcgaaag cgcagattat ccagcaggcg ggcaactccg tgctgtctaa
                                                                  950
```

```
<211> 1212
<212> DNA
<213> Escherichia coli
<400> 7
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
aacagcgcta aagatgacgc cgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga eteaggeege aegtaaegee aaegaeggta tetetetgge geagaeeaet 180
gaaggcgcgc tgtctgaaat caacaacaac ttgcagcgtg tgcgtgagtt gaccgttcag 240
gcgacgaccg ggactaactc tgattetgac etgtetteta tteaggacga aatcaaatee 300
cgtctggatg aaattgatcg cgtttccggt cagacccagt tcaacggcgt gaatgtgctg 360
gcgaaagatg gttcgatgaa gattcaggtt ggcgcgaatg atgggcagac tattagcatt 420
gatttqcaqa agattgactc ttctacatta ggactgaacg gtttctccgt ttcgggtcag 480
tcacttaacg ttagtgattc cattactcaa attaccggtg ccgccgggac aaaacctgtt 540
ggtgttgatt tcactgctgt tgcgaaagat ctgactactg cgacaggtaa aacagtcgat 600
gtttctagcc tgacgttaca caacactctg gatgcgaaag gggctgctac atcacagttc 660
gtcgttcaat ccggcaatga tttctactcc gcgtcgatta atcatacaga cggcaaagtc 720
acgttgaata aagccgatgt cgaatacaca gacaccgata atggactaac gactgcggct 780
actcagaaag atcaactgat taaagttgcc gctgactctg acggctcggc tgcgggatat 840
gtaacattcc aaggtaaaaa ctacgctaca acggtttcaa cggcacttga tgataatact 900
gcggcaaaag caacagataa taaagttgtt gttgaattat caacagcaaa accgactgca 960
cagttctcag gggcttcttc tgctgatcca ctggcacttt tagacaaagc tattgcacag 1020
gttgatactt teegeteete eeteggtgeg gtgeaaaaee gtetggatte egeagtaaee 1080
aacctgaaca acaccaccac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1140
tatgctacag aagtgtccaa catgtcgaaa gcgcagatca tccagcaggc aggtaactcg 1200
gtgctgtcca aa
<210> 8
<211> 1647
<212> DNA
<213> Escherichia coli
<400> 8
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tecattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actctgatac gctggggctg aatgggttta atgtgaacgg caaaggggaa 540
acggctaata cggcagcaac cctgaaagat atgtctggat tcacagctgc ggcggcacca 600
gggggaactg ttggtgtaac tcaatatact gacaaatcgg ctgtagcaag tagcgtagat 660
attctaaatg ctgttgctgg cgcagatgga aataaagtta caactagcgc cgatgttggt 720
tttggtacac cagccgctgc tgtaacctat acctacaata aagacactaa ttcatattcc 780
qccqcttctq atqatatttc cagcgctaac ctggctgctt tcctcaatcc tcaggccgga 840
gatacgacta aagctacagt tacaattggt ggcaaagatc aagatgtaaa catcgataaa 900
tccggtaatt taactgctgc tgatgatggc gcagtacttt atatggatgc taccggtaac 960
ttaactaaaa ataatgctgg tggtgataca caagctactt tggctaaact tgctactgct 1020
actggtgcta aagccgcgac catccaaact gataaaggaa cattcaccag tgacggtaca 1080
gcgtttgatg gtgcatcaat gtccattgat accaatacat ttgcaaatgc agtaaaaaat 1140
gacacttata ctgccactgt aggtgctaag acttatagcg taacaacagg ttctgctgct 1200
gcagacaccg cttatatgag caatggggtt ctcagtgata ctccgccaac ttactatgca 1260
caagetgatg gaagtateac aactactgag gatgeggetg eeggtaaact ggtetacaaa 1320
ggttccgatg gtaagttaac aacggatacg actagcaaag cagaatcaac atcagatccg 1380
ctggcagctc ttgacgacgc tatcagccag atcgacaaat tccgctcctc cctgggtgcg 1440
gtgcaaaacc gtctggattc cgcagtgacc aacctgaaca acaccactac caacctgtct 1500
gaagegeagt ceegtattea ggaegeegae tatgegaeeg aagtgteeaa catgtegaaa 1560
gcgcagatta tccagcaggc cggtaactcc gtgctggcaa aagctaacca ggttccgcag 1620
```

caggttctgt ctctgctgca gggttaa

1647

```
<210> 9
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 9
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac caccgaaggc 240
gcgctgtctg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accggaacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctt 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ccaccettca tgctgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ttctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
                                                                   1758
tctctgctgc agggttaa
<210> 10
<211> 1383
<212> DNA
<213> Escherichia coli
<400> 10
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtetga eecaggette eegtaaegea aatgatggta tttetgttge geagaeeact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
qcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa caggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
gatgttggcg gtaaaactta taccgtgaat gtggagagcg gcgcggttaa gaatgatgct 600
aataaagatg tttttgtaag cgcagctgat ggatcgctga cgaccagtag tgatactaaa 660
gtatccggtg aaagtattga tgcaacagaa ctagcgaaac ttgcaataaa attagctgac 720
aaaggctcca ttgaatacaa gggcattaca tttactaaca acactggcgc agagcttgat 780
gctaatggta aaggtgtttt gaccgcaaat attgatggtc aagatgttca atttactatt 840
gacagtaatg cacccacggg tgccggcgca acaataacta cagacacagc tgtttacaaa 900
aacagtgcgg gccagttcac cactacaaaa gtggaaaata aagccgcaac actctctgat 960
ctggatetta atgeageeaa gaaaacaggt ageaetttag ttgtaaatgg egeeaeetae 1020
aatgtcagcg cagatggtaa aacggtaact gatactactc ctggtgcccc taaagtgatg 1080
tatctgagca aatcagaagg tggtagcccg attctggtaa acgaagatgc agcaaaatcg 1140
ttgcaatcta ccaccaaccc gctcgaaact atcgacaagg cattggctaa agttgacaat 1200
ctgcgttctg acctcggtgc agtacaaaac cgtttcgact ctgccatcac caaccttggc 1260
aacaccgtaa acaacctgtc ttctgcccgt agccgtatcg aagatgctga ctacgcgacc 1320
gaagtgtcta acatgtctcg tgcgcagatc ctgcaacaag cgggtacctc tgttctggcg 1380
                                                                   1383
caq
```

```
<210> 11
<211> 2013
<212> DNA
<213> Escherichia coli
<400> 11
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcacagac cactgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctgtccaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctgaatctg gctggtttta acgttaacgg taaaggttct 540
gtagcgaata cagctgcgac aagcgacgat ttaaaaactgg ctggtttcac taagggcacc 600
acagatacca atggcgtgac cgcgtataca aacacaatta gtaatgacaa agccaaagct 660
tccgatctgt tagctaatat caccgatgga tcagtgatca ctgggggagg ggcaaacgct 720
tttggcgtgg ctgcaaagaa tggttacacc tatgatgcag caagtaaatc ttatagtttt 780
gctgcagatg gtgccgattc agcgaagacg ttaagcatca ttaatccaaa caccggtgat 840
tcgtcgcagg cgacagtgac tattggtggt aaagagcaga aagttaatat ttcccaggat 900
ggaaaaatta ctgcggcaga tgataatgcg acgctgtatt tagataaaca gggaaacttg 960
acaaaaacga atgcaggtaa cgataccgca gcgacttggg atggtttaat ttccaacagc 1020
gattetaceg gtgeggttee agttggggtt geaactacaa ttacaattae ttetggtaca 1080
gcttccggaa tgtctgttca gtccgcagga gcaggaattc agacctcaac aaattctcag 1140
attettgeag gtggtgeatt tgeggetaag gtaagtattg agggaggege tgetaeagae 1200
attttggtag caagtaatgg aaacataaca gcggctgatg gtagtgcact ttatcttgat 1260
gcgactactg gtggattcac tacaacggct ggaggaaata cagctgcttc gttagataat 1320
ttaattgcta acagtaagga tgctacctta accgtaactt caggtaccgg ccagaacact 1380
gtttatagca caacaggaag tggcgctcag ttcaccagtt tagcaaaagt agacacagtc 1440
aatgtcacca acgcacatgt cagtgccgaa ggtatggcaa atctgacaaa aagcaatttt 1500
accattgata tgggcggtac aggtacagta acttacacag tttccaatgg ggatgtgaaa 1560
gctgctgcaa atgctgatgt ttatgtcgaa gatggtgcac tttcagccaa tgctacaaaa 1620
gatgtaacct actttgaaca aaaaaatggg gctattacca acagcaccgg tggtaccatc 1680
tatgaaacag ctgatggtaa gttaacaaca gaagctacta ctgcatccag ttccaccgcc 1740
gateceetga aagetetgga egaageeate ageteeateg acaaatteeg eteeteeete 1800
ggtgcggtgc aaaaccgtct ggattccgcg gtcaccaacc tgaacaacac cactaccaac 1860
ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1920
tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc taaccaggta 1980
ccgcagcagg ttctgtctct gctgcagggt taa
<210> 12
<211> 1263
<212> DNA
<213> Escherichia coli
 <400> 12
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtgtgcgtg agctgactgt tcaggcgacc 300
 accggtacta actctgagtc tgacctgtct tctatccagg acgaaatcaa atctcgcctg 360
 gaagagattg atcgtgtttc aagtcagact caatttaacg gcgtgaatgt tttggctaaa 420
 gatgggaaaa tgaacattca ggttggggca aatgatggac agactatcac tattgatctg 480
 aaaaagatcg attcatctac actaaacctc tccagttttg atgctacaaa cttgggcacc 540
 agtgttaaag atggggccac catcaataag caagtggcag taggtgctgg cgactttaaa 600
 gataaagctt caggatcgtt aggtacccta aaattagttg agaaagacgg taagtactat 660
 gtaaatgaca ctaaaagtag taagtactac gatgccgaag tagatactag taagggtaaa 720
 attaacttca actctacaaa tgaaagtgga actactccta ctgcagcgac ggaagtaact 780
 actgttggcc gcgatgtaaa attggatgct tctgcactta aagccaacca atcgcttgtc 840
```

gtgtataaag ataaaagcgg caatgatgct tatatcattc agaccaaaga tgtaacaact 900

```
tctacaaccg cgccaagcaa tttaacagct aacccgctta aggctcttga tgatgcaatt 1020
gcatctgttg ataaattccg ctcttctctc ggtgccgttc agaaccgtct ggattctgcc 1080
attgccaacc tgaacaacac cactaccaac ctgtctgaag cgcagtcccg tattcaggac 1140
gctgactatg cgaccgaagt gtccaacatg tcgaaagcgc agattatcca gcaggccggt 1200
aactccgtgc tggcaaaagc caaccaggta ccgcagcagg ttctgtctct gctgcagggt 1260
<210> 13
<211> 1368
<212> DNA
<213> Escherichia coli
<400> 13
aacaaatete agtettetet gageteegee attgaaegte tetettetgg eetgegtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120
aaaggtetga eteaggette eegtaaegeg aatgatggta tttetgttge geagaceaet 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgtg tacgtgaact gactgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataactat 540
gatgttggcg gtgatgctta tactgttaac gtagatagcg gagctgttaa agatactaca 600
gggaatgata tttttgttag tgcagcagat ggttcactga caactaaatc tgacacaaac 660
atagctggta cagggattga tgctacagca ctcgcagcag cggctaagaa taaagcacag 720
aatgataaat tcacgtttaa tggagttgaa ttcacaacaa caactgcagc ggatggcaat 780
gggaatggtg tatattctgc agaaattgat ggtaagtcag tgacatttac tgtgacagat 840
gctgacaaaa aagcttcttt gattacgagt gagacagttt acaaaaatag cgctggcctt 900
tatacgacaa ccaaagttga taacaaggct gccacacttt ccgatcttga tctcaatgca 960
gctaagaaaa caggaagcac gttagttgtt aacggtgcaa cttacgatgt tagtgcagat 1020
ggtaaaacga taacggagac tgcttctggt aacaataaag tcatgtatct gagcaaatca 1080
gaaggtggta gcccgattct ggtaaacgaa gatgcagcaa aatcgttgca atctaccacc 1140
aacccgctcg aaactatcga caaagcattg gctaaagttg acaatctgcg ttctgacctc 1200
ggtgcagtac aaaaccgttt cgactctgct atcaccaacc ttggcaacac cgtaaacaac 1260
ctgtcttctg cccgtagccg tatcgaagat gctgactacg cgaccgaagt gtctaacatg 1320
tctcgtgcgc agatcctgca acaagcgggt acctctgttc tggcgcag
<210> 14
<211> 1788
<212> DNA
<213> Escherichia coli
<400> 14
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatctccg ttgcgcagac caccgaaggc 240
 gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
 accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
 gacgaaattg accgcgtatc tggccagacc cagttcaacg gcgtgaacgt actggcgaaa 420
 gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
 aagaaaattg actcagatac gctggggctg aatggtttta acgtgaatgg ttccggtacg 540
 atagccaata aagcggcgac cattagcgac ctgacagcag cgaaaatgga tgctgcaact 600
 aatactataa ctacaacaaa taatgcgctg actgcatcaa aggcgcttga tcaactgaaa 660
 gatggtgaca ctgttactat caaagcagat gctgctcaaa ctgccacggt ttatacatac 720
 aatgcatcag ctggtaactt ctcattcagt aatgtatcga ataatacttc agcaaaagca 780
 ggtgatgtag cagctagcct tetecegeeg getgggeaaa etgetagtgg tgtttataaa 840
 gcagcaagcg gtgaagtgaa ctttgatgtt gatgcgaatg gtaaaatcac aatcggagga 900
 cagaaagcat atttaactag tgatggtaac ttaactacaa acgatgctgg tggtgcgact 960
 gcggctacgc ttgatggttt attcaagaaa gctggtgatg gtcaatcaat cgggtttaag 1020
 aagactgcat cagtcacgat ggggggaaca acttataact ttaaaacggg tgctgatgct 1080
 gatgctgcaa ctgctaacgc aggggtatcg ttcactgata cagctagcaa agaaaccgtt 1140
 ttaaataaag tggctacagc taaacaaggc aaagcagttg cagctgacgg tgatacatcc 1200
 gcaacaatta cctataaatc tggcgttcag acgtatcagg ctgtatttgc cgcaggtgac 1260
 ggtactgcta gcgcaaaata tgccgataaa gctgacgttt ctaatgcaac agcaacatac 1320
```

```
actgatgctg atggtgaaat gactacaatt ggttcataca ccacgaagta ttcaatcgat 1380
gctaacaacg gcaaggtaac tgttgattct ggaactggta cgggtaaata tgcgccgaaa 1440
gtaggggctg aagtatatgt tagtgctaat ggtactttaa caacagatgc aactagcgaa 1500
ggcacagtaa caaaagatcc actgaaagct ctggatgaag ctatcagctc catcgacaaa 1560
ttccgttctt ccctgggtgc tatccagaac cgtctggatt ccgcagtcac caacctgaac 1620
aacaccacta ccaacctgtc cgaagcgcag tcccgtattc aggacgccga ctatgcgacc 1680
gaagtgtcca acatgtcgaa agcgcagatc attcagcagg ccggtaactc cgtgctggca 1740
aaagccaacc aggtaccgca gcaggttctg tctctgctgc agggttaa
<210> 15
<211> 1653
<212> DNA
<213> Escherichia coli
<400> 15
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcgcagac cactgaaggt 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg agctgacggt tcaggcttct 300
accgggacta actccgattc tgacctggac tccatccagg acgaaatcaa gtctcgtctg 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
aagaaaattg actcagatac gctggggctg agtgggttta atgtgaatgg tggcggggct 540
gttgctaaca ctgctgcatc taaagctgac ttggtagctg ctaatgcaac tgtggtaggc 600
aacaaatata ctgtgagtgc gggttacgat gctgctaaag cgtctgattt gctggctgga 660
gttagtgatg gtgatactgt tcaggcaacc attaataacg gcttcggaac ggcggctagt 720
gcaacgaatt acaagtatga cagtgcaagt aagtcttact cttttgatac cacaacggct 780
tcagctgccg atgttcagaa atatttgacc ccgggcgttg gtgataccgc taagggcact 840
attactatcg atggttctgc acaggatgtt cagatcagca gtgatggtaa aattacgtca 900
agcaatggag ataaacttta cattgataca actgggcgct taacgaaaaa cggctttagt 960
gettetttga etgaggetag tetgteeaca ettgeageea ataataceaa agegaeaace 1020
attgacattg gcggtacctc tatctccttt accggtaata gtactacgcc gaacactatt 1080
acttattcag taacaggtgc aaaagttgat caggcagctt tcgataaagc tgtatcaacc 1140
tctggaaacg atgttgattt cactaccgca ggttatagcg tcgacggcgc aactggcgct 1200
gtaacaaaag gtgttgctcc ggtttatatt gataacaacg gggcgttgac cacatctgat 1260
actgtagatt tttatctaca ggatgatggt tcagtgacta acggcagcgg taaggcagtt 1320
tataaagatg ctgacggtaa attgacgaca gatgctgaaa ctaaagctgc aaccaccgcc 1380
gateceetga aagetetgga egaageeate ageteeateg acaaatteeg eteeteeete 1440
ggtgcggtgc agaaccgtct ggattccgcg gtcaccaacc tgaacaacac cactaccaac 1500
ctgtctgaag cgcagtcccg tattcaggac gctgactatg cgaccgaagt atccaacatg 1560
tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc taaccaggta 1620
                                                                   1653
ccacagcagg ttctgtctct gctgcagggt taa
 <210> 16
 <211> 1689
 <212> DNA
 <213> Escherichia coli
 <400> 16
 atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
 gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
 gcgctgtccg aaatcaacaa caacttacag cgtgtgcgtg aactgaccgt tcaggcaacc 300
 accggtacca actcccagtc tgacctggac tctatccagg acgaaattaa atcccgtctg 360
 gacgaaattg atcgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
 gacggttcca tgaaaattca ggttggcgcg aacgatggcc agaccatcac tatcgacctg 480
 aagaagattg actcttctac cttgaacctg acaggtttta acgttaacgg ttctggttct 540
 gtggcgaata ctgcagcaac taaagctgat ttaaccgctg ctcaactctc tgcaccgggt 600
 gcagcagacg caaatggtac agttacttat actgtcagtg ctggttataa agaatccact 660
 getgeagatg ttattgetag cateaaagae ggeagtgete egaettetge aattaetgea 720
 accattaata atggcttcgg tgattccagt gcgctgactt ccaatgacta tacttatgac 780
 ccagcaaaag gcgacttcac ttacgacgta gcttcaagcg ccaataatac tgctgcccag 840
 gttcagtcct tcctgacgcc gaaagcaggt gataccgcaa atctgaaagt aaccgttggt 900
```

```
acgacatcgg ttgatgtcgt tctggccagt gatggtaaga ttacagcaaa agatggttct 960
gcattatata tcgacagtac aggtaacctg actcagaaca gtgctggctt gacctctgct 1020
aaactggcta ctctgactgg ccttcagggc tctggtgttg cttcaaccat cactactgaa 1080
gatggcacta atattgatat tgctgctaac ggtaatattg gtctgaccgg tgttcgtatc 1140
agtgctgatt ctctgcagtc agcgactaaa tctacgggct ttactgttgg tactggcgct 1200
acaggtctga ccgtaggtac tgatggtaaa gtgactatcg gcgggactac tgctcagtcc 1260
tacaccagca aagatggttc cctgactact gataacacca ctaaactgta tctgcagaaa 1320
gatggctctg taaccaacgg ttcaggtaaa gcggtctatg tagaagcgga tggtgatttc 1380
actaccgacg ctgcaaccaa agccgcaacc accaccgatc cgctgaaagc cctggatgag 1440
gcaatcagcc agatcgataa gttccgttca tccctgggtg ctatccagaa ccgtctggat 1500
teegeggtea ecaacetgaa caacaceact accaacetgt etgaagegea gteeegtatt 1560
caggacgccg actatgcgac cgaagtgtcc aacatgtcga aagcgcagat cattcagcag 1620
gccggtaact ccgtgctggc aaaagccaac caggtaccgc aacaggttct gtctctgctg 1680
cagggctaa
<210> 17
<211> 915
<212> DNA
<213> Escherichia coli
<400> 17
gcgctgtcga cttctatcga gcgcctctct tctggtctgc gtattaacag cgctaaagat 60
gacgctgcgg gccaggcgat tgctaaccgc ttcacttcta acatcaaagg tctgactcag 120
geegeaegta aegeeaaega eggtatttet etggegeaga eggetgaagg egegetgtea 180
gagattaaca acaacttgca gcgtattcgt gaactgaccg ttcaggcctc taccggcacg 240
aactctgatt ccgacctgtc ttctattcag gacgaaatca aatcccgtct tgatgaaatt 300
gaccgtgtat ctggtcagac ccagttcaac ggtgtgaacg tgctgtcgaa aaacgattcg 360
atgaagattc agattggtgc caatgataac cagacgatca gcattggctt gcaacaaatc 420
gacagtacca ctttgaatct gaaaggattt accgtgtccg gcatggcgga tttcagcgcg 480
gcgaaactga cggctgctga tggtacagca attgctgctg cggatgtcaa ggatgctggg 540
ggtaaacaag tcaatttact gtcttacact gacaccgcgt ctaacagtac taaatatgcg 600
gtcgttgatt ctgcaaccgg taaatacatg gcagccactg tagtcattac cagtacggcg 660
gcggcggtaa ctgttggtgc aacggaagtg gcgggagccg ctacagccga accgttaaaa 720
gcactggatg ccgcaatcgc taaagtcgac aaattccgct cctccctcgg tgccgttcaa 780
aaccgtctgg attctgcggt caccaacctg aacaacacca ccaccaacct gtctgaagcg 840
cagtcccgta ttcaggacgc cgactatgcg accgaagtgt ccaacatgtc gaaagcgcag 900
                                                                   915
attatccagc aggcg
<210> 18
 <211> 1665
 <212> DNA
 <213> Escherichia coli
 <400> 18
 atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
 gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180
 ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240
 gegetgteeg aaateaacaa caaettacag egtattegtg aactgaeggt teaggeeact 300
 acagggacta acteegatte tgacetggae tecateeagg acgaaateaa atetegtetg 360
 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctgtccaaa 420
 gatggttcaa tgaaaattca ggtcggcgca aatgatggtg aaaccatcac gattgatctg 480
 aagaaaattg actctgatac gctgaatctg gctggtttta acgtgaatgg cgaaggtgaa 540
 acagccaata ctgctgcaac acttaaagat atggttggtt taaaactcga taatacgggg 600
 gtcactacag ctggagttaa tagatatatt gctgacaaag ccgtcgcaag tagcacggat 660
 attttgaatg cggtagctgg tgttgatggc agtaaagttt ccacggaggc agatgttggt 720
 tttggtgcag ctgcccctgg tacgccagtg gaatatactt atcataaaga tactaacaca 780
 tatacggctt ctgcttcagt tgatgcgact caactggcgg cattcctgaa tcctgaagcg 840
 ggtggtacca ctgctgcaac agtaagtatt ggcaacggta caacagctca agagcaaaaa 900
 gtcattattg ctaaagatgg ttctttaact gctgctgatg acggtgccgc tctctatctt 960
 gatgatactg gtaacttaag taaaactaac gcaggcactg atactcaagc taaactgtct 1020
 gacttaatgg caaacaatgc taatgccaaa acagtcatta caacagataa aggtacattt 1080
 actgctaata cgacaaagtt tgatggggta gatatttctg ttgatgcttc aacgtttgct 1140
 aacgccgtta aaaatgagac ttacactgca actgttggtg taactttacc tgcgacatat 1200
 acagtcaata atggcactgc tgcatcagcg tatttagtcg atggaaaagt gagcaaaact 1260
```

```
cctgccgagt attttgctca agctgatggc actattacta gtggtgaaaa tgcggctacc 1320
agtaaagcta tctatgtaag tgccaatggt aacttaacga ctaatacaac tagtgaatct 1380
gaagctacta ccaacccgct ggcagcattg gatgacgcta tcgcgtctat cgacaaattc 1440
cgttcttccc tgggtgctat ccagaaccgt ctggattccg cagtcaccaa cctgaacaac 1500
accactacca acctgtctga agcgcagtcc cgtattcagg acgccgacta tgcgaccgaa 1560
gtgtccaaca tgtcgaaagc gcagatcatt cagcaggccg gtaactccgt gctggcaaaa 1620
gccaaccagg taccgcagca ggttctgtct ctgctgcagg gttaa
<210> 19
<211> 1842
<212> DNA
<213> Escherichia coli
<400> 19
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac cactgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcgacg 300
accggaacta actccacctc tgacctggac tccatccagg acgaaatcaa atcccgtctt 360
gacgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctgtctaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctgaatctg gctggtttta acgttaacgg taaaggttct 540
gtagcgaata ccgctgcgac tacagataat ctgacattgg ctggttttac agcgggtact 600
aaagctgctg atggcaccgt aacttatagc aaaaatgtcc agtttgccgc cgcgactgca 660
agcaatgtac tggctgctgc taaagatggc gacgaaatta cgttcgctgg taataacggc 720
acaggtatag ctgcaactgg ggggacttat acttatcata aggactctaa ctcatacagc 780
tttagcgcaa cggctgcatc taaagattct ctgttgagca cactggcacc aaacgctggc 840
gatacattta ccgctaaagt gactattggt tctaaatcgc aagaagttaa cgttagcaaa 900
gatggtacga ttacatccag cgatggtaag gcgctgtatt tagatgagaa gggcaacctg 960
acccaaacag gtagtggcac aaccaaagct gcaacctggg ataacctgat ggccaataca 1020
gatactacag gcaaagatgc ctatggtaac tctgcggcag cagctgttgg gacagtaatc 1080
gaagcaaaag gaatgaccat cacttctgct ggtggtaatg ctcaggtgtt aaaagacgcg 1140
gcttataatg ccgcatatgc gacctcaatt actactggta ctccgggtga tgcgggagcc 1200
gcgggagccg ctgcaactgc gggtaatgcc gcggtgggag cgctgggcgc aacggcagtt 1260
gataatacca cggcagatgt tgccgatatc tctatctcag cttcgcaaat ggcgagcatc 1320
cttcaggata aagatttcac cttaagtgat ggtagtgata cttacaacgt gaccagcaat 1380
gctgtcacta tcaatggcaa agcagcaaac attgatgaca gcggcgcaat cacagaccaa 1440
accagtaaag ttgtcaatta tttcgctcat actaacggta gcgtgactaa cgatacaggc 1500
tccactattt atgcgacaga agatggtagc ctgaccaccg atgcagcaac caaagccgaa 1560
accaccgccg atcccctgaa agctctggac gaagccatca gctccatcga caaattccgc 1620
tecteceteg gtgeggtgea aaacegtetg gatteegegg teaceaacet gaacaacace 1680
accaccaacc tgtctgaagc gcagtcccgt attcaggacg ccgactatgc gaccgaagtg 1740
tccaacatgt cgaaagcgca gattatccag caggccggta actccgtgct ggcaaaagct 1800
                                                                   1842
aaccaggtac cacagcaggt tetgtetetg etgcagggtt aa
<210> 20
<211> 1731
<212> DNA
<213> Escherichia coli
<400> 20
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcqaaqqatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtgtgcgtg agctgactgt tcaggcgacc 300
accggtacca actcccagtc tgatctggac tetatccagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
gacggttcca tgaaaattca ggttggcgcg aatgatggcc agaccatcac tatcgacctg 480
aagaagattg actcttctac gttgaaactg actggtttta acgtgaatgg ttctggttct 540
gtggcgaata ctgcggcgac taaagcggat ttggctgctg ctgcaattgg tacccctggg 600
qcaqcaqatt ctacaqqtqc cattqcttac acagtaagtg ctgggctgac taaaactaca 660
gccgcagatg tactgtctag cctcgctgat ggtacgacta ttacagccac aggcgtgaaa 720
aatggetttg etgeaggage caetteeaat geetataaae ttaacaaaga taataataca 780
```

```
tttacttatg acacgactgc tacgacagct gagctgcagt cttacctgac tccgaaagcg 840
ggcgacactg caacattcag tgttgaaatt ggtggtacta cacaagacgt cgtgctgtcc 900
agtgatggca aactcactgc taaggatggc tctaagcttt acattgatac aactggtaat 960
ttaactcaga atggtggtaa taacggtgtt ggaacactcg cggaagcgac tctgagtggt 1020
ttagetetga acaaaaatgg tttaaegget gttaaateea caattaetae agetgataae 1080
acttcgattg tactgaatgg ttcaagcgat ggtactggta atgctggtac tgaaggtacg 1140
attgetgtta caggegetgt aattagttea getgetetge aatetgeaag caaaaegaet 1200
ggtttcactg ttggtacagt agacacagct ggttatatct ctgtaggtac tgatgggagt 1260
gttcaggcat atgatgctgc gacttctggc aacaaagctt cttacaccaa cactgacggt 1320
acactgacta ctgataacac cactaaactg tatctgcaga aagatggctc tgtaaccaac 1380
ggttcaggta aagcggtcta tgtagaagcg gatggtgatt tcactaccga cgctgcaacc 1440
aaagccgcaa ccaccaccga teegetggee getetggatg acgcaatcag ccagatcgae 1500
aagtteegtt cateettggg tgetateeag aacegtetgg attetgeagt caceaacetg 1560
aacaacacca ccaccaacct gtctgaageg cagtcccgta ttcaggacgc cgactatgcg 1620
accgaagtgt ccaatatgtc gaaagcgcag atcatccagc aggccggtaa ctccgtgctg 1680
gcaaaagcca accaggtacc gcagcaggtt ctgtctctgc tgcagggtta a
<210> 21
<211> 1380
<212> DNA
<213> Escherichia coli
<400> 21
aacaaatctc agtcttctct gagctccgcc attgaacgtc tctcttctgg cctgcgtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120
aaaggtotga otcaggotto oogtaacgog aatgatggta tttotgttgo goagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa ccggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
caaattaacg gtactgataa ctatactgtt aatgtagata gtggcgtagt acaggataaa 600
gatggcaaac aagtttatgt gagtactgcg gatggttcac ttacgaccag cagtgatact 660
caattcaaga ttgatgcaac taagcttgca gtggctgcta aagatttagc tcaagggaat 720
aagattgtct acgaaggtat cgaatttaca aataccggca ctgtcgctat agatgccaaa 780
ggtaatggta aattaaccgc caatgttgat ggtaaggctg ttgaattcac tatttcgggg 840
agtactgata catcaggtac tagtgcaacc gttgccccta cgacagccct atacaaaaat 900
agtgcagggc aattgactgc aacaaaagtt gaaaataaag cagcgacact atctgatctt 960
gatctgaacg ctgccaagaa aacaggaagc acgttagttg ttaacggtgc aacttacgat 1020
gttagtgcag atggtaaaac gataacggag actgcttctg gtaacaataa agtcatgtat 1080
ctgagcaaat cagaaggtgg tagcccgatt ctggtaaacg aagatgcagc aaaatcgttg 1140
caatctacca ccaacccgct cgaaactatc gacaaagcat tggctaaagt tgacaatctg 1200
 cgttctgacc tcggtgcagt acaaaaccgt ttcgactctg ccatcaccaa ccttggcaac 1260
 accgtaaaca acctgtcttc tgcccgtagc cgtatcgaag atgctgacta cgcgaccgaa 1320
```

```
<210> 22
<211> 1767
<212> DNA
<213> Escherichia coli
<400> 22
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcacgtaa cgccaacgac ggtatctctc tggcgcagac caccgaaggt 240
gegetgtetg aaatcaacaa caacttacag egtgtaegtg aactgaeegt teaggeaace 300
```

gtgtctaaca tgtctcgtgc gcagatcctg caacaagcgg gtacctctgt tctggcacag 1380

```
accggtacta actccgactc cgacctggct tctattcagg acgaaatcaa atcccgtctg 360
gatgaaattg accgcgtatc tggtcagact cagttcaacg gcgtgaacgt gctggcaaaa 420
gacggttcca tgaaaattca ggtaggtgct aacgacggcc agactatcac tattgacctg 480
aaaaaaatcg actctgatac tctgggcctg aatggtttta acgtgaatgg ttctgggacg 540
attaccaaca aagcagcaac tgtcagtgat gttactcgcg caggcggtac attggtgaat 600
ggtgcctatg atataaaaac cactaacaca gcgctgacta caactgatgc cttcgcgaaa 660
ttgaatgatg gtgatgttgt tactatcaat aatggtaagg atactgccta taaatataat 720
gctgctacag gtgggtttac gacggatgtc tccatctccg gggatcctac cgctgctgac 780
gctactgcta ataaaactgc ccgtgatgca cttgcggcgt ctttacatgc tgagccgggt 840
aaaactgtta atggttcttg gactacgaat gatggtacgg taaaatttga taccgatgcc 900
gatggtaaga tttctattgg tggtgttgct gcttatgtag atgcagcagg caacctgacc 960
actaacgcag caggtatgac gactcaagca acaactaccg atttggttac tgctgctgca 1020
tetgetactg gtaagggtgg atceetgace tttggtgaca cgaegtataa aattggteag 1080
ggtacggctg gggttgatcc tgatgacgct tcagatgatg tactgggcac catttcttac 1140
tctaaatcag taagcaagga tgttgttctt gctgatacta aagcaactgg taacacgaca 1200
acagttgatt tcaactccgg tatcatgact tcaaaggtta gtttcgatgc aggtacatca 1260
actgatacat tcaaagatgc agatggtgct atcaccaaaa ctaaagaata caccacttct 1320
tatgctgtaa ataaagatac tggtgaagtt accgttgctg attatgctgc ggtagatagc 1380
gccgataagg ctgttgatga tactaaatat aaaccgacta tcggcgcgac agttaacctg 1440
aattotgoag gtaaattgao caotgataco accagtgoag goacagoaao caaagatoot 1500
ctggctgccc tggacgctgc tatcagctcc atcgacaaat tccgttcatc cctgggtgct 1560
atccagaacc gtctggattc cgcagtcacc aacctgaaca acaccactac caacctgtcc 1620
gaagcgcagt cccgtattca ggacgccgac tatgcgaccg aagtgtccaa catgtcgaaa 1680
gcgcagatta tccagcaggc cggtaactcc gtgctggcaa aagccaacca ggtaccgcag 1740
caggttctgt ctctgctaca gggttaa
<210> 23
<211> 1383
<212> DNA
<213> Escherichia coli
<400> 23
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tttcttctgg tctgcgtatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtotga otcaggoogc acgtaacgoo aacgaoggta tttototggo goagaccact 180
gaaggcgcgc tgtctgagat taacaacaac ttgcagcgtg tgcgtgagtt gactgtacag 240
gcgacgaccg ggactaactc tgattctgac ctgtcttcta tccaggatga aatcaaatcc 300
cgtttaagcg aaattgaccg tgtatctggt cagactcagt ttaacggcgt gaacgtactg 360
gctaagaatg acaccctgtc tattcaggta ggtgcaaatg acggtcagac tatcaatatt 420
gacctgcagc aaatcgattc tcatacactg ggtctggatg gtttcagcgt taaaaataat 480
gatgcagtga aaaccagtgc tgccgtgaat actcttgggg ggggggcagg ttctgttgct 540
gtcgacttcg caacaaccag tttgactgct atcactggtc tcggtagcgg tgctatcagc 600
gaaattgcta aagacgataa tggtgattac tacgcgcatg tcacagggac tacgggtaat 660
actgctgatg gttactatgc tgtcgatatc gacaaggcta ccggtgaggt cgctctgaaa 720
gatggtaacg tagatacacc gacaggtacg ccaacgacga caagcacata tgacttcaca 780
gacgctggtc aaaccgtttc ctttggcact gatgctgcaa cagccggtat cagcactggt 840
getteteteg ttaaaettea ggatgagaaa ggeaatgata etgetaetta tgeaateaaa 900
gcacaagatg gcagcctgta tgccgccaac gttgatgagg ctaccggtaa agtcactgtc 960
aaaaccgcca gctatactga tgctgacggc aaagcagtga ccgatgccgc tgtaaaactg 1020
ggtggtgaca atggcacaac cgaaattgtt gtcgatgctg cgtcaggtaa aacttacgat 1080
gctggtgcac tgcaaaacgt tgatctctcc agtgcaacca acacggtaac cgcaatcccg 1140
aacggtaaaa ccacgtetee getggetgee ettgacgaeg caatcageea gatcgacaaa 1200
ttccgctcct ccctcggtgc ggtgcagaac cgtctggatt ccgcggtcac caacctgaac 1260
aacaccacta ccaacctgtc tgaagcgcag tcccgtattc aggacgctga ctatgcgacc 1320
gaagtatcca acatgtcgaa agcgcagatc atccagcagg caggtaactc cgtgctgtcc 1380
                                                                   1383
aaa
<210> 24
<211> 1197
<212> DNA
<213> Escherichia coli
<400> 24
gcgctgtcga cttctatcga gcgcctctct tctggtctgc gcattaacag cgctaaagat 60
gacgctgcgg gccaagcgat tgctaaccgc ttcacttcta acatcaaagg tctgactcag 120
gccgcacgta acgccaacga cggtatttct ctggcgcaga ccactgaagg cgcactgtct 180
gaaatcaaca acaacttgca gcgtgttcgt gaactgaccg ttcaggccac taccggtact 240
```

```
aactctgatt ctgacctgtc ttcaatacag gacgaaatca aatcccgtct cgatgaaatt 300
gaccgcgtat ccggtcagac tcagttcaac ggcgttaatg ttctttccaa agatggttca 360
atgaaaattc aggttggtgc gaatgatggt caaactatct ccatcgatct gaagaaaatt 420
gattetteaa etttgggget gaatggette teagttteta aaaaetetet taatgteage 480
aatgctatca catctatccc gcaagccgct agcaatgaac ctgttgatgt taacttcggt 540
gatactgatg agtctgcagc aatcgcagcc aaattggggg tttccgatac gtcaagcctg 600
tcgctgcaca acatccttga taaagatggt aaggcaacag ctgattatgt tgttcagtca 660
ggtaaagact tctatgctgc ttctgttaat gccgcttcag gtaaagtaac cttaaacacc 720
attgatgtta cttatgatga ttatgcgaac ggtgttgacg atgccaagca aacaggtcag 780
ctgatcaaag tttcagcaga taaagacggc gcagctcaag gttttgtcac acttcaaggc 840
aaaaactatt ctgctggtga tgcggcagac attcttaaga atggagcaac agctcttaag 900
ttaactgatc tgaatttaag tgatgttact gatactaatg gtaaggtaac cacaactgcg 960
actgagcaat ttgaaggtgc ttcaactgag gatccgctgg cgcttctgga taaagctatt 1020
gcatcagtcg acaaattccg gtcttctcta ggtgccgtgc agaaccgtct cgattccgct 1080
atcaccaacc tgaacaacac caccaccaac ctgtctgaag cgcagtcccg tattcaggac 1140
geogactatg egacegaagt gtecaacatg tegaaagege agateateea geaggea
<210> 25
<211> 1674
<212> DNA
<213> Escherichia coli
<400> 25
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actocgatto tgacotggao tocatocagg acgaaatcaa atotogtotg 360
gacgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctgtctaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctaaatctg gctggtttta acgtgaatgg tgctggctct 540
qttqataatg ccaaggcgac tggcaaagat cttactgatg ctggttttac ggcaagcgca 600
gctgatgcta atggcaaaat cacttatacc aaagacaccg ttactaaatt cgacaaagcg 660
acageggetg atgtattggg caaagegget getggegata geattaceta tgegggeact 720
gatactggct taggagtcgc tgctgatgcc tcgacttaca cctacaatgc agccaataag 780
tcttacactt ttgatgctac tggtgttgcc aaggcggatg ctggaacggc actgaaaggg 840
tacttaggcg catctaacac cggtaaaatt aatatcggtg gtaccgagca agaagttaac 900
attgccaaag atggctccat caccgatacc aatggcgatg cgctgtatct cgatagtacc 960
ggcaacttaa ccaaaaatac cgcgaatttg ggggctgctg ataaagcaac tgtagataaa 1020
ctgtttgctg gtgctcagga tgcaacgatc accttcgata gcggcatgac agctaaattc 1080
gatcaaactg ctggtaccgt tgatttcaaa ggcgcgtcta tttctgctga tgcaatggca 1140
tcaaccttaa ataatggttc ctatacagcc aacgtaggtg gtaaggctta tgccgtaacc 1200
gctggcgcag ttcagacagg tggcgcagat gtgtataaag ataccactgg cgcactgacg 1260
actgaagatg acgaaaccgt taccgcgacc tactacggtt ttgctgatgg taaagtttct 1320
gacggtgaag gttctactgt ctataaagct gctgatggtt ccatcactaa agatgcgact 1380
accaagtctg aagcaaccac tgaccctctg aaagcccttg acgacgcaat cagccagatc 1440
gacaaattcc gctcctccct cggtgccgtt caaaaccgtc tggattccgc cgtcaccaac 1500
ctqaacaaca ccactaccaa cctgtctgaa gcgcagtccc gtattcagga cgccgactat 1560
gcgaccgaag tgtccaacat gtcgaaagcg cagatcattc agcaggccgg taactccgtg 1620
ctggcaaaag ccaaccaggt accgcagcag gttctgtctc tgctgcaggg ttaa
<210> 26
<211> 1365
<212> DNA
<213> Escherichia coli
<400> 26
aacaaatoto agtottotot tagototgot attgagogto totottotgg cotgogtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtetga eteaggette eegtaacgeg aatgatggta titetgtige geagactaet 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgtg tacgtgaact gactgttcag 240
gcaactaacg gtactaactc tgacagegat ctttcttcta ttcaggcaga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
qccqaaaata atqaaatqaa aattcaqqtt qqtqctaatq atggggaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gctttaatat cgatggcgcg 480
cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
```

```
caaattaacg gtactgataa ctatactgtt aatgtagata gtggagcagt tcaaaatgag 600
gatggtgacg caatttttgt tagcgctacc gatggttctc tgactactaa gagtgataca 660
aaagtcggtg gtacaggtat tgatgcgact gggcttgcaa aagccgcagt ttctttagct 720
aaagatgcct caattaaata ccaaggtatt actttcacca acaaaggcac tgatgcattt 780
gatggcagtg gtaacggcac tctaaccgct aatattgatg gcaaagatgt aacctttact 840
attgatgcga cagggaagga cgcaacatta aaaacgtctg atcctgttta caaaaatagt 900
gcaggtcagt tcactacaac taaggttgaa aacaaagccg ctacagcatc ggatctggac 960
ttaaataacg ctaaaaaagt gggtagttet ttagttgtaa atggcgetga ttatgaagtt 1020
agcgctgatg gtaagacagt aactgggctt ggcaaaacta tgtatctgag caaatcagaa 1080
ggtggtagcc cgattctggt aaaagaagat gcagcaaaat cgttgcaatc tactaccaac 1140
ccgctcgaaa ccatcgacaa ggcattggct aaagttgaca atctgcgttc tgacctcggt 1200
gcagtacaaa accgtttcga ctctgctatc accaaccttg gcaacaccgt aaacaacctg 1260
tettetgece gtageegtat egaagatget gaetaegega eegaagtgte taacatgtet 1320
cgtgcgcaga tcctgcaaca agcgggtacc tctgttctgg cgcag
<210> 27
<211> 1740
<212> DNA
<213> Escherichia coli
<400> 27
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgat ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc tggccagacc cagttcaacg gcgtgaacgt actggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
aagaaaattg actctgatac gctggggctg agtgggttta atgtgaatgg tagcggggct 540
gtggctaata ctgcagcgac taaatctgat ttggcagcag ctcaactctt ggctccaggt 600
actgctgatg ctaatggtac agttacctat actgttggcg caggcctgaa aacatctaca 660
gctgcagatg taattgcgag tttggctaat aacgcaaaag ttaatgccac aattgcaaat 720
ggttttggat cgccaacagc tacagattat acatacaaca gcgctacagg cgattttaca 780
tatagtgcaa ctattgcagc tggtacaaat tctggtgata gtaacagtgc tcagttacaa 840
tccttcctga caccaaaagc gggcgatact gctaacttaa acgttaaaat tggttctacg 900
tcaattgacg ttgtattggc tagcgacggt aaaattaccg cgaaagatgg ttcagaacta 960
tttattgacg tagatggtaa cctcactcaa aacaatgctg ggactgtcaa agcagccact 1020
cttgatgcac tgactaaaaa ctggcataca acaggcacac cgagtgccgt atctacggta 1080
attacaactg aagatgaaac aaccttcact ctggctggcg gtactgatgc tactacttct 1140
ggtgcaatca ctgtagcaaa tgcaagaatg agtgctgagt ctcttcaatc ggcaactaag 1200
tccacaggat tcacagttga tgttggagct actggtacca gcgcaggcga tattaaagtt 1260
gatagtaaag gtatagtaca acaacacaca ggtacaggtt ttgaagacgc ttacaccaaa 1320
gctgatggtt cactgactac cgataataca accaatctgt ttttgcaaaa agacggaact 1380
gtgaccaatg gttcaggtaa agcagtctat gtttcagcgg atggtaattt tactactgac 1440
gctgaaacta aagctgcaac caccgccgat ccactgaaag ctctggacga agcgatcagc 1500
tccatcgaca aattccgttc ttccctcggt gcggtgcaaa accgtctgga ttccgcagtc 1560
accaacctga acaacaccac tactaacctg tctgaagcgc agtcccgtat tcaggacgct 1620
gactatgcga ccgaagtgtc caatatgtcg aaagcgcaga tcatccagca ggccggtaac 1680
tccgtgctgg caaaagctaa ccaggtaccg cagcaggttc tgtctctgct gcagggttaa 1740
<210> 28
<211> 1233
<212> DNA
<213> Escherichia coli
<400> 28
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacaqcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga eteaggeege aegtaaegee aacgaeggta tetetetgge geagaeeaet 180
gaaggegeae tgtetgaaat caacaacaae ttgeagegtg ttegtgaget gaeegtteag 240
gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300
cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360
gcaaaagata acaccatgaa gattcaggtt ggtgcgaacg atggtcagac tatatccatc 420
gacctgcaaa aaatcgactc ttctactctt ggtttgaacg gtttctccgt ttctaaaaat 480
gctctcgaaa ctagcgaagc gatcactcag ttgccgaacg gtgcgaatgc accaatcgct 540
```

```
gtgaagatgg atgcgtctgt tctgaccgat cttaacatta ctgatgcttc cgctgtttcg 600
ctgcacaacg taactaaagg tggtgtcgca acgtctactt atgttgttca gtatggcgat 660
aagagctatg cagcatctgt tgatgcggga ggtacagtaa aactgaataa agccgacgta 720
acatataacg acgcagcaaa tggtgttacg aatgccaccc agattggtag tctggttcag 780
gttggtgctg atgcaaacaa tgatgcagtt ggttttgtta ccgtgcaggg gaaaaactat 840
gttgctaatg actcattagt caatgctaat ggcgctgctg gcgctgcagc aactagagtt 900
acaattgatg gtgatggtag ccttggagct aaccaggcta aaattgaact tagccaaaat 960
ggtgctactg ctgcaacatc agagttcgct ggtgcttcaa ccaacgatcc actgactctg 1020
ctggacaaag ctatcgcatc tgttgataaa ttccgttctt ctttgggggc ggtacagaac 1080
cgtctgagct ccgctgtaac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1140
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1200
                                                                  1233
atccagcagg caggtaactc cgtgctgtcc aaa
<210> 29
<211> 1713
<212> DNA
<213> Escherichia coli
<400> 29
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccaqtctq cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggcgacg 300
accggaacta actccacctc tgacctggac tccattcagg acgaaatcaa atcccgtctt 360
gatgaaattg accgcgtatc cggccaaacc cagttcaacg gcgtgaacgt actgtcaaaa 420
gatggctcga tgaaaattca ggtcggcgca aatgatggtg aaaccatcac gattgatctg 480
aaaaagatcg actcttctac attgaagctg accagcttca atgttaacgg taaaggcgct 540
gttgataatg ctaaagccac tgaagcagat ctgaccgctg cgggcttctc ccaaggtgca 600
qtcqtcaqtq qcaacaqcac ctggactaaa tctactgtta ctacctttaa tgcagcaaca 660
gctaccgacg tgctggcaag cgttagcggc ggcagcacta ttagcggtta taccggtaca 720
aacaatggat taggcgtagc ggcttctact gcatatacct acaacgcaac cagcaagtct 780
tattcatttg acgcaaccgc acttaccaat ggcgatggta ctggggccac cactaaagtt 840
gctgatgtgc tgaaagccta tgcagcaaac ggtgataata cggctcagat ctccatcggc 900
ggaagcgctc aggacgttaa aattgccagc gatggcaccc tgactgacgt caatggtgat 960
gctttatata ttggttctga cggcaacctg actaaaaacc aggccggcgg tccagatgcg 1020
gcaacgttgg acggtatttt caacggtgcg aatggtaatg cagcagttga tgcgaagatt 1080
acatteggea geggeatgae egttgattte acceaggeta geaaaaaagt ggatattaag 1140
ggcgcaacgg tatccgccga agatatggac actgcgttaa ctgggcaggc ttataccgta 1200
gctaacggcg cacagtettt tgacgttgcc gctggtgggg cagtaaccgc tactacaggt 1260
ggcgctaccg taaatattgg tgctgatggt gaactgacga ctgcgaccaa caagactgtc 1320
acagaaactt atcacgaatt tgctaacggc aatattctgg atgatgacgg cgcggctctg 1380
tacaaagcgg ctgacggttc tctgaccact gaagctactg gtaaatccga agtgaccacg 1440
gatecgetga aagegetgga egatgetate geatecgtag acaaatteeg etecteeete 1500
ggtgcggtgc agaaccgtct ggattccgca gtcaccaacc tgaacaacac cactaccaac 1560
ctgtctgaag cgcagtcccg cattcaggac gccgactatg cgaccgaagt gtccaatatg 1620
tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc caaccaggta 1680
ccgcagcagg ttctgtctct gctgcagggt taa
<210> 30
<211> 1668
<212> DNA
<213> Escherichia coli
<400> 30
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gctaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac cactgaaggc 240
gegetgteeg aaateaacaa caacttacag egtateegtg aactgaeggt teaggettet 300
accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc tggccagacc cagttcaacg gcgtgaacgt actggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actcagatac gctggggctg agtgggttta atgtgaatgg tggcggggct 540
qttqctaata ctqcaqcqac taaaqatgat ttqqtcqctq catcagtttc agctgcggta 600
ggtaatgaat acactgtete tgetggeetg tegaaateaa etgetgetga tgttattget 660
agteteacag atggtgegae agtaactgeg getggtgtaa geaatggttt tgetgeaggg 720
```

```
gcaactggag atgcttataa attcaatcaa gcaaacaaca cttttactta caataccacc 780
tcaacagcgg cagaactcca atcttacctc acgcctaagg cggggggatac cgcaactttc 840
tccgttgaaa ttggtggcac caagcaggat gttgttctgg ctagtgatgg caaaatcaca 900
gcaaaagacg ggtctaaact ttatattgac accacaggga atttaaccca aaacggtgga 960
ggtactttag aagaagetac cetcaatgge ttagetttea accaetetgg teeageeget 1020
gctgtacaat ctactattac tactgcggat ggaacttcaa tagttctagc aggttctggc 1080
gactttggaa caacaaaaac tgctggggct attaatgtca caggagcagt gatcagtgct 1140
gatgcacttc tttccgccag taaagcgact gggtttactt ctggcactta taccgtaggt 1200
ttaactactg acaataccac aaaatattat ttacaagatg acgggtctgt aactaatggt 1320
tctggtaaag ctgtgtatgc tgatgcaaca ggaaaactaa ctactgacgc tgaaactaaa 1380
gccgaaacca ccgccgatcc cctgaaagct ctggacgaag cgatcagctc catcgacaaa 1440
ttccgttctt ccctcggtgc ggtgcaaaac cgtctggatt ccgcggtcac caacctgaac 1500
aacaccacta ccaacctgtc cgaagcgcag tcccgtattc aggacgccga ctatgcgacc 1560
gaagtgteca acatgtegaa agegeagate atceageagg eeggtaacte egtgetggea 1620
aaagctaacc aggtaccgca gcaggttctg tctctgctgc agggttaa
<210> 31
<211> 1713
<212> DNA
<213> Escherichia coli
<400> 31
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggccact 300
accggtacta actccgattc tgacctggac tccatccagg acgaaatcaa atctcgtctt 360
gatgaaattg accgcgtatc tggtcagacc cagttcaatg gcgtgaatgt gttgtccaaa 420
gacggttcaa tgaaaattca ggtgggcgca aatgatggtg aaaccatcac gattgacctg 480
aaaaaaatcg actcttctac actgaagctg accagcttca acgtcaacgg taaaggcgct 540
gttgataatg caaaagccac tgaagcagat ctgaccgctg cgggcttctc ccaaagtgca 600
gttgtcagtg gcaatagcac ctggactaaa tctactgtta ctacctttaa tgcagcaaca 660
gctaccgatg tgctggctag cgttagtggc ggcagcacta ttagcggtta tgctggcaca 720
aacaatgggt taggcgtagc ggcttctact gcatatacct acaacgcaac cagcaagtct 780
tattcatttg acgcaaccgc acttactaat ggtgatggta ctgcgggctc aactaaagtt 840
gctgatgttc tgaaagccta tgcagcaaac ggcgataaca cggctcagat ctccatcggt 900
ggtagcgctc aggaagttaa aattgccagc gatggtaccc tgacggatac taatggcgat 960
getttataca ttggtgetga eggtaacetg acgaaaaace aggeeggegg eecageegeg 1020
gcaacgttgg acggtatttt caacggtgcg aatggtcatg atgcagttga tgcgaagatt 1080
accttcggca gcggcatgac cgttgacttc acccaggtta gcaacaatgt ggatattaag 1140
ggcgcgacgg tatccgccga agatatgaac actgcgttaa ccggtcaggc ttataccgta 1200
gctaacggcg cacagtctta tgacgttgcc gctgatggtg cagtaactgc tactacaggt 1260
ggagcgaccg taaatattgg tgctgagggt gaactgacga ctgcggccaa caagactgtc 1320
acagaaactt atcacgaatt tgctaacggc aatattctgg atgatgacgg cgcggctctg 1380
tataaagcgg ctgacggctc tctgaccact gaagctacag gtaaatctga agcgaccacg 1440
gatecgetga aagegetgga egatgetate geatecgtag acaaatteeg ttetteeetg 1500
ggtgccgtgc agaaccgtct ggattccgca gtcaccaacc tgaacaacac cactaccaac 1560
ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1620
tcgaaagcgc agattattca gcaggcaggt aactccgtgc tggcaaaagc taaccaggta 1680
ccgcagcagg ttctgtctct gctgcagggt taa
<210> 32
<211> 1188
<212> DNA
<213> Escherichia coli
<400>32
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga eteaggeege aegtaaegee aacgaeggta tetetetgge geagaeeaet 180
gaaggegeae tgtetgaaat caacaacaae ttgeagegtg tgegtgagtt gaetgtteag 240
gegaegaeeg ggaetaaete tgattetgae etgtetteta tteaggaega aateaaatee 300
cgtctggatg aaattgaccg tgtttccggt cagacccagt tcaacggcgt gaacgtgctg 360
gctaaaaacg gttctatggc gattcaggtt ggcgcgaatg atgggcagac catcaacatc 420
gacctgcaga aaatcgactc ttctactctg ggcctgggcg gcttctccgt atctaacaat 480
```

```
qcactgaaac tgagcgattc tatcactcag gttggtgcga gtggttcact ggcagatgtg 540
aaactgaget etgttgeete ggetetgggt gtagaegeaa geaetetgae tetgeacaae 600
gtacagaccc cagctggcgc agcaacagct aactatgttg tetettetgg ttetgacaac 660
tactcagtat ctgttgaaga tagctccggt acagttacgc tgaacaccac tgatataggt 720
tataccgata ccgctaatgg cgttactacc ggttccatga ctggtaagta cgttaaagtt 780
ggagetgatg cattgggtge tgetgtaggt tatgteaceg tacagggaca aaactteaaa 840
gctgatgctg gcgcgctggt taactccaag aatgctgctg gtagtcagaa tgttacttct 900
gcaattggcg atattgctaa taaagcgaat gctaacattt acactggaac ctcttctgca 960
gatccactgg ctctgctgga caaagctatc gcatctgttg ataaattccg ttcttctcta 1020
qqqqcqqtqc aqaaccqtct qaqctctqct qtaaccaacc tgaacaacac cactaccaac 1080
ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1140
tcgaaagcgc agatcatcca gcaggcgggt aactccgtgc tgtctaaa
<210> 33
<211> 1638
<212> DNA
<213> Escherichia coli
<400> 33
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccaqtctq cqctqtcqaq ttctatcqag cqtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgccgg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aacgacggcc agactatcac tattgatctg 480
aagaaaattg actctgatac gctggggctg agtgggttta acgtaaatgg tagcgcagat 540
aaggcaagtg tegeggegac agetgaegga atggttaaag aeggatatat caaagggtta 600
acttcatctg acggcagcac tgcatatact aaaactacag caaatactgc agcaaaagga 660
tetgatatte ttgeggeget taagaetgge gataaaatta cegeaacagg tgeaaatage 720
cttgctgata atgcgacatc gacaacttat acttataatg caaccagcaa taccttctcc 780
tatacggctg acggtgtaaa ccaaacgaat gctgcagcaa atctcatacc tgcagcaggg 840
aaaacgacag ctgcatcagt tactattggt gggacagcac agaatgtaaa tattgatgat 900
tcgggcaata ttacttcaag tgatggcgat caactttatc tggattcaac aggtaacctg 960
actaaaaacc aggccggcaa cccgaaaaaa gcaaccgttt ctgggcttct cggaaatacg 1020
gatqcgaaag qtactgctgt taaaacaacc atcaagacag aggctggtgt aacagttaca 1080
gctgaaggta atacaggtac tgtaaaaatt gaaggtgcta ctgtttcagc atctgcattt 1140
acgggcattg catattccgc caacacggt gggaatactt atgctgttgc cgcaaataat 1200
actacaaatg gtttcctggc gggggatgac ttaacccagg atgctcaaac tgtttcaacc 1260
tactactcgc aagccgatgg cacggtcacg aatagcgcag gcaaagaaat ctataaagac 1320
gctgatggtg tctacagcac agagaataaa acatcgaaga cgtccgatcc attggctgcg 1380
cttgacgacg caatcagctc catcgacaaa ttccgttcat ccttgggtgc tatccagaac 1440
cgtctggatt ccgcggtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1500
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagate 1560
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1620
tctctgctgc agggctaa
<210> 34
<211> 2145
<212> DNA
<213> Escherichia coli
<400> 34
aacaaatete agtettetet gageteegee attgaaegte tetettetgg eetgegtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120
aaaggtetga eteaggette eegtaaegeg aatgatggta tttetgttge geagaceaet 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgtg tacgtgaact gactgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataactat 540
qatqttqqcq qtqatqctta tactqttaac qtaqataqcq qaqctqqqta atqactccaa 600
cttattgata gtgttttatg ttcagataat gcccgatgac tttgtcatgc agctccaccg 660
attttgagaa cgacagcgac ttccgtccca gccgtgccag gtgctgcctc agattcaggt 720
```

```
tatgccgctc aattcgctgc gtatatcgct tgctgattac gtgcagcttt cccttcaggc 780
gggattcata cagcggccag ccatccgtca tccatatcac cacgtcaaag ggtgacagca 840
ggeteataag aegeeceage gtegeeatag tgegtteace gaataegtge geaacaaceg 900
tcttccggag cctgtcatac gcgtaaaaca gccagcgctg gcgcgattta gccccgacat 960
agteceactg ttegtecatt teegegeaga egatgaegte aetgeeegge tgtatgegeg 1020
aggttaccga ctgcggcctg agttttttaa gtgacgtaaa atcgtgttga ggccaacgcc 1080
cataatgcgg gcagttgccc ggcatccaac gccattcatg gccatatcaa tgattttctg 1140
gtgcgtaccg ggttgagaag cggtgtaagt gaactgcagt tgccatgttt tacggcagtg 1200
agagcagaga tagcgctgat gtccggcggt gcttttgccg ttacgcacca ccccgtcagt 1260
agctgaacag gagggacagc tgatagaaac agaagccact ggagcacctc aaaaacacca 1320
tcatacacta aatcagtaag ttggcagcat taccgcggag ctgttaaaga tactacaggg 1380
aatgatattt ttgttagtgc agcagatggt tcactgacaa ctaaatctga cacaaacata 1440
gctggtacag ggattgatgc tacagcactc gcagcagcgg ctaagaataa agcacagaat 1500
gataaattca cgtttaatgg agttgaattc acaacaacaa ctgcagcgga tggcaatggg 1560
aatggtgtat attctgcaga aattgatggt aagtcagtga catttactgt gacagatgct 1620
gacaaaaaag cttctttgat tacgagtgag acagtttaca aaaatagcgc tggcctttat 1680
acgacaacca aagttgataa caaggctgcc acactttccg atcttgatct caatgcagct 1740
aagaaaacag gaagcacgtt agttgttaac ggtgcaactt acgatgttag tgcagatggt 1800
aaaacgataa cggagactgc ttctggtaac aataaagtca tgtatctgag caaatcagaa 1860
ggtggtagcc cgattctggt aaacgaagat gcagcaaaat cgttgcaatc taccaccaac 1920
ccgctcgaaa ctatcgacaa agcattggct aaagttgaca atctgcgttc tgacctcggt 1980
gcagtacaaa accgtttcga ctctgctatc accaaccttg gcaacaccgt aaacaacctg 2040
tettetgece gtageegtat egaagatget gaetaegega eegaagtgte taacatgtet 2100
cgtgcgcaga tcctgcaaca agcgggtacc tctgttctgg cgcag
<210> 35
<211> 1587
<212> DNA
<213> Escherichia coli
aacaagaacc agtctgcgct gtcgagttct atcgagcgtc tgtcttctgg cttgcgtatt 60
aacagcgcga aggatgacgc cgcaggtcag gcgattgcta accgttttac ttctaacatt 120
aaaggeetga eteaggetge aegtaaegee aaegaeggta tttetgttge geagaeeaee 180
gaaggegege tgteegaaat caacaacaac ttacagegtg tgegtgaact gaeegtteag 240
gcaaccaccg gtaccaactc ccagtctgac ctggactcta tccaggacga aattaaatcc 300
cgtctggacg aaattgaccg cgtatccggt cagacccagt tcaacggcgt gaacgtactg 360
gcaaaagacg gttccatgaa aattcaggtt ggcgcgaacg atggccagac catcactatc 420
gacctgaaga agattgactc ttctacgctg aaactgactg gttttaacgt gaatggcaaa 480
gcagcggttg ataatgctaa agcgacggat gcaaatctga ctaccgccgg ttttacacaa 540
ggcgttgtgg attcaaatgg taatagtact tggactaaat caactacgac taatttcgat 600
gcggcaactg cagtaaacgt actagcagca gttaaagatg gcagcacaat caattacacc 660
ggtactggta atggtttagg gattgctgca acaagtgctt atacatatca cgatagcact 720
aaatcctata cctttgattc tacgggggct gcagtagctg gtgccgcgtc cagcctgcaa 780
ggtacttttg gtacagatac gaatactgca aaaatcacca tcgatggttc tgctcaagaa 840
gtaaacatcg ctaaagatgg gaaaattact gatactgatg gtaaagcttt atatatcgat 900
tccactggta atttgactaa gaacggctct gatactttaa ctcaggcaac attgaatgat 960
gtccttactg gtgctaattc agttgatgat acaaggattg acttcgatag cggcatgtct 1020
gtcacccttg ataaagtgaa cagcactgta gatatcactg gcgcatctat ttcagccgct 1080
gcaatgacta atgagttgac aggtaaggcc tataccgtag taaatggtgc agaatcttac 1140
gctgtagcta ctaataacac agtaaaaacg actgctgatg ctaaaaatgt ttatgttgat 1200
gctagtggta aattaactac tgatgacaaa gccactgtta cagaaactta tcatgaattt 1260
gcgaatggca atatctatga tgataaaggc gctgctgttt atgcggcggc ggatggttct 1320
ctgactacag aaactacaag taaatcagaa gctacagcta acccgctggc cgctctggac 1380
gacgcaatca gccagatcga caaattccgt tcatccctgg gtgctatcca gaaccgtctg 1440
gattccgcag tcaccaacct gaacaacacc actaccaatc tgtctgaagc gcagtcccgt 1500
attcaggacg ccgactatgc gaccgaagtg tccaatatgt cgaaagcgca gatcatccag 1560
                                                                   1587
caggcaggca actccgtgct ggcaaaa
 <210> 36
 <211> 1245
 <212> DNA
 <213> Escherichia coli
 <400> 36
 aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
 aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
```

```
aaaggtetga eteaggeege aegtaaegee aacgaeggta tetetetgge geagaeeaet 180
gaaggegeae tgtetgaaat caacaacaae ttgeagegtg ttegtgaaet gaeegtteag 240
gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300
cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360
gcaaaagatg gctcgatgaa aattcaggtc ggtgcaaatg atggtcagac aatcagcatt 420
gatttgcaga agattgattc ttctacttta gggttaaatg gtttttctgt ttccaaaaat 480
gcagtatctg ttggtgatgc tattactcaa ttgcctggcg agacggcagc cgatgcacca 540
gtaaccatca agtttgatga ttcagtaaaa actgatttaa aactgaccga tgcttcaggg 600
ttaagtctgc ataacctcaa agatgaaaat ggtaatttaa ctaaccagta tgttgtacag 660
aatggcggaa aatcttacgc tgctacagtc gctgccaatg gtaatgttac gctgaacaaa 720
gcaaatgtaa cctacagcga tgtcgcaaac ggtattgata ccgcaacgca gtcaggccag 780
ttagttcagg ttggtgcaga ttctaccggt acgccaaaag cattcgtgtc tgtccaaggt 840
aaaagctttg gcattgatga cgccgccttg aagaataaca ctggtgatgc taccgctact 900
caaccgggaa catctgggac aacagttgtc gcagcgtcaa ttcatctgag tacgggcaaa 960
aactctgtag acgctgatgt aacggcttcc actgaattca caggtgcttc aaccaacgat 1020
ccactgactc tgctggacaa agctatcgca tctgttgata aattccgttc ttctttgggg 1080
geggtacaga acegtetgag eteegetgta aceaacetga acaacaceac caceaacetg 1140
tctgaagcgc agtcccgtat tcaggacgcc gactatgcga ccgaagtgtc caacatgtcg 1200
aaagcgcaga ttatccagca ggcaggtaac tccgtgctgt ccaaa
<210> 37
<211> 1185
<212> DNA
<213> Escherichia coli
<400> 37
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtotga otcaggotgo acgtaacgoo aatgacggta tttototago acagacagog 180
gaaggcgcgc tgtcagagat taacaacaac ttgcagcgtg tgcgtgagtt gaccgtgcag 240
gcaaccactg gtaccaactc tgattccgat ctctcttcta ttcaggatga aattaaatct 300
cgtctggatg aaattgaccg cgtctctggt cagacccagt ttaacggcgt gaacgtactg 360
gctaaaaacg gttctatggc aattcaggtt ggcgcgaacg atggccagac tatctctatc 420
gacctgcaga aaatagactc ttctactctg ggtctgagcg gcttctctgt ttctcagaac 480
tccctgaaac tgagcgattc tatcactacg atcggcaata ctactgctgc atcgaagaac 540
gtggacctga gcgcagtagc aactaaactg ggcgtgaatg caagcaccet gagcctgcac 600
gaagttcagg actctgctgg tgacggtact ggtaccttcg ttgtttcttc tggcagcgac 660
aactatgctg tgtctgtaga cgcggcctct ggtgcagtta acctgaacac cactgacgtc 720
acctatgatg acgctactaa tggtgttact ggcgcgactc agaacggtca gctgatcaaa 780
gtaacttctg acgccaacgg tgcagctgtt ggttacgtaa ccattcaggg taaaaactat 840
caggetggtg cgaceggtgt tgacgttetg gegaacageg gtgttgcage tecaactaca 900
gctgttgata ccggtactct gcaactgagc ggtactggtg caactactga gctgaaaggt 960
actgcaactc agaacccact ggcactattg gacaaagcta tcgcttctgt tgataaattc 1020
cgttcttctc tgggtgcggt acagaatcgt ctgagctctg ctgtaaccaa cctgaataac 1080
accaccacta acctgtctga agcgcagtcc cgtattcagg atgccgacta tgcgaccgaa 1140
qtqtcaaata tgtctaaagc gcagatcgtt cagcaggccg gtaac
<210> 38
<211> 1383
<212> DNA
<213> Escherichia coli
<400> 38
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtotga cocaggotto cogtaacgoa aatgatggta tttotgttgo goagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
 aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa caggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
 gatgttggcg gtaaaactta taccgtgaat gtggagagcg gcgcggttaa gaatgatgct 600
 aataaagatg tttttgtaag cgcagctgat ggatcgctga cgaccagtag tgatactaaa 660
 gtatccggtg aaagtattga tgcaacagaa ctagcgaaac ttgcaataaa attagctgac 720
 aaaggeteca ttgaatacaa gggeattaca tttaetaaca acaetggege agagettgat 780
 gctaatggta aaggtgtttt gaccgcaaat attgatggtc aagatgttca atttactatt 840
```

```
gacagtaatg cacccacggg tgccggcgca acaataacta cagacacagc tgtttacaaa 900
aacagtgcgg gccagttcac cactacaaaa gtggaaaata aagccgcaac actctctgat 960
ctggatctta atgcagccaa gaaaacaggt agcactttag ttgtaaatgg cgccacctac 1020
aatgtcagcg cagatggtaa aacggtaact gatactactc ctggtgcccc taaagtgatg 1080
tatotgagoa aatoagaagg tggtagooog attotggtaa acgaagatgo agcaaaatog 1140
ttgcaatcta ccaccaaccc gctcgaaact atcgacaagg cattggctaa agttgacaat 1200
ctgcgttctg acctcggtgc agtacaaaac cgtttcgact ctgccatcac caaccttggc 1260
aacaccgtaa acaacctgtc ttctgcccgt agccgtatcg aagatgctga ctacgcgacc 1320
gaagtgtcta acatgtctcg tgcgcagatc ctgcaacaag cgggtacctc tgttctggcg 1380
<210> 39
<211> 1680
<212> DNA
<213> Escherichia coli
<400> 39
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actctgatac tctgggtttg agtggattta atgtgaatgg caaaggggct 540
gtggctaacg caaaagcgac cgaagcagat ttaacggggg ctggtttctc tcaaggagcg 600
gtggatacaa acggaaatag tacttggaca aaatcaacca ccaccaatta ctcagctgca 660
acaactgctg acttgttatc gaccattaag gatggctcta ctgttacata tgcagggaca 720
gacaccggat taggggtcgc agcagcagga aattatactt atgatgcgaa cagtaaatct 780
tattccttca atgccaatgg tctgacgggc gcaaataccg caactgcact caaaggttac 840
ttggggacag gtgctaacac cgctaaaatt tctatcggtg gtacagagca ggaagtgaat 900
attgccaaag atggcactat tacagatacg aatggtgatg cgctctatct ggatattacc 960
ggcaacctga ctaagaacta tgcgggttca ccacctgcag caacgctgga taacgtatta 1020
gcttccgcaa ctgtaaatgc cactatcaag tttgatagcg gtatgacggt tgattacact 1080
gcaggtactg gcgcgaatat tacaggtgca tccatttctg cagatgacat ggccgcaaaa 1140
ctgagcggaa aggcgtacac tgttgccaat ggtgctgagt cttatgacgt tgctgcagtt 1200
acqqqqqctg taacaactac agcaggtaat tcacctgtgt atgccgatgc agacggtaaa 1260
ttaacgacga gtgccagtaa tacggttact cagacttatc acgagtttgc taatggtaac 1320
atttatgatg acaaaggete gteactgtat aaagetgeag atggetetet gaettetgaa 1380
gctaaaggga aatctgaagc aaccgccgat cccctgaaag ctctggacga agccatcagc 1440
tccatcgaca aattccgctc ctccctcggt gccgttcaaa accgtctgga ttctgcggtg 1500
accaacctga acaacaccac taccaacctg tctgaagcgc agtcccgtat tcaggacgcc 1560
gactatgcga ccgaagtgtc caatatgtcg aaagcgcaga tcatccagca ggccggtaac 1620
tccgtgttgg caaaagctaa ccaggtaccg cagcaggttc tgtctctgct gcagggttaa 1680
<210> 40
<211> 1146
<212> DNA
<213> Escherichia coli
<400> 40
gegetgtega ettetatega gegeetetet tetggtttge geattaacag egetaaagat 60
gacgctgcgg gccaggcgat tgctaaccgc ttcacttcta acatcaaagg tctgactcag 120
gccgcacgta acgccaacga cggtatetet ctggcgcaga ccactgaagg cgcactgtet 180
gaaatcaaca acaacttgca gcgtgttcgt gaactgaccg ttcaggccac taccggtact 240
aactctgatt ctgacctgtc ttcaatccag gacgaaatca aatcccgctt ggctgaaatc 300
gatcgtgtct ctggtcagac ccagttcaac ggcgtgaacg tgctggctaa aaacggttct 360
ctgaatattc aggttggcgc gaatgatggg cagaccatct ctatcgattt gcagaaaata 420
qactettetg ceettggttt aagtggtttt agtgttgeeg gtggggeget aaaattaage 480
gatacagtga cgcaggtcgg cgatggttca gccgcgccag ttaaagtgga tctggatgca 540
gcagcaacag atattggtac tgctttgggg caaaaggtta atgcaagttc tttaacgttg 600
cacaatatct tagacaaaga tggtgcggca actgagaact atgttgttag ctatggtagt 660
gataattacg ctgcatctgt tgcagatgac gggactgtaa ctcttaataa aacggatatt 720
acttattcag geggtgatat taceggeget accaaagatg atacgttgat taaagttgct 780
gctaattctg acggagaggc cgttggtttc gctaccgttc agggtaagaa ttatgaaatt 840
acagatggtg taaaaaacca gtccactgct gcaccaaccg atattgctca gaccattgat 900
```

```
ctggatacgg ctgatgaatt tactggggct tccactgctg atccactggc acttttagac 960
aaagctattg cacaggttga tactttccgc tcctccctcg gtgccgttca aaaccgtctg 1020
gattccgcag tcaccaacct gaacaacact actaccaacc tgtctgaagc gcagtcccgt 1080
attcaggacg ccgactatgc gaccgaagtg tccaatatgt cgaaagcgca gatcatccag 1140
caggcc
<210> 41
<211> 1506
<212> DNA
<213> Escherichia coli
<400> 41
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180
ctgactcagg ctgcacgtaa cgccaatgac ggtatttctc tggcgcagac cactgaaggc 240
gcactgtctg aaatcaacaa caacttgcag cgtgtgcgtg aactgaccgt acaggcgaca 300
accggaacga actccgaatc tgacctgtcc tctatccagg acgaaatcaa atcccgtctg 360
gaagagattg accgcgtate eggceagact cagtteaacg gegtgaatgt getggeaaaa 420
gacggcacca tgaaaattca ggtaggcgcg aacgatggtc agactatctc tatcgatctg 480
aaaaaaatcg actcttcaac cctgggcctg accggttttg atgtttcgac gaaagcgaat 540
atttctacga cagcagtaac gggggcggca acgaccactt atgctgatag cgccgttgca 600
attgatatcg gaacggatat tagcggtatt gctgctgatg ctgcgttagg aacgatcaat 660
ttcgataata caacaggcaa gtactacgca cagattacca gtgcggccaa tccgggcctt 720
gatggtgctt atgaaatcca tgttaatgac gcggatggtt ccttcactgt agcagcgagt 780
gataaacaag cgggtgctgc tccgggtact gctctgacaa gcggtaaagt tcagactgca 840
accaccacgc caggtacggc tgttgatgtc actgcggcta aaactgctct ggctgcagca 900
ggtgctgaca cgagtggcct gaaactggtt caactgtcca acacggattc cgcaggtaaa 960
gtgaccaacg tgggttacgg cctgcagaat gacagcggca ctatctttgc aaccgactac 1020
gatggcacca ctgtgaccac gccgggcgca gagactgtga cttacaaaga tgcttccggt 1080
aacagcacca ctgcggctgt cacactgggt ggctctgatg gcaaaaccaa tctggttacc 1140
geogetgacg geaaaaegta eggtgegaet geaetgaatg gtgetgatet gteegateet 1200
aataacaccg ttaaatctgt tgcagacaac gctaaaccgt tggctgccct ggatgatgca 1260
attgcgatgg tcgacaaatt ccgctcctcc ctcggtgcgg tgcaaaaccg tctggattcc 1320
geagteacea acetgaacaa caccactace aacetgtetg aagegeagte cegtatteag 1380
gacgccgact atgcgaccga agtgtccaac atgtcgaaag cgcagattat ccagcaggca 1440
ggtaactccg tgctgtccaa agctaaccag gttccgcagc aggttctgtc tctgctgcag 1500
                                                                   1506
ggttaa
<210> 42
<211> 950
 <212> DNA
 <213> Escherichia coli
 <400> 42
 aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
 aacagcgcta aagatgacgc cgcgggccag gcgattgcta accgctttac ttctaacatc 120
 aaaggtetga eteaggeege aegtaaegee aacgaeggta tttetetgge geagaegget 180
gaaggcgcgc tgtcagagat taacaacaac ttgcagcgta ttcgtgaact gaccgttcag 240
 gcctctaccg gcacgaactc tgattccgac ctgtcttcta ttcaggacga aatcaaatcc 300
 cgtcttgatg aaattgaccg tgtatctggt cagacccagt tcaacggtgt gaacgtgctg 360
 tcgaaaaacg attcgatgaa gattcagatt ggtgccaatg ataaccagac gatcagcatt 420
 ggcttgcaac aaatcgacag taccactttg aatctgaaag gatttaccgt gtccggcatg 480
 geggatttea gegeggegaa aetgaegget getgatggta eageaattge tgetgeggat 540
 gtcaaggatg ctgggggtaa acaagtcaat ttactgtctt acactgacac cgcgtctaac 600
 agtactaaat atgcggtcgt tgattctgca accggtaaat acatggaagc cactgtagcc 660
 attaccggta cggcggcggc ggtaactgtt ggtgcagcgg aagtggcggg agccgctaca 720
 geogatecgt taaaageact ggatgeegea ategetaaag tegacaaatt eegeteetee 780
 ctcggtgccg ttcaaaaccg tctggattct gcggtcacca acctgaacaa caccaccacc 840
 aacctgtctg aagcgcagtc ccgtattcag gacgccgact atgcgaccga agtgtccaac 900
                                                                   950
 atgtcgaaag cgcagattat ccagcaggcc ggtaactccg tgctggcaaa
```

```
<210> 43
<211> 1707
<212> DNA
<213> Escherichia coli
<400> 43
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacctctaa cattaaaggt 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc cggtcaaacc cagttcaacg gtgtgaacgt actggcgaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
aagaaaattg actcagatac gctggggctg aatggtttca acgttaatgg caaaggcact 540
attgcgaaca aagctgctac agtcagcgat ctgaccgctg ctggtgcaac gggaacaggt 600
ccttatgctg tgaccacaaa caatacagca ctcagcgcta gcgatgcact gtctcgcctg 660
aaaaccggag atacagttac tactactggc tcgagtgctg cgatctatac ttatgatgcg 720
gctaaaggga acttcaccac tcaagcaaca gttgcagatg gcgatgttgt taactttgcg 780
aatactctga aaccagcggc tggcactact gcatcaggtg tttatactcg tagtactggt 840
gatgtgaagt ttgatgtaga tgctaatggc gatgtgacca tcggtggtaa agccgcgtac 900
ctggacgcca ctggtaacct atctacaaac aaccccggca ttgcatcttc agcgaaattg 960
teegatetgt ttgetagegg tagtacetta gegacaaetg gttetateea getgtetgge 1020
acaacttata actttggtgc agcggcaact tctggcgtaa cctacaccaa aactgtaagc 1080
gctgatactg tactgagcac agtgcagagt gctgcaacgg ctaacacagc agttactggt 1140
gcgacaatta agtataatac aggtattcag tctgcaacgg cgtccttcgg tggtgtgaat 1200
actaatggtg ctggtaattc gaatgacacc tatactgatg cagacaaaga gctcaccaca 1260
accgcatctt acactatcaa ctacaacgtc gataaggata ccggtacagt aactgtagct 1320
tcaaatggcg caggtgcaac tggtaaattt gcagctactg ttggggcaca ggcttatgtt 1380
aactctacag gcaaactgac cactgaaacc accagtgcag gcactgcaac caaagatcct 1440
ctggctgccc tggatgaagc tatcagctcc atcgacaaat tccgttcatc cctgggtgct 1500
atccagaacc gtctggattc cgcggttacc aacctgaaca acaccactac caacctgtcc 1560
gaagcgcagt cccgtattca ggacgccgac tatgcgaccg aagtgtccaa catgtcgaaa 1620
gcgcagatta tccagcaggc cggtaactcc gtgctggcaa aagccaacca ggtaccgcag 1680
                                                                   1707
caggttctgt ctctgctgca gggttaa
<210> 44
<211> 1720
<212> DNA
<213> Escherichia coli
<400> 44
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180
ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtgtgcgtg aactgaccgt tcaggcgacc 300
accggtacca actoccagto tgatotggao totatocagg acgaaatcaa atcccgtotg 360
gacgaaattg accgcgtatc cggtcagact cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcca tgaaaattca ggttggcgcg aatgatggcc agaccatcac tatcgacctg 480
aagaagattg actcttctac gttgaaactg actggtttta acgtgaatgg ttctggttct 540
gtggcgaata ctgcggcgac taaagacgaa ctggctgctg ctgctgcggc ggcgggtaca 600
actcctgctg tcggtactga cggcgtgacc aaatataccg tagacgcagg gcttaacaaa 660
gccacagcag caaacgtgtt tgcaaacctt gcagatggtg ctgttgttga tgctagcatt 720
tccaacggtt ttggtgcagc agcagccaca gactacacct acaataaagc tacaaatgat 780
ttcactttca atgccagcat tgctgctggt gctgcggccg gtgatagtaa cagcgcagct 840
ctgcaatcct tcctgactcc aaaagcaggt gatacagcta acctgagcgt caaaatcggt 900
acgacatctg ttaatgttgt tctggcgagc gatggcaaaa ttacagcgaa agatggctca 960
gctctgtata tcgactcaac gggtaacctg actcagaaca gcgcaggcac tgtaacagca 1020
gcaaccctgg atggactgac caaaaaccat gatgcgacag gagctgttgg tgttgatatc 1080
acgaccgcag atggcgcaac tatctctctg gcaggctctg ctaacgcggc aacaggtact 1140
caatcaggtg caattacact gaaaaatgtt cgtatcagtg ctgatgctct gcagtctgct 1200
qcqaaaggta ctgttatcaa tgttgataat ggtgctgatg atatttctgt tagtaaaacc 1260
gggtgtcgtt actaccggag gtgcgcctac ttatactgat gctgatggta aattaacgac 1320
aaccaacacc gttgattatt tcctgcaaac tgatggcagc gtaaccaatg gttctggtaa 1380
aggggtttac accgatgcag ctggtaaatt cactaccgac gctgcaacca aagccgcaac 1440
caccaccgat ccgctgaaag cccttgatga cgcaatcagc cagatcgata agttccgttc 1500
```

```
atccctgggt gctatccaga accgtctgga ttccgcggtt accaacctga acaacaccac 1560
taccaacctg teegaagege agteeegtat teaggaegee gaetatgega eegaagtgte 1620
caatatgtcg aaagcgcaga tcatccagca ggccggtaac tccgtgttgg caaaagctaa 1680
ccaggtaccg cagcaggttc tgtctctgct gcagggttaa
<210> 45
<211> 14516
<212> DNA
<213> Escherichia coli
<400> 45
gatctgatgg ccgtagggcg ctacgtgctt tctgctgata tctgggctga gttggaaaaa 60
actgctccag gtgcctgggg acgtattcaa ctgactgatg ctattgcaga gttggctaaa 120
aaacagtctg ttgatgccat gctgatgacc ggcgacagct acgactgcgg taagaagatg 180
ggctatatgc aggcattcgt taagtatggg ctgcgcaacc ttaaagaagg ggcgaagttc 240
cgtaagagca tcaagaagct actgagtgag tagagattta cacgtctttg tgacgataag 300
ccagaaaaaa tagcggcagt taacatccag gcttctatgc tttaagcaat ggaatgttac 360
tgccgttttt tatgaaaaat gaccaataat aacaagttaa cctaccaagt ttaatctgct 420
ttttgttgga ttttttcttg tttctggtcg catttggtaa gacaattagc gtgagtttta 480
gagagttttg cgggatctcg cggaactgct cacatctttg gcatttagtt agtgcactgg 540
tagctgttaa gccaggggcg gtagcttgcc taattaattt ttaacgtata catttattct 600
tgccgcttat agcaaataaa gtcaatcgga ttaaacttct tttccattag gtaaaagagt 660
gtttgtagtc gctcagggaa attggttttg gtagtagtac ttttcaaatt atccattttc 720
cgatttagat ggcagttgat gttactatgc tgcatacata tcaatgtata ttatttactt 780
ttagaatgtg atatgaaaaa aatagtgatc ataggcaatg tagcgtcaat gatgttaagg 840
ttcaggaaag aattaatcat gaatttagtg aggcaaggtg ataatgtata ttgtctagca 900
aatgattttt ccactgaaga tcttaaagta ctttcgtcat ggggcgttaa gggggttaaa 960
ttctctctta actcaaaggg tattaatcct tttaaggata taattgctgt ttatgaacta 1020
aaaaaaattc ttaaggatat ttccccagat attgtatttt catattttgt aaagccagta 1080
atatttggaa ctattgcttc aaagttgtca aaagtgccaa ggattgttgg aatgattgaa 1140
ggtctaggta atgccttcac ttattataag ggaaagcaga ccacaaaaac taaaatgata 1200
aagtggatac aaattetttt atataagtta gcattaccga tgettgatga tttgatteta 1260
ttaaatcatg atgataaaaa agatttaatc gatcagtata atattaaagc taaggtaaca 1320
gtgttaggtt ggatttgatt ggattttaat gagttttcat ataaagagcc accgaaagag 1380
aaaattacct ttatttttat agcaaggtta ttaagagaga aagggatatt tgagtttatt 1440
gaagccgcaa agttcgttaa gacaacttat ccaagttctg aatttgtaat tttaggaggt 1500
catgatetta tttateetgg teatgtggaa aatgtteaag attggttaga gaaaagttet 1620
gtttttgttt tacctacatc atatcgagaa ggcgtaccaa gggtgatcca agaagctatg 1680
gctattggta gacctgtaat aacaactaat gtacctgggt gtagggatat aataaatgat 1740
ggggtcaatg gctttttgat acctccattt gaaattaatt tactggcaga aaaaatgaaa 1800
tattttattq agaataaaga taaagtactc gaaatggggc ttgctggaag gaagtttgca 1860
gaaaaaaact ttgatgcttt tgaaaaaaat aatagactag catcaataat aaaatcaaat 1920
aatgattttt gacttgagca gaaattattt atatttcaat ctgaaaaata aaggctgtta 1980
ttatgaataa agtggcatta attactggta tcactgggca agatggctcc tatttggcag 2040
aattattgtt agaaaaaggt tatgaagttc atggtattaa acgccgtgca tcttcattta 2100
atactgagcg agtggatcac atctatcagg attcacattt agctaatcct aaactttttc 2160
tacactatgg cgatttgaca gatacttcca atctgacccg tattttaaaa gaagttcaac 2220
caqatqaaqt ttacaatttg ggggcgatga gccatgtagc ggtatcattt gagtcaccag 2280
aatacactgc tgatgttgat gcgataggaa cattgcgtct tcttgaagct atcaggatat 2340
tggggctgga aaaaaagaca aaattttatc aggcttcaac ttcagagctt tatggtttgg 2400
ttcaagaaat tccacaaaaa gagactacgc cattttatcc acgttcgcct tatgctgttg 2460
caaaattata tgcctattgg atcactgtta attatcgtga gtcttatggt atgtttgcct 2520
gcaatggtat tetetttaac cacgaateac etegeegtgg egagacettt gttactegta 2580
aaataacacg cgggatagca aatattgctc aaggtcttga taaatgctta tacttgggaa 2640
atatggattc tctgcgtgat tggggacatg ctaaggatta tgtcaaaatg caatggatga 2700
tqctqcaqca aqaaactcca qaaqattttg taattgctac aggaattcaa tattctgtcc 2760
gtgagtttgt cacaatggcg gcagagcaag taggcataga gttagcattt gaaggtgagg 2820
gagtaaatga aaaaggtgtt gttgtttcgg tcaatggcac tgatgctaaa gctgtaaacc 2880
cgggcgatgt aattatatct gtagatccaa ggtattttag gcctgcagaa gttgaaacct 2940
tgcttggcga tcctactaat gcgcataaaa aattaggatg gagccctgaa attacattgc 3000
gtgaaatggt aaaagaaatg gtttccagcg atttagcaat agcgaaaaag aacgtcttgc 3060
tgaaagctaa taacattgcc actaatattc cgcaagaata aaaaagataa tacattaaat 3120
aattaaaaat ggtgctagat ttattagtac cattattttt ttttgggtga ctaatgttta 3180
ttacatcaga taaatttaga gaaattatca agttagttcc attagtatca attgatctgc 3240
taattgaaaa cgagaatggt gaatatttat ttggtcttag gaataatcga ccggccaaaa 3300
attatttttt tgttccaggt ggtaggattc gcaaaaatga atctattaaa aatgctttta 3360
```

aaagaatatc atctatggaa ttaggtaaag agtatggtat ttcaggaagt gtttttaatg 3420 gtgtatggga acatttctat gatgatggtt ttttttctga aggcgaggca acacattata 3480 tagtgctttg ttacacactg aaagttctta aaagtgaatt gaatctccca gatgatcaac 3540 atcgtgaata cctttggcta actaaacacc aaataaatgc taaacaagat gttcataact 3600 attcaaaaaa ttattttttg taatttttat taaaaattaa tatgcgagag aattgtatgt 3660 ctcaatgtct ttaccctgta attattgccg gaggaaccgg aagccgtcta tggccgttgt 3720 ctcgagtatt ataccctaaa caatttttaa atttagttgg ggattctaca atgttgcaaa 3780 caacaattac gcgtttggat ggcatcgaat gcgaaaatcc aattgttatc tgcaatgaag 3840 atcaccgatt tattgtagca gagcaattac gacagattgg taagctaacc aagaatatta 3900 tacttgagcc gaaaggccgt aatactgcac ctgccatagc tttagctgct tttatcgctc 3960 agaagaataa tootaatgao gaccotttat tattagtaot tgoggoagao cactotataa 4020 ataatgaaaa agcatttcga gagtcaataa taaaagctat gccgtatgca acttctggga 4080 agttagtaac atttggaatt attccggaca cggcaaatac tggttatgga tatattaaga 4140 gaagttette agetgateet aataaagaat teecageata taatgttgeg gagtttgtag 4200 aaaaaccaga tgttaaaaca gcacaggaat atatttcgag tgggaattat tactggaata 4260 gcggaatgtt tttatttcgc gccagtaaat atcttgatga actacggaaa tttagaccag 4320 atatttatca tagctgtgaa tgtgcaaccg ctacagcaaa tatagatatg gactttgtcc 4380 gaattaacga ggctgagttt attaattgtc ctgaagagtc tatcgattat gctgtgatgg 4440 aaaaaacaaa agacgctgta gttcttccga tagatattgg ctggaatgac gtgggttctt 4500 ggtcatcact ttgggatata agccaaaagg attgccatgg taatgtgtgc catggggatg 4560 tgctcaatca tgatggagaa aatagtttta tttactctga gtcaagtctg gttgcgacag 4620 tcggagtaag taatttagta attgtccaaa ccaaggatgc tgtactggtt gcggaccgtg 4680 ataaagtcca aaatgttaaa aacatagttg acgatctaaa aaagagaaaa cgtgctgaat 4740 actacatgca tcgtgcagtt tttcgccctt ggggtaaatt cgatgcaata gaccaaggcg 4800 atagatatag agtaaaaaaa ataatagtta aaccaggaga agggttagat ttaaggatgc 4860 atcatcatag ggcagagcat tggattgttg tatccggtac tgctaaagtt tcactaggta 4920 gtgaagttaa actattagtt tctaatgagt ctatatatat ccctcaggga gcaaaatata 4980 gtcttgagaa tccaggcgta atacctttgc atctaattga agtaagttct ggtgattacc 5040 ttgaatcaga tgatatagtg cgttttactg acagatataa cagtaaacaa ttcctaaagc 5100 gagattgata aatatgaata aaataacttg cttcaaagca tatgatatac gtgggcgtct 5160 tggtgctgaa ttgaatgatg aaatagcata tagaattggt cgcgcttatg gtgagttttt 5220 taaacctcaa actgtagttg tgggaggaga tgctcgctta acaagtgaga gtttaaagaa 5280 atcactctca aatgggctat gtgatgcagg cgtaaatgtc ttagatcttg gaatgtgtgg 5340 tactgaagag atatattttt ccacttggta tttaggaatt gatggtggaa tcgaggtaac 5400 tgcaagccat aatccaattg attataatgg aatgaaatta gtaaccaaag gtgctcgacc 5460 aatcagcagt gacacaggtc tcaaagatat acaacaatta gtagagagta ataattttga 5520 agageteaac etagaaaaaa aagggaatat taccaaatat teeaceegag atgeetacat 5580 aaatcatttg atgggctatg ctaatctgca aaaaataaaa aaaatcaaaa tagttgtgaa 5640 ttctgggaat ggtgcagctg gtcctgttat tgatgctatt gaggaatgct ttttacggaa 5700 caatattccg attcagtttg taaaaataaa taatacaccc gatggtaatt ttccacatgg 5760 tatccctaat ccattactac ctgagtgcag agaagatacc agcagtgcgg ttataagaca 5820 tagtgctgat tttggtattg catttgatgg tgattttgat aggtgttttt tctttgatga 5880 aaatggacaa tttattgaag gatactacat tgttggttta ttagcggaag tttttttagg 5940 gaaatatcca aacgcaaaaa tcattcatga tcctcgcctt atatggaata ctattgatat 6000 cgtagaaagt catggtggta tacctataat gactaaaacc ggtcatgctt acattaagca 6060 aagaatgcgt gaagaggatg ccgtatatgg cggcgaaatg agtgcgcatc attattttaa 6120 agattttgca tactgcgata gtggaatgat tccttggatt ttaatttgtg aacttttgag 6180 tctgacaaat aaaaaattag gtgaactggt ttgtggttgt ataaacgact ggccggcaag 6240 tqqaqaaata aactqtacac taqacaatcc gcaaaatgaa atagataaat tatttaatcg 6300 ttacaaagat agtgccttag ctgttgatta cactgatgga ttaactatgg agttctctga 6360 ttggcgtttt aatgttagat gctcaaatac agaacctgta gtacgattga atgtagaatc 6420 taggaataat gctattctta tgcaggaaaa aacagaagaa attctgaatt ttatatcaaa 6480 ataaatttgc acctgagttc ataatgggaa caagaaatat atgaaagtac ttctgactgg 6540 acttactcca accagetetg atttgaattt attagataaa aatgaaatag aaaaattcat 6660 gcttatcaac atgccagact gtattataca tgcagcggga ttagttggag gcattcatgc 6720 aaatataaqc aqqccqtttq attttctqqa aaaaaatttg cagatgggtt taaatttagt 6780 ttccgtcgca aaaaaactag gtatcaagaa agtgcttaac ttgggtagtt catgcatgta 6840 ccccaaaaac tttgaagagg ctattcctga gaaagctctg ttaactggtg agctagaaga 6900 aactaatgag ggatatgcta ttgcgaaaat tgctgtagca aaagcatgcg aatatatatc 6960 aagagaaaac tctaattatt tttataaaac aattatccca tgtaatttat atgggaaata 7020 tgataaattt gatgataact cgtcacatat gattccggca gttataaaaa aaatccatca 7080 tgcgaaaatt aataatgtcc cagagatcga aatttggggg gatggtaatt cgcgccgtga 7140 gtttatgtat gcagaagatt tagctgatct tattttttat gttattccta aaatagaatt 7200 catgcctaat atggtaaatg ctggtttagg ttacgattat tcaattaatg actattataa 7260 gataattgca gaagaaattg gttatactgg gagtttttct catgatttaa caaaaccaac 7320 aggaatgaaa cggaagctag tagatatttc attgcttaat aaaattggtt ggtcaagtca 7380 ctttgaactc agagatggca tcagaaagac ctataattat tacttggaga atcaaaataa 7440 atgattacat acceaettge tagtaatact tgggatgaat atgagtatge agcaatacag 7500 tcagtaattg actcaaaaat gtttaccatg ggtaaaaagg ttgagttata tgagaaaaat 7560 tttgctgatt tgtttggtag caaatatgcc gtaatggtta gctctggttc tacagctaat 7620 ctgttaatga ttgctgccct tttcttcact aataaaccaa aacttaaaag aggtgatgaa 7680 ataatagtac ctgcagtgtc atggtctacg acatattacc ctctgcaaca gtatggctta 7740 aaggtgaagt ttgtcgatat caataaagaa actttaaata ttgatatcga tagtttgaaa 7800 aatgctattt cagataaaac aaaagcaata ttgacagtaa atttattagg taatcctaat 7860 gattttgcaa aaataaatga gataataaat aatagggata ttatcttact agaagataac 7920 tgtgagtcga tgggcgcggt ctttcaaaat aagcaggcag gcacattcgg agttatgggt 7980 acctttagtt ctttttactc tcatcatata gctacaatgg aagggggctg cgtagttact 8040 gatgatgaag agctgtatca tgtattgttg tgccttcgag ctcatggttg gacaagaaat 8100 ttaccaaaag agaatatggt tacaggcact aagagtgatg atattttcga agagtcgttt 8160 aagtttgttt taccaggata caatgttcgc ccacttgaaa tgagtggtgc tattgggata 8220 gagcaactta aaaagttacc aggttttata tccaccagac gttccaatgc acaatatttt 8280 gtagataaat ttaaagatca tccattcctt gatatacaaa aagaagttgg tgaaagtagc 8340 tggtttggtt tttccttcgt tataaaggag ggagctgcta ttgagaggaa gagtttagta 8400 aataatctga tctcagcagg cattgaatgc cgaccaattg ttactgggaa ttttctcaaa 8460 aatgaacgtg ttttgagtta ttttgattac tctgtacatg atacggtagc aaatgccgaa 8520 tatatagata agaatggttt ttttgtcgga aaccaccaga tacctttgtt taatgaaata 8580 gattatetae gaaaagtatt aaaataaeta aegaggeaet etatttegaa tagagtgeet 8640 ttaagatggt attaacagtg aaaaaaattt tagcgtttgg ctattctaaa gtactaccac 8700 cggttattga acagtttgtc aatccaattt gcatcttcat tatcacacca ctaatactca 8760 accacctggg taagcaaagc tatggtaatt ggattttatt aattactatt gtatcttttt 8820 ctcagttaat atgtggagga tgttccgcat ggattgcaaa aatcattgca gaacagagaa 8880 ttcttagtga tttatcaaaa aaaaatgctt tacgtcaaat ttcctataat ttttcaattg 8940 ttattatcgc atttgcggta ttgatttctt ttcttatatt aagtatttgt ttcttcgatg 9000 ttgcgaggaa taattcttca ttcttattcg cgattattat ttgtggtttt tttcaggaag 9060 ttgataattt atttagtggt gcgctaaaag gttttgaaaa atttaatgta tcatgttttt 9120 ttgaagtaat tacaagagtg ctctgggctt ctatagtaat atatggcatt tacggaaatg 9180 cactcttata ttttacatgt ttagccttta ccattaaagg tatgctaaaa tatattcttg 9240 tatgtctgaa tattaccggt tgtttcatca atcctaattt taatagagtt gggattgtta 9300 atttgttaaa tgagtcaaaa tggatgtttc ttcaattaac tggtggcgtc tcacttagtt 9360 tgtttgatag gctcgtaata ccattgattt tatctgtcag taaactggct tcttatgtcc 9420 cttgccttca actagctcaa ttgatgttca ctctttctgc gtctgcaaat caaatattac 9480 taccaatgtt tgctagaatg aaagcatcta acacatttcc ctctaattgt ttttttaaaaa 9540 ttctgcttgt atcactaatt tctgttttgc cttgtcttgc gttattcttt tttggtcgtg 9600 atatattatc aatatggata aaccctacat ttgcaactga aaattataaa ttaatgcaaa 9660 ttttagctat aagttacatt ttattgtcaa tgatgacatc ttttcatttc ttgttattag 9720 gaattggtaa atctaagctt gttgcaaatt taaatctggt tgcagggctc gcacttgctg 9780 cttcaacgtt aatcgcagct cattatggcc tttatgcaat atctatggta aaaataatat 9840 atccggcttt tcaattttat tacctttatg tagcttttgt ctattttaat agagcgaaaa 9900 atgtctattg atttactttt ttcaattact gaaatcgcaa ttgttttttc ttgcactatt 9960 tacatattta ctcaatgttt gttaatgcgg aggatctatt tagataaaag tattttaatt 10020 cttttatgct tgctcttttt tttagtaatc attcaacttc ctgagcttaa tgtaaacggt 10080 ttggtcgatt ctttaaagtt atcactgcct ttattgatgg tctttatcgc ttttcaaaaa 10140 ccgaaattat gcttgtgggt tattattgca ttgttgtttt tgaactctgc atttaatttt 10200 ttatatttaa agacattcga taagtttagc tcatttcctt ttacttttt tatattgctg 10260 ttttacttgt ttagattggg aattggtaat ttaccggttt ataaaaataa aaaattttac 10320 gcgttgattt ttctctttat attaatagac ataatgcagt cattgttaat aaattatagg 10380 gggcagattt tatattccgt aatttgcatc ctgatacttg tgtttaaagt taatttaaga 10440 aaaaagattc catacttttt tttaatgctg ccagttttat atgtaattat tatggcttat 10500 attggtttta attatttcaa taaaggcgta actttttttg aacctacagc aagtaatatt 10560 gaacgtacgg ggatgatata ttatttggtt tcacagcttg gtgattatat attccatggt 10620 atggggacat taaatttctt aaataacggc ggacaatata agacgttata tggacttcca 10680 tcattaattc ctaatgaccc tcatgatttt ttattacggt tctttataag tattggtgtg 10740 ataggagcat tggtttatca ttctatattt tttgtttttt ttaggagaat atctttctta 10800 ttatatgaga gaaatgctcc tttcattgtt gtaagttgtt tgttactgtt acaagttgtg 10860 ttaatttata cattaaaccc ttttgatgct tttaatcgat tgatttgcgg gcttacagtt 10920 qqaqttqttt atggatttgc aaaaattaga taagtatacc tgtaatggaa atttagacgc 10980 tccacttgtt tcaataatca ttgcaactta taattctgaa cttgatatag ctaagtgttt 11040 gcaatcggta actaatcaat cttataagaa tattgaaatc ataataatgg atggaggatc 11100 ttctgataaa acgcttgata ttgcaaaatc gtttaaagac gaccgaataa aaatagtttc 11160 agagaaagat cgtggaattt atgatgcctg gaataaagca gttgatttat ccattggtga 11220 ttgggtagca tttattggtt cagatgatgt ttactatcat acagatgcaa ttgcttcatt 11280 gatgaagggg gttatggtat ctaatggcgc ccctgtggtt tatgggagga cagcgcacga 11340 aggtcccgat aggaacatat ctggattttc aggcagtgaa tggtacaacc taacaggatt 11400

```
taagtttaat tattacaaat gtaatttacc attgcccatt atgagcgcaa tatattctcg 11460
tgatttcttc agaaacgaac gttttgatat taaattaaaa attgttgctg acgctgattg 11520
gtttctgaga tgtttcatca aatggagtaa agagaagtca ccttatttta ttaatgacac 11580
gacccctatt gttagaatgg gatatggtgg ggtttcgact gatatttctt ctcaagttaa 11640
aactacgcta gaaagtttca ttgtacgcaa aaagaataat atatcctgtt taaacataca 11700
gctgattctt agatatgcta aaattctggt gatggtagcg atcaaaaata tttttggcaa 11760
taatgtttat aaattaatgc ataacgggta tcattcccta aagaaaatca agaataaaat 11820
atgaagattg tttatataat aaccgggctt acttgtggtg gagccgaaca ccttatgacg 11880
cagttagcag accaaatgtt tatacgcggg catgatgtta atattatttg tctaactggt 11940
atatctgagg taaagccaac acaaaatatt aatattcatt atgttaatat ggataaaaat 12000
tttagaagct tttttagagc tttatttcaa gtaaaaaaaa taattgtcgc cttaaagcca 12060
gatataatac atagtcatat gtttcatgct aatattttta gtcgttttat taggatgctg 12120
attccagcgg tgcccctgat atgtaccgca cacaacaaaa atgaaggtgg caatgcaagg 12180
atgttttgtt atcgactgag tgatttttta gcttctatta ctacaaatgt aagtaaagag 12240
gctgttcaag agtttatagc aagaaaggct acacctaaaa ataaaatagt agagattccg 12300
aattttatta atacaaataa atttgatttt gatattaatg tcagaaagaa aacgcgagat 12360
gcttttaatt tgaaagacag tacagcagta ctgctcgcag taggaagact tgttgaagca 12420
aaagactatc cgaacttatt aaatgcaata aatcatttga ttctttcaaa aacatcaaat 12480
tgtaatgatt ttattttgct tattgctggc gatggcgcat taagaaataa attattggat 12540
ttggtttgtc aattgaatct tgtggataaa gttttcttct tggggcaaag aagtgatatt 12600
aaagaattaa tgtgtgctgc agatcttttt gttttgagtt ctgagtggga aggttttggt 12660
ctcqttqttq cagaagctat ggcgtgtgaa cgtcccgttg ttgctaccga ttctggtgga 12720
gttaaagaag tcgttggacc tcataatgat gttatccctg tcagtaatca tattctgttg 12780
gcagagaaaa tcgctgagac acttaaaata gatgataacg caagaaaaat aataggtatg 12840
aaaaatagag aatatattgt ttccaatttt tcaattaaaa cgatagtgag tgagtgggag 12900
cgcttatatt ttaaatattc caagcgtaat aatataattg attgaaaata taagtttgta 12960
ctctggatgc aatagtttct ctatgctgtt tttttactgg ctccgtattt ttacttatag 13020
ctggattttg ttatatatca gtattaatct gtctcaactt catctagact acattcaagc 13080
cgcgcatgcg tcgcgcggtg actacacctg acaggagtat gtaatgtcca agcaacagat 13140
cggcgtcgtc ggtatggcag tgatggggcg caacctggcg ctcaacatcg aaagccgcgg 13200
ttataccgtc tccatcttca accgctcccg cgagaaaact gaagaagttg ttgccgagaa 13260
cccggataag aaactggttc cttattacac ggtgaaagag ttcgtcgagt ctcttgaaac 13320
cccacgtcgt atcctgttaa tggtaaaagc aggggcggga actgatgctg ctatcgattc 13380
cctgaagccg tatctggata aaggcgacat cattattgat ggtggcaaca ccttcttcca 13440
ggacactatc cgtcgtaacc gtgaactgtc cgcggaaggc tttaacttca tcggtaccgg 13500
cgtgtccggc ggtgaagagg gcgccctgaa aggcccatct atcatgccag gtggccagaa 13560
agaagcgtat gagctggttg cgcctatcct gaccaagatt gctgcggttg ctgaagatgg 13620
cgaaccatgt ataacttaca tcggtgctga cggtgcgggt cactacgtga agatggtgca 13680
caacggtatc gaatatggcg atatgcagct gattgctgaa gcctattctc tgcttaaagg 13740
cggccttaat ctgtctaacg aagagctggc aaccactttt accgagtgga atgaaggcga 13800
gctaagtagc tacctgattg acatcaccaa agacatcttc accaaaaaag atgaagagg 13860
taaatacctg gttgatgtga tcctggacga agctgcgaac aaaggcaccg gtaaatggac 13920
cagecagage tetetggate tgggtgaace getgtegetg ateacegaat eegtattege 13980
togotacato tottototga aagaccagog cattgoggca totaaagtgo tgtotggtoo 14040
gcaggctaaa ctggctggtg ataaagcaga gttcgttgag aaagtccgtc gcgcgctgta 14100
cctgggtaaa atcgtctctt atgcccaagg cttctctcaa ctgcgtgccg cgtctgacga 14160
atacaactgg gatctgaact acggcgaaat cgcgaagatc ttccgcgcgg gctgcatcat 14220
tcqtqcqcag ttcctqcaga aaattactqa cqcqtatqct gaaaacaaag gcattqctaa 14280
cctgttgctg gctccgtact tcaaaaatat cgctgatgaa tatcagcaag cgctgcgtga 14340
tgtagtggct tatgctgtgc agaacggtat tccggtaccg accttctctg cagcggtagc 14400
ctactacgac agctaccgtt ctgcggtact gccggctaat ctgattcagg cacagcgtga 14460
ttacttcggt gcgcacacgt ataaacgcac tgataaagaa ggtgtgttcc acaccg
<210> 46
<211> 1380
<212> DNA
<213> Escherichia coli
<400> 46
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtetga eecaggette eegtaaegeg aatgatggta tttetgttge geagaceaet 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cqtctqqaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
```

```
cagaaagcaa ccggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
caaattaacg gtactgataa ctatactgtt aatgtagata gtggagtagt acaggataaa 600
gatggcaaac aagtttatgt gagtgctgcg gatggttcac ttacgaccag cagtgatact 660
caattcaaga ttgatgcaac taagcttgca gtggctgcta aagatttagc tcaaggtaat 720
aagattgtct acgaaggtat cgaatttaca aataccggca ctggcgctat acctgccaca 780
ggtaatggtg aattaaccgc caatgttgat ggtaaggctg ttgaattcac tatttcgggg 840
agtgctgata catcaggtac tagtgcaacc gttgccccta cgacagccct atacaaaaat 900
agtgcagggc aattgactgc aacaaaagtt gaaaataaag cagcgacact atctgatctt 960
gatctgaacg ctgccaagaa aacaggaagc acgttagttg ttaacggtgc aacttacgat 1020
gttagtgcag atggtaaaac gataacggag actgcttctg gtaacaataa agtcatgtat 1080
ctgagcaaat cagaaggtgg tagcccgatt ctggtaaacg aagatgcagc aaaatcgttg 1140
caatctacca ccaacccgct cgaaactatc gacaaagcat tggctaaagt tgacaatctg 1200
cgttctgacc tcggtgcagt acaaaaccgt ttcgactctg ccatcaccaa ccttggcaac 1260
accgtaaaca acctgtette tgeeegtage egtategaag atgetgaeta egegaeegaa 1320
gtgtctaaca tgtctcgtgc gcagatcctg caacaagcgg gtacctctgt tctggcacag 1380
<210> 47
<211> 1497
<212> DNA
<213> Escherichia coli
<400> 47
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatctccg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtgtgcgtg aactgacggt acaggccact 300
accggtacta actctgagtc tgatctgtct tctatccagg acgaaattaa atcccgtctg 360
gatgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
aatggctcca tgaaaatcca ggttggcgca aatgataacc agactatcac tatcgatctg 480
aagcagattg atgctaaaac tcttggcctt gatggtttta gcgttaaaaa taacgataca 540
gttaccacta gtgctccagt aactgctttt ggtgctacca ccacaaacaa tattaaactt 600
actggaatta ccctttctac ggaagcagcc actgatactg gcggaactaa cccagcttca 660
attgagggtg tttatactga taatggtaat gattactatg cgaaaatcac cggtggtgat 720
aacgatggga agtattacgc agtaacagtt gctaatgatg gtacagtgac aatggcgact 780
ggagcaacgg caaatgcaac tgtaactgat gcaaatacta ctaaagctac aactatcact 840
tcaggcggta cacctgttca gattgataat actgcaggtt ccgcaactgc caaccttggt 900
gctgttagct tagtaaaact gcaggattcc aagggtaatg ataccgatac atatgcgctt 960
aaagatacaa atggcaatct ttacgctgcg gatgtgaatg aaactactgg tgctgtttct 1020
gttaaaacta ttacctatac tgactcttcc ggtgccgcca gttctccaac cgcggtcaaa 1080
ctgggcggag atgatggcaa aacagaagtg gtcgatattg atggtaaaac atacgattct 1140
gccgatttaa atggcggtaa tctgcaaaca ggtttgactg ctggtggtga ggctctgact 1200
gctgttgcaa atggtaaaac cacggatccg ctgaaagcgc tggacgatgc tatcgcatct 1260
gtagacaaat teegttette eeteggtgeg gtgeaaaaee gtetggatte egeggttaee 1320
aacctgaaca acaccactac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1380
tatgcgaccg aagtgtccaa tatgtcgaaa gcgcagatca tccagcaggc cggtaactcc 1440
gtgttggcaa aagctaacca ggtaccgcag caggttctgt ctctgctgca gggttaa
<210> 48
<211> 1695
 <212> DNA
<213> Escherichia coli
<400> 48
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtctg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
 accgggacta actotgatto ggatotggao tocattoagg acgaaatoaa atcccgtotg 360
gacgaaattg accgcgtatc cggtcaaacc cagttcaacg gtgtgaacgt actggcgaaa 420
 gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
 aagaaaattg actctgatac gctggggctg aatggtttta acgttaacgg caaaggtact 540
attqcqaaca aagcggcaac cattagtgat ctggcggcga cgggggcgaa tgttactaac 600
 tcaagcaata ttgttgtcac gacaaagttc aatgccttgg atgcagcgac tgcatttagc 660
 aaactcaaag atggtgattc tgttgccgtt gctgctcaga aatatactta taacgcatcg 720
```

```
accaatgatt ttacgacaga aaatacagta gcgacaggca ctgcaacgac agatcttggc 780
gctactctga aggctgctgc tgggcagagt caatcaggta catatacctt tgcaaatggt 840
aaagttaact ttgatgttga tgcaagcggt aatatcacta ttggcggcga aaaggctttc 900
ttggttggtg gagcgctgac tactaacgat cccaccggct ccactccagc aacgatgtct 960
tccctgttta aggccgcgga tgacaaagat gccgctcaat cctcgattga ttttggcggg 1020
aaaaaatacg aatttgctgg tggcaattct actaatggtg gcggcgttaa attcaaagac 1080
acggtgtctt ctgacgcgct tttggctcag gttaaagcgg atagtactgc taataatgta 1140
aaaatcacct ttaacaatgg teetetgtea tteactgeat egtteeaaaa tggtgtatet 1200
ggctccgcgg catcgaatgc agcctacatt gatagcgaag gcgaactgac aactactgaa 1260
tcctacaaca caaattattc cgtagacaaa gacacggggg ctgtaagtgt tacagggggg 1320
agcggtacgg gtaaatacgc cgcaaacgtg ggtgctcagg cttatgtagg tgcagatggt 1380
aaattaacca cgaatactac tagtaccggc tctgcaacca aagatccact aaatgcgctg 1440
gatgaggcaa ttgcatccat cgacaaattc cgttcttccc tgggggctat ccagaaccgt 1500
ctggattccg cagtcaccaa cctgaacaac accactacca acctgtctga agcgcagtcc 1560
cgtattcagg acgccgacta tgcgaccgaa gtgtccaaca tgtcgaaagc gcagatcatc 1620
cagcaggccg gtaactccgt gttggcaaaa gctaaccagg taccgcagca ggttctgtct 1680
ctgctgcagg gttaa
<210> 49
<211> 1164
<212> DNA
<213> Escherichia coli
<400> 49
aacaagaacc agtctgcgct gtcgagttct atcgagcgtc tgtcttctgg cttgcgtatt 60
aacagcgcga aggatgacgc cgcgggtcag gcgattgcta accgttttac ttctaacatt 120
aaaggcctga ctcaggctgc acgtaacgcc aacgacggta tttctgttgc gcagaccacc 180
gaaggcgcgc tgtccgaaat taacaacaac ttacagcgtg tgcgtgagct gactgttcag 240
gcgaccaccg gtactaactc tgagtctgac ctgtcttcta tccaggacga aatcaaatct 300
cgcctggaag agattgatcg tgtttcaagt cagactcaat ttaacggcgt gaatgttttg 360
gctaaagatg ggaaaatgaa cattcaggtt ggggcaagtg atggacagac tatcactatt 420
gatctgaaaa agatcgattc atctacacta aacctctcca gttttgatgc tacaaacttg 480
ggcaccagtg ttaaagatgg ggccaccatc aataagcaag tggcagtaga tgctggcgac 540
tttaaagata aagcttcagg atcgttaggt accctaaaat tagttgagaa agacggtaag 600
tactatqtaa atgacactaa aagtagtaag tactacgatg ccgaagtaga tactagtaag 660
ggtgaaatta acttcaactc tacaaatgaa agtggaacta ctcctactgc agcgacggaa 720
gtaactactg ttggccgcga tgtaaaattg gatgcttctg cacttaaagc caaccaatcg 780
cttgtcgtgt ataaagataa aagcggcaat gatgcttata tcattcagac caaagatgta 840
acaactaatc aatcaacttt caatgccgct aatatcagtg atgctggtgt tttatctatt 900
ggtgcatcta caaccgcgcc aagcaattta acagctgacc cgcttaaggc tcttgatgat 960
gcaattgcat ctgttgataa attccgctct tctctcggtg ccgttcagaa ccgtctggat 1020
tctgccattg ccaacctgaa caacaccact accaacctgt ctgaagcgca gtcccgtatt 1080
caggacgctg actatgcgac cgaagtgtcc aacatgtcga aagcgcagat tatccagcag 1140
gccggtaact ccgtgctggc aaaa
                                                                   1164
<210> 50
<211> 1818
<212> DNA
<213> Escherichia coli
<400> 50
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgctaacgat ggtatctctc tggcgcagac cactgaaggc 240
gcactgtctg agattaacaa caacttacaa cgtgtgcgtg agttgactgt acaggcgacc 300
accggtacta actctgattc tgacctggct tctattcagg acgaaatcaa atcccgtttg 360
totgaaattg accgogtato ogggoagaco cagttoaacg gogtgaacgt attgtotaaa 420
gatggctccc tgaaaattca ggttggcgca aatgatggtc agactatctc tatcgacctg 480
aagaaaattg actctgatac tctgggtttg aatggtttca acgttaatgg ttctggtacc 540
attqcaaaca aagcggccac aatcagtgac ttgactgctc agaaagccgt tgacaacggt 600
aatggtactt ataaagttac aactagcaac gctgcactta ctgcatctca ggcattaagt 660
aagctgagtg atggcgatac tgtagatatt gcaacctatg ctggtggtac aagttcaaca 720
gttagttata aatacgacgc agatgcaggt aacttcagtt ataacaatac tgcaaacaaa 780
acaagtgctg cggctggaac tctggcagat actcttctcc cggcagctgg ccagactaaa 840
accggtactt acaaggctgc tactggtgat gttaacttta atgttgacgc aactggtaat 900
```

```
ctgacaattg gcggacagca agcctacctg actactgatg gtaaccttac aacaaacaac 960
tccggtggtg cggctactgc aactcttaaa gagctgttta ctcttgctgg cgatggtaaa 1020
tctctgggga acggcggtac tgctaccgtt actctggata atactacgta taatttcaaa 1080
gctgctgcga acgttactga tggtgctggt gtcatcgctg ctgctggtgt aacttataca 1140
gccactgttt ctaaagatgt cattctggca caactgcaat ctgcaagtca ggcagcagca 1200
accgctaccg acggtgatac tgtcgcaacg atcaactata aatctggtgt catgatcggt 1260
tccgctacct ttaccaatgg taaaggtact gccgatggta tgacttctgg tacaactcca 1320
gtcgtagcta caggtgctaa agctgtatat gttgatggca acaatgaact gacttccact 1380
gcatcttacg atacgactta ctctgtcaac gcagatacag gcgcagtaaa agtggtatca 1440
ggtactggta ctggtaaatt tgaagctgtt gctggtgcgg atgcttatgt aagcaaagat 1500
ggcaaattaa cgacagaaac caccagtgca ggcactgcaa ccaaagatcc tttggctgcc 1560
ctggatgctg ctatcagctc catcgacaaa ttccgttcct ccctgggtgc tatccagaac 1620
cgtctggatt ccgcagtcac caacctgaac aacaccacta ctaacctgtc tgaagcgcag 1680
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca atatgtcgaa agcgcagatc 1740
atccagcagg ccggtaactc tgtgttggca aaagctaacc aggtaccgca gcaggttctg 1800
tctctgctgc agggttaa
<210> 51
<211> 1344
<212> DNA
<213> Escherichia coli
<400> 51
atggcacaaq tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
qacqaaattq accgcgtttc cggtcagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcga tgaagattca ggttggcgcg aatgacgggc agaccatctc tatcgatttg 480
cagaaaattg attcttcaac gctgggattg aaaggtttct cggtatcagg gaacgcatta 540
aaagttagcg atgcgataac tacagttcct ggtgctaatg ctggcgatgc cccggttacg 600
gttaaatttg gtgcgaacga taccgctgct gccgcaatgg ctaaaacatt gggaataagt 660
gatacatcag gcttgtccct acataacgta caaagcgcgg atggtaaagc gacaggaacc 720
tatgttgttc aatctggtaa tgacttctat tcggcttccg ttaatgctgg tggcgttgtt 780
acgcttaata ccaccaatgt tactttcact gatcctgcga acggtgttac cacagcaaca 840
cagacaggtc agcctatcaa ggtcacgacg aatagtgctg gcgcggctgt tggctatgtt 900
actattcaag gcaaagatta ccttgctggt gcagacggta aggatgcaat tgaaaacggt 960
ggtgacgctg caacaaatga agacacaaaa atccaactta ccgatgaact cgatgttgat 1020
ggttctgtaa aaacagcggc aacagcaaca ttttctggta ctgcaaccaa cgatccgctg 1080
gcacttttag acaaagctat ctcgcaagtt gatactttcc gctcctccct cggtgccgta 1140
caaaaccgtc tggattctgc ggtcaccaac ctgaataaca ccaccaccaa cctgtctgaa 1200
gcgcagtccc gtattcagga cgccgactat gcgaccgaag tgtccaacat gtcgaaagcg 1260
cagatcatcc agcaggcggg taactctgtg ctgtctaaag ctaaccaggt accgcagcag 1320
                                                                   1344
gttctgtctc tgctgcaggg ttaa
<210> 52
<211> 2599
<212> DNA
<213> Escherichia coli
<400> 52
cttctcttag ctctgctatt gagcgtctgt cttctggtct gcgtattaac agcgcaaaag 60
acgatgcagc aggtcaggcg attgctaacc gttttacggc aaatattaaa ggtctgaccc 120
aggetteeeg taacgegaat gatggtattt etgttgegea gaccaetgaa ggtgegetga 180
atgaaattaa caacaacctg cagcgtattc gtgaactttc tgttcaggca actaacggta 240
ctaactctga cagcgatctt tcttctatcc aggctgaaat tactcaacgt ctggaagaaa 300
ttgaccgtgt atctgagcaa actcagttta acggcgtgaa agtccttgct gaaaataatg 360
aaatgaaaat tcaggttggt gctaatgatg gtgaaaccat tgacctgccc ccacgattag 420
atacaacact cagttagtaa cgtcggaatc ttcattctca gaatgaccct ttctccagcc 480
cgctgcaaat tcagacggtg tctgataatt cagcgtggag tgcgggcggc attcgttata 540
atcctgccgc cagtcattaa taattttcct ggcatgaacg atatcgctga accagtgctc 600
attcaaacat tcatcgcgaa atcgtccgtt aaagctctca ataaatccgt tctgcgttgg 660
cttqcccqqc tqqattaaqc qcaactcaac accatgctca aaggcccatt gatccagtgc 720
acggcaagtg aactceggce cetggteagt tettategte geeggatage etegaaacag 780
tgcaatgctg tccagaatac gcgtgacctg aacgcctgaa atcccaaagg caacagtgac 840
```

```
cgtcaggcat tcctttgtga aatcatcgac gcaggtaaga cacttgatcc tgcgaccggt 900
ggaaagtgcg tccatgacga aatccatcga ccaggtcaga ttgggcgccg ccggacggag 960
cageggeaga egttetgttg ceagecettt aegaegtett etgegtttta egeceaggee 1020
actgaggtga taaagccggt acacgcgctt atgattaaca tgaagccctt cacggcgcag 1080
caactgccaa atacgacggt agccaaaacg cctgcgctcc agtgccagct cagtgatgcg 1140
ccctgataaa tgcgcatcag cagccggacg gtgagcctca tagcggcagg tcgacaggga 1200
taaacctgta agcctgcagg cacgacgttg cgacagaccg gtcgcatcac acatcaacat 1260
cacggettee egettetggt etgtegteag tactttegee caagageeac etgaagegee 1320
tetttateca geatggette ggeaageage ttettgagte tggtgttete tteeteaage 1380
gacttcaggc gcttaacttc aggcacctcc ataccgccat acttcttacg ccaggtgtaa 1440
aacgtggcat cggaaatggc atgcttgcgg cagagttcac gggcgggtac cccagcttcg 1500
gettegegga gaataetgat gatetgtteg teggaaaaae gettetteat ggggatgtee 1560
tcatgtggct tatgaagaca ttactaacat cggggtgtac taatcaacgg ggagcaggtc 1620
accatcacta tcaatctggc aaaaattgat gcgaaaactc tcggcctgga cggttttaat 1680
atcgatggcg cgcagaaagc aaccggcagt gacctgattt ctaaatttaa agcgacaggt 1740
actgataatt atcaaattaa cggtactgat aactatactg ttaatgtaga tagtggagta 1800
gtacaggata aagatggcaa acaagtttat gtgagtgctg cggatggttc acttacgacc 1860
agcagtgata ctcaattcaa gattgatgca actaagcttg cagtggctgc taaagattta 1920
gctcaaggta ataagattgt ctacgaaggt atcgaattta caaataccgg cactggcgct 1980
atacctgcca caggtaatgg taaattaacc gccaatgttg atggtaaggc tgttgaattc 2040
actatttcgg ggagtgctga tacatcaggt actagtgcaa ccgttgcccc tacgacagcc 2100
ctatacaaaa atagtgcagg gcaattgact gcaacaaaag ttgaaaataa agcagcgaca 2160
ctatctgatc ttgatctgaa cgctgccaag aaaacaggaa gcacgttagt tgttaacggt 2220
gcaacttacg atgttagtgc agatggtaaa acgataacgg agactgcttc tggtaacaat 2280
aaagtcatgt atctgagcaa atcagaaggt ggtagcccga ttctggtaaa cgaagatgca 2340
gcaaaatcgt tgcaatctac caccaacccg ctcgaaacta tcgacaaagc attggctaaa 2400
gttgacaatc tgcgttctga cctcggtgca gtacaaaacc gtttcgactc tgccatcacc 2460
aaccttggca acaccgtaaa caacctgtct tctgcccgta gccgtatcga agatgctgac 2520
tacgcgaccg aagtgtctaa catgtctcgt gcgcagatcc tgcaacaagc gggtacctct 2580
gttctggcac aggctaacc
<210> 53
<211> 1245
<212> DNA
<213> Escherichia coli
<400> 53
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
```

aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120 aaaggtetga eteaggeege aegtaaegee aaegaeggta tetetetgge geagaeeaet 180 gaaggcgcac tgtctgaaat caacaacaac ttgcagcgtg ttcgtgaact gaccgttcag 240 gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300 cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360 gcaaaagatg gctcgatgaa aattcaggtc ggtgcaaatg atggtcagac aatcagcatt 420 gatttgcaga agattgattc ttctacttta gggttaaatg gtttttctgt ttccaaaaat 480 gcagtatctg ttggtgatgc tattactcaa ttgcctggcg agacggcagc cgatgcacca 540 qtaaccatca agtttgatga ttcagtaaaa actgatttaa aactgaccga tgcttcaggg 600 ttaagtctgc ataacctcaa agatgaaaat ggtaatttaa ctaaccagta tgttgtacag 660 aatggcggaa aatcttacgc tgctacagtc gctgccaatg gtaatgttac gctgaacaaa 720 gcaaatgtaa cctacagcga tgtcgcaaac ggtattgata ccgcaacgca gtcaggccag 780 ttagttcagg ttggtgcaga ttctaccggt acgccaaaag cattcgtgtc tgtccaaggt 840 aaaagetttg geattgatga egeegeettg aagaataaca etggtgatge tacegetaet 900 ccaccgggaa catctgggac aacagttgtc gcagcgtcaa ttcatctgag tacgggcaaa 960 aactctgtag acgctgatgt aacggcttcc actgaattca caggtgcttc aaccaacgat 1020 ccactgactc tgctggacaa agctatcgca tctgttgata aattccgttc ttctttgggg 1080 gcggtacaga accgtctgag ctccgctgta accaacctga acaacaccac caccaacctg 1140 tctgaagcgc agtcccgtat tcaggacgcc gactatgcga ccgaagtgtc caacatgtcg 1200 aaagcgcaga ttatccagca ggcaggtaac tccgtgctgt ccaaa

```
<210> 54
<211> 1212
<212> DNA
<213> Escherichia coli
<400> 54
aacaaaaacc agtctgcgct gtcgacttct atcgaacgcc tctcttctgg cctgcgtatt 60
aacagtgcga aagatgacgc tgccggtcag gcgatagcta accgtttcac ctctaacatt 120
aaaggeetga eteaggetge gegtaaegee aaegaeggta tttetetgge geagaeeaca 180
gaaggtgcgt tgtctgaaat caacaacaac ttgcaacgtg tgcgtgagtt gaccgttcag 240
gcgacgaccg gtactaactc tgattctgac ctgtcatcta ttcaggacga aatcaaatcc 300
cgtctggatg agattgaccg tgtttccggt cagacccagt tcaacggcgt gaatgtactg 360
gcaaaagacg gttcgatgaa gattcaggtt ggcgcgaatg atggccagac tattagcatt 420
gatttacaga aaattgactc ttctacatta gggttgaatg gtttctccgt ttctgctcaa 480
tcacttaacg ttggtgattc aattactcaa attacaggag ccgctgggac aaaacctgtt 540
ggtgttgatt tcactgctgt tgcgaaagat ctgactactg cgacaggtaa aactgtcgat 600
gtttccagcc tgacgttaca caacaccctg gatgcgaaag gggctgccac cgcacagttc 660
gtcgttcaat ccggtagtga tttctactcc gcgtccattg accatgcaag tggtgaagtg 720
acgttgaata aagccgatgt cgaatacaaa gacaccgata atggactaac gactgcagct 780
actcagaaag atcagctgat taaagttgcc gctgactctg acggcgcggc tgcgggatat 840
gtaacattcc agggtaaaaa ctacgctaca acggctccag cggcgcttaa tgatgacact 900
acggcaacag ccacagcgaa caaagttgtt gttgaattat ctacagcaac tccgactgcg 960
cagtteteag gggettette tgetgateea etggeaettt tagacaaage cattgeaeag 1020
gttgatactt teegeteete eeteggtgee gtteaaaace gtetggaete tgeggtaace 1080
aacctgaaca acaccaccac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1140
tatgcgaccg aagtgtctaa catgtcgaaa gcgcagatca tccagcaggc gggtaactct 1200
gtgctgtcta aa
<210> 55
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 55
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ccaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
                                                                   1758
 tctctgctgc agggttaa
```

<210> 56 <211> 14024

```
<212> DNA
<213> Escherichia coli
<400> 56
gtaaccaagg geggtaegtg cataaatttt aatgettate aaaaetatta geattaaaaa 60
tatataagaa attctcaaat gaacaaagaa accgtttcaa taattatgcc cgtttacaat 120
ggggccaaaa ctataatctc atcagtagaa tcaattatac atcaatctta tcaagatttt 180
gttttgtata tcattgacga ttgtagcacc gatgatacat tttcattaat caacagtcga 240
tacaaaaaca atcagaaaat aagaatattg cgtaacaaga caaatttagg tgttgcagaa 300
agtcgaaatt atggaataga aatggccacg gggaaatata tttctttttg tgatgcggat 360
gatttgtggc acgagaaaaa attagagcgt caaatcgaag tgttaaataa tgaatgtgta 420
gatgtggtat gttctaatta ttatgttata gataacaata gaaatattgt tggcgaagtt 480
aatgctcctc atgtgataaa ttatagaaaa atgctcatga aaaactacat agggaatttg 540
acaggaatct ataatgccaa caaattgggt aagttttatc aaaaaaagat tggtcacgag 600
gattatttga tgtggctgga aataattaat aaaacaaatg gtgctatttg tattcaagat 660
aatctggcgt attacatgcg ttcaaataat tcactatcgg gtaataaaat taaagctgca 720
aaatggacat ggagtatata tagagaacat ttacatttgt cctttccaaa aacattatat 780
tattttttat tatatgcttc aaatggagtc atgaaaaaaa taacacattc actattaagg 840
agaaaggaga ctaaaaagtg aagtcagcgg ctaagttgat ttttttattc ctatttacac 900
tttatagtct ccagttgtat ggggttatca tagatgatcg tataacaaat tttgatacaa 960
aggtattaac tagtattata attatatttc agattttttt tgttttatta ttttatctaa 1020
cgattataaa tgaaagaaaa cagcagaaaa aatttatcgt gaactgggag ctaaagttaa 1080
tactcgtttt cctttttgtg actatagaaa ttgctgctgt agttttattt cttaaagaag 1140
gtattcctat atttgatgat gatccagggg gggctaaact tagaatagct gaaggtaatg 1200
gactttacat tagatatatt aagtattttg gtaatatagt tgtgtttgca ttaattattc 1260
tttatgatga gcataaattc aaacagagga ccatcatatt tgtatatttt acaacgattg 1320
ctttatttgg ttatcgttct gaattggtgt tgctcattct tcaatatata ttgattacca 1380
atatcctqtc aaaggataac cgtaatccta aaataaaaag aataataggg tattttttat 1440
tggtaggggt tgtatgctcg ttgttttatc taagtttagg acaagacgga gaacaaaatg 1500
actcatataa taatatgtta aggataatta ataggttaac aatagagcaa gttgaaggtg 1560
ttccatatgt tgtttctgaa tctattaaga acgatttctt tccgacacca gagttagaaa 1620
aggaattaaa agcaataata aatagaatac agggaataaa gcatcaagac ttattttatg 1680
gagaacggtt acataaacaa gtatttggag acatgggagc aaatttttta tcagttacta 1740
cgtatggagc agaactgtta gttttttttg gttttctctg tgtattcatt atccctttag 1800
ggatatatat acctttttat cttttaaaga gaatgaaaaa aacccatagc tcgataaatt 1860
qcqcattcta ttcatatatc attatgattt tattgcaata cttagtggct gggaatgcat 1920
cggccttctt ttttggtcct tttctctccg tattgataat gtgtactcct ctgatcttat 1980
tgcatgatac gttaaagaga ttatcacgaa atgaaaatat cagttataac tgtgacttat 2040
aataatgctg aagggttaga aaaaacttta agtagtttat caattttaaa aataaaacct 2100
tttgagatta ttatagttga tggcggctct acagatggaa cgaatcgtgt cattagtaga 2160
tttactagta tgaatattac acatgtttat gaaaaagatg aagggatata tgatgcgatg 2220
aataagggcc gaatgttggc caaaggcgac ttaatacatt atttaaacgc cggcgatagc 2280
gtaattggag atatatataa aaatatcaaa gagccatgtt tgattaaagt tggccttttc 2340
qaaaatgata aacttctggg attttcttct ataacccatt caaatacagg gtattgtcat 2400
caaggggtga ttttcccaaa gaatcattca gaatatgatc taaggtataa aatatgtgct 2460
gattataagc ttattcaaga ggtgtttcct gaagggttaa gatctctatc tttgattact 2520
tcgggttatg taaaatatga tatgggggga gtatcttcaa aaaaaagaat tttaagagat 2580
aaagagettg ecaaaattat gtttgaaaaa aataaaaaaa aeettattaa gtttatteca 2640
atttcaataa tcaaaatttt attccctgaa cgtttaagaa gagtattgcg gaaaatgcaa 2700
tatatttgtc taactttatt cttcatgaag aatagttcac catatgataa tgaataaaat 2760
caaaaaaata cttaaatttt gcactttaaa aaaatatgat acatcaagtg ctttaggtag 2820
agaacaggaa aggtacagga ttatatcctt gtctgttatt tcaagtttga ttagtaaaat 2880
actotoacta otttototta tattaactgt aagtttaact ttacottatt taggacaaga 2940
gagatttggt gtatggatga ctattaccag tcttggtgct gctctgacat ttttggactt 3000
aggtatagga aatgcattaa caaacaggat cgcacattca tttgcgtgtg gcaaaaattt 3060
aaagatgagt cggcaaatta gtggtgggct cactttgctg gctggattat cgtttgtcat 3120
aactgcaata tgctatatta cttctggcat gattgattgg caactagtaa taaaaggtat 3180
aaacqaqaat qtqtatqcaq agttacaaca ctcaattaaa gtctttgtaa tcatatttgg 3240
acttggaatt tattcaaatg gtgtgcaaaa agtttatatg ggaatacaaa aagcctatat 3300
aagtaatatt gttaatgcca tatttatatt gttatctatt attactctag taatatcgtc 3360
gaaactacat gcgggactac cagttttaat tgtcagcact cttggtattc aatacatatc 3420
gggaatctat ttaacaatta atcttattat aaagcgatta ataaagttta caaaagttaa 3480
catacatgct aaaagagaag ctccatattt gatattaaac ggttttttct tttttatttt 3540
```

acagttaggc actctggcaa catggagtgg tgataacttt ataatatcta taacattggg 3600

tettacgatt tataacatee egttatggge tgettatgea gatgeteatg caegeaatga 3720 tactcaattt ataaaaaaga cgctcagaac atcattgaaa atagtgggta tttcatcatt 3780 cttattqqcc ttcatattag tagtgttcgg tagtgaagtc gttaatattt ggacagaagg 3840 aaagattcag gtacctcgaa cattcataat agcttatgct ttatggtctg ttattgatgc 3900 tttttcgaat acatttgcaa gctttttaaa tggtttgaac atagttaaac aacaaatgct 3960 tgctgttgta acattgatat tgatcgcaat tccagcaaaa tacatcatag ttagccattt 4020 tgggttaact gttatgttgt actgcttcat ttttatatat attgtaaatt actttatatg 4080 gtataaatgt agttttaaaa aacatatcga tagacagtta aatataagag gatgaaaatg 4140 aaatatatac cagtttacca accgtcattg acaggaaaag aaaaagaata tgtaaatgaa 4200 tgtctggact caacgtggat ttcatcaaaa ggaaactata ttcagaagtt tgaaaataaa 4260 tttgcggaac aaaaccatgt gcaatatgca actactgtaa gtaatggaac ggttgctctt 4320 catttagctt tgttagcgtt aggtatatcg gaaggagatg aagttattgt tccaacactg 4380 acatatatag catcagttaa tgctataaaa tacacaggag ccaccccat tttcgttgat 4440 tcagataatg aaacttggca aatgtctgtt agtgacatag aacaaaaaat cactaataaa 4500 actaaagcta ttatgtgtgt ccatttatac ggacatccat gtgatatgga acaaattgta 4560 gaactggcca aaagtagaaa tttgtttgta attgaagatt gcgctgaagc ctttggttct 4620 aaatataaag gtaaatatgt gggaacattt ggagatattt ctacttttag cttttttgga 4680 aataaaacta ttactacagg tgaaggtgga atggttgtca cgaatgacaa aacactttat 4740 gaccgttgtt tacattttaa aggccaagga ttagctgtac ataggcaata ttggcatgac 4800 gttataggct acaattatag gatgacaaat atctgcgctg ctataggatt agcccagtta 4860 gaacaagctg atgattttat atcacgaaaa cgtgaaattg ctgatattta taaaaaaaaat 4920 atcaacagtc ttgtacaagt ccacaaggaa agtaaagatg tttttcacac ttattggatg 4980 gtotcaatto taactaggac ogcagaggaa agagaggaat taaggaatca cottgcagat 5040 aaactcatcg aaacaaggcc agttttttac cctgtccaca cgatgccaat gtactcggaa 5100 aaatatcaaa agcaccctat agctgaggat cttggttggc gtggaattaa tttacctagt 5160 ttccccagcc tatcgaatga gcaagttatt tatatttgtg aatctattaa cgaattttat 5220 agtgataaat agcctaaaat attgtaaagg tcattcatga aaattgcgtt gaattcagat 5280 ggattttacg agtggggcgg tggaattgat tttattaaat atattctgtc aatattagaa 5340 acgaaaccag aaatatgtat cgatattctt ttaccgagaa atgatataca ttctcttata 5400 agagaaaaag catttccttt taaaagtata ttaaaagcaa ttttaaagag ggaaaggcct 5460 cgatggattt cattaaatag atttaatgag caatactata gagatgcctt tacacaaaat 5520 aatatagaga cgaatcttac ctttattaaa agtaagagct ctgcctttta ttcatatttt 5580 gatagtagcg attgtgatgt tattcttcct tgcatgcgtg ttccttcggg aaatttgaat 5640 aaaaaagcat ggattggtta tatttatgac tttcaacact gttactatcc ttcattttt 5700 agtaagcgag aaatagatca aaggaatgtg ttttttaaaat tgatgctcaa ttgcgctaac 5760 aatattattg ttaatgcaca ttcagttatt accgatgcaa ataaatatgt tgggaattat 5820 totgcaaaac tacattotot tocatttagt coatgccotc aattaaaatg gttcgctgat 5880 tactctggta atattgccaa atataatatt gacaaggatt attttataat ttgcaatcaa 5940 ttttggaaac ataaagatca tgcaactgct tttagggcat ttaaaattta tactgaatat 6000 aatcctgatg tttatttagt atgcacggga gctactcaag attatcgatt ccctggatat 6060 tttaatgaat tgatggtttt ggcaaaaaag ctcggaattg aatcgaaaat taagatatta 6120 ccaaccttat ttgaaggcgg gcctggaggg ggggtaacat ttgacgctat tgcattaggg 6240 aaaaaagtta tactatctga catagatgtc aataaagaag ttaattgcgg tgatgtatat 6300 ttctttcagg caaaaaacca ttattcatta aatgacgcga tggtaaaagc tgatgaatct 6360 aaaatttttt atgaacctac aactctgata gaattgggtc tcaaaagacg caatgcgtgt 6420 gcagattttc ttttagatgt tgtgaaacaa gaaattgaat cccgatctta atatattcaa 6480 gaggtatata atgactaaag tegetettat tacaggtgta actggacaag atggatetta 6540 tctagctgag tttttgcttg ataaagggta tgaagttcat ggtatcaaac gccgagcctc 6600 atcttttaat acagaacgca tagaccatat ttatcaagat ccacatggtt ctaacccaaa 6660 ttttcacttg cactatggag atctgactga ttcatctaac ctcactagaa ttctaaagga 6720 ggtacagcca gatgaagtat ataatttagc tgctatgagt cacgtagcag tttcttttga 6780 gtctccagaa tatacagccg atgtcgatgc aattggtaca ttacgtttac tggaagcaat 6840 tegettetta ggattggaaa acaaaacgeg tetetateaa getteaacet eagaattata 6900 tggacttgtt caggaaatcc ctcaaaaaga atccacccct ttttatcctc gttcccctta 6960 tgcagttgca aaactttacg catattggat cacggtaaat tatcgagagt catatggtat 7020 ttatgcatgt aatggtatat tgttcaatca tgaatctcca cgccgtggag aaacgtttgt 7080 aacaaggaaa attactcgag gacttgcaaa tattgcacaa ggcttggaat catgtttgta 7140 tttagggaat atggattcgt tacgagattg gggacatgca aaagattatg ttagaatgca 7200 atggttgatg ttacaacagg agcaacccga agattttgtg attgcaacag gagtccaata 7260 ctcagtccgt cagtttgtcg aaatggcagc agcacaactt ggtattaaga tgagctttgt 7320 tggtaaagga atcgaagaaa aaggcattgt agattcggtt gaaggacagg atgctccagg 7380 tgtgaaacca ggtgatgtca ttgttgctgt tgatcctcgt tatttccgac cagctgaagt 7440 tgatactttg cttggagatc cgagcaaagc taatctcaaa cttggttgga gaccagaaat 7500 tactcttqct qaaatqattt ctgaaatggt tgccaaagat cttgaagccg ctaaaaaaca 7560 ttctctttta aaatcgcatg gtttttctgt aagcttagct ctggaatgat gatgaataag 7620 caacgtattt ttattgctgg tcaccaagga atggttggat cagctattac ccgacgcctc 7680

aaacaacgtg atgatgttga gttggtttta cgtactcggg atgaattgaa cttgttggat 7740 agtagcgctg ttttggattt tttttcttca cagaaaatcg accaggttta tttggcagca 7800 gcaaaagtcg gaggtatttt agctaacagt tcttatcctg ccgattttat atatgagaat 7860 ataatgatag aggcgaatgt cattcatgct gcccacaaaa ataatgtaaa taaactgctt 7920 ttcctcggtt cgtcgtgtat ttatcctaag ttagcacacc aaccgattat ggaagacgaa 7980 ttattacaag ggaaacttga gccaacaaat gaaccttatg ctatcgcaaa aattgcaggt 8040 attaaattat gtgaatctta taaccgtcag tttgggcgtg attaccgttc agtaatgcca 8100 accaatcttt atggtccaaa tgacaatttt catccaagta attctcatgt gattccggcg 8160 cttttgcgcc gctttcatga tgctgtggaa aacaattctc cgaatgttgt tgtttgggga 8220 agtggtactc caaagcgtga attcttacat gtagatgata tggcttctgc aagcatttat 8280 gtcatggaga tgccatacga tatatggcaa aaaaatacta aagtaatgtt gtctcatatc 8340 aatattggaa caggtattga ctgcacgatt tgtgagcttg cggaaacaat agcaaaagtt 8400 gtaggttata aagggcatat tacgttcgat acaacaaagc ccgatggagc ccctcgaaaa 8460 ctacttgatg taacgcttct tcatcaacta ggttggaatc ataaaattac ccttcacaag 8520 ggtcttgaaa atacatacaa ctggtttctt gaaaaccaac ttcaatatcg ggggtaataa 8580 tgtttttaca ttcccaagac tttgccacaa ttgtaaggtc tactcctctt atttctatag 8640 atttgattgt ggaaaacgag tttggcgaaa ttttgctagg aaaacgaatc aaccgcccgg 8700 cacagggcta ttggttcgtt cctggtggta gggtgttgaa agatgaaaaa ttgcagacag 8760 cctttgaacg attgacagaa attgaactag gaattcgttt gcctctctct gtgggtaagt 8820 tttatggtat ctggcagcac ttctacgaag acaatagtat ggggggagac ttttcaacgc 8880 attatatagt tatagcattc cttcttaaat tacaaccaaa cattttgaaa ttaccgaagt 8940 cacaacataa tgcttattgc tggctatcgc gagcaaagct gataaatgat gacgatgtgc 9000 attataattg tcgcgcatat tttaacaata aaacaaatga tgcgattggc ttagataata 9060 aggatataat atgtctgatg cgccaataat tgctgtagtt atggccggtg gtacaggcag 9120 tcgtctttgg ccactttctc gtgaactata tccaaagcag tttttacaac tctctggtga 9180 taacaccttg ttacaaacga ctttgctacg actttcaggc ctatcatgtc aaaaaccatt 9240 agtgataaca aatgaacagc atcgctttgt tgtggctgaa cagttaaggg aaataaataa 9300 attaaatggt aatattattc tagaaccatg cgggcgaaat actgcaccag caatagcgat 9360 atctgcgttt catgcgttaa aacgtaatcc tcaggaagat ccattgcttc tagttcttgc 9420 ggcagaccac gttatagcta aagaaagtgt tttctgtgat gctattaaaa atgcaactcc 9480 catcgctaat caaggtaaaa ttgtaacgtt tggaattata ccagaatatg ctgaaactgg 9540 ttatgggtat attgagagag gtgaactatc tgtaccgctt caagggcatg aaaatactgg 9600 tttttattat gtaaataagt ttgtcgaaaa gcctaatcgt gaaaccgcag aattgtatat 9660 gacttctggt aatcactatt ggaatagtgg aatattcatg tttaaggcat ctgtttatct 9720 tgaggaattg agaaaattta gacctgacat ttacaatgtt tgtgaacagg ttgcctcatc 9780 ctcatacatt gatctagatt ttattcgatt atcaaaagaa caatttcaag attgtcctgc 9840 tgaatctatt gattttgctg taatggaaaa aacagaaaaa tgtgttgtat gccctgttga 9900 tattggttgg agtgacgttg gatcttggca atcgttatgg gacattagtc taaaaatcgaa 9960 aacaggagat gtatgtaaag gtgatatatt aacctatgat actaagaata attatatcta 10020 ctctgagtca gcgttggtag ccgccattgg aattgaagat atggttatcg tgcaaactaa 10080 agatgccgtt cttgtgtcta aaaagagtga tgtacagcat gtaaaaaaaa tagtcgaaat 10140 gcttaaattg cagcaacgta cagagtatat tagtcatcgt gaagttttcc gaccatgggg 10200 aaaatttgat tcgattgacc aaggtgagcg atacaaagtc aagaaaatta ttgtgaaacc 10260 tggtgagggg ctttctttaa ggatgcatca ccatcgttct gaacattgga tcgtgctttc 10320 atacattccc cttggcgcag cgtatagtct tgagaatccg ggcataatcc ctcttaatct 10440 tattgaagtc agttcagggg attatttggg agaggatgat attataagac agaaagaacg 10500 ttacaaacat gaagattaac atatgaaatc tttaacctgc tttaaagcct atgatattcg 10560 cgggaaatta ggcgaagaac tgaatgaaga tattgcctgg cgcattgggc gtgcctatgg 10620 cgaatttctc aaaccgaaaa ccattgtttt aggcggtgat gtccgcctca ccagcgaagc 10680 gttaaaactg gcgcttgcga aaggtttaca ggatgcgggc gtcgatgtgc tggatatcgg 10740 tatgtccggc accgaagaga tctatttcgc cacgttccat ctcggagtgg atggcggcat 10800 cgaagttacc gccagccata acccgatgga ttacaacggc atgaagctgg tgcgcgaagg 10860 ggctcgcccg atcagcggtg ataccggact gcgcgatgtc cagcgtctgg cagaagccaa 10920 tgacttccct cctgtcgatg aaaccaaacg tggtcgctat cagcaaatca atctgcgtga 10980 cgcttacgtt gatcacctgt tcggttatat caacgtcaaa aacctcacgc cgctcaagct 11040 ggtgatcaac teegggaacg gegeageggg teeggtggtg gaegeeattg aageeegatt 11100 taaagccctc ggcgcaccgg tggaattaat caaagtacac aacacgccgg acggcaattt 11160 ccccaacggt attcctaacc cgctgctgcc ggaatgccgc gacgacaccc gtaatgcggt 11220 catcaaacac ggcgcggata tgggcattgc ctttgatggc gattttgacc gctgtttcct 11280 gtttgacgaa aaagggcagt ttatcgaggg ctactacatt gtcggcctgc tggcagaagc 11340 gttcctcgaa aaaaatcccg gcgcgaagat catccacgat ccacgtctct cctggaacac 11400 cgttgatgtg gtgactgccg caggcggcac cccggtaatg tcgaaaaccg gacacgcctt 11460 tattaaagaa cgtatgcgca aggaagacgc catctacggt ggcgaaatga gcgctcacca 11520 ttacttccgt gatttcgctt actgcgacag cggcatgatc ccgtggctgc tggtcgccga 11580 actggtgtgc ctgaaaggaa aaacgctggg cgaaatggtg cgcgaccgga tggcggcgtt 11640 tccggcaagc ggtgagatca acagcaaact ggcgcaaccc gttgaggcaa ttaatcgcgt 11700

```
ggaacagcat tttagccgcg aggcgctggc ggtggatcgc accgatggca tcagcatgac 11760
ctttgccgac tggcgcttta acctgcgctc ctccaacacc gaaccggtgg tgcggttgaa 11820
tgtggaatca cgcggtgatg taaagctaat ggaaaagaaa actaaagctc ttcttaaatt 11880
gctaagtgag tgattattta cattaatcat taagcgtatt taagattata ttaaagtaat 11940
gttattgcgg tatatgatga atatgtgggc ttttttatgt ataacgacta taccgcaact 12000
ttatctagga aaagattaat agaaataaag ttttgtactg accaatttgc atttcacgtc 12060
acgattgaga cgttcctttg cttaagacat tttttcatcg cttatgtaat aacaaatgtg 12120
ccttatataa aaaggagaac aaaatggaac ttaaaaataat tgagacaata gatttttatt 12180
atccctgttt acgatattat agccaaagtt gtatcctgca tcagtcctgc aatatttcac 12240
gagtgetttg ttaactgaat acatgtetge cattttecag atgataacga egteategea 12300
attgatggta aaacacttcg gcacacttat gacaagagtc gtcgcagagg agtggttcat 12360
gtcattagtg cgtttcagca atgcacagtc tggtcctcgg atagatcaag acggatgaga 12420
aacctaatgc gttcacagtt attcatgaac tttctaaaat gatgggtatt aaaggaaaaa 12480
taatcataac tgatgcgatg gcttgccaga aagatattgc agagaagata taaaaacaga 12540
gatgtgatta tttattcgct gtaaaaggaa ataagagtcg gcttaataga gtctttgagg 12600
agatatttac gctgaaagaa ttaaataatc caaaacatga cagttacgca attagtgaaa 12660
agaggcacgg cagagacgat gtccgtcttc atattgtttg agatgctcct gatgagctta 12720
ttgatttcac gtttgaatgg aaagggctgc agaatttatg aatggcagtc cactttctct 12780
caataatagc agagcaaaag aaagaatccg aaatgacgat caaatattat attagatctg 12840
ctgctttaac cgcagagaag ttcgccacag taaatcgaaa tcactggcgc atggagaata 12900
tgcattcgaa tgattttcta gaatgcggca catcgctatt aatatctgac aatgataatg 13020
tattcaaggc aggattatca tgtaagatgc gaaaagcagt catggacaga aacttcctag 13080
cgtcaggcat tgcagcgtgc gggctttcat aatcttgcat tggttttgat aagatatttc 13140
tttggagatg ggaaaatgaa tttgtatggt atttttggtg ctggaagtta tggtagagaa 13200
acaataccca ttctaaatca acaaataaag caagaatgtg gttctgacta tgctctggtt 13260
tttgtggatg atgttttggc aggaaagaaa gttaatggtt ttgaagtgct ttcaaccaac 13320
tgctttctaa aagcccctta tttaaaaaag tattttaatg ttgctattgc taatgataag 13380
atacgacaga gagtgtctga gtcaatatta ttacacgggg ttgaaccaat aactataaaa 13440
catccaaata gcgttgttta tgatcatact atgataggta gtggcgctat tatttctccc 13500
tttgttacaa tatctactaa tactcatata gggaggtttt ttcatgcaaa catatactca 13560
tacgttgcac atgattgtca aataggagac tatgttacat ttgctcctgg ggctaaatgt 13620
aatggatatg ttgttattga agacaatgca tatataggct cgggtgcagt aattaagcag 13680
ggtgttccta atcgcccact tattattggc gcgggagcca ttataggtat gggggctgtt 13740
gtcactaaaa gtgttcctgc cggtataact gtgtgcggaa atccagcaag agaaatgaaa 13800
agatcgccaa catctattta atgggaatgc gaaaacacgt tccaaatggg actaatgttt 13860
aaaatatata taattteget aatttaetaa attatggett etttttaage tateetttae 13920
ttagttatta ctgatacagc atgaaattta taatactctg atacattttt atacgttatt 13980
caagccgcat atctagcggt aacccctgac aggagtaaac aatg
<210> 57
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 57
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta acteegatte tgacetggae tecateeagg acgaaateaa atetegtett 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggotgotg attragette aaaacgtgat gegttagetg ccaccettea tgctgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
```

```
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtotottaca gogttaacaa ggataaoggo totgtgaotg ttgoogggta tgottoagog 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1680
attcagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 58
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 58
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actocgatto tgacotggac tocatocagg acgaaatcaa atotogtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaaa cgccgcggcg 780
caggotgotg attoagotto aaaacgtgat gogttagotg coaccottca tgotgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tragraggta atatracrat rggtggaagr raggratarg tagargatgr aggraacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggcactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagete categacaaa tteegttett eeetgggtge tatecagaac 1560
cgtctggatt ccgcggtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagate 1680
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 59
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 59
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
```

```
caggetactg atteagetaa aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 60
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 60
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actocgatto tgacotggac tocatocagg acgaaatcaa atotogtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagete categacaaa tteegttett eeetgggtge tatecagaae 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1680
attcagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 61
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 61
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
```

```
acagggacta actccgattc tgacctggac tccatccagg acgaaatcaa atctcgtctt 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtotottaca gogttaacaa ggataaoggo totgtgaotg ttgoogggta tgottoagog 1380
actgatacca ataaagatta tgctccagca attggcactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagete categacaaa tteegttett eeetgggtge tatecagaae 1560
cgtctggatt ccgcggtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1680
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 62
```

<210> 62 <211> 1758 <212> DNA <213> Escherichia coli

<400> 62 atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120 gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240 gcgctgtccg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300 accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420 gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480 aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540 attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600 acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660 gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720 aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780 caggetactg atteagetaa aaaaegtgat gegttagetg ecaecettea tgetgatgtg 840 ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900 tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960 acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020 agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080 gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat ttcttatcag 1140 gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200 attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260 gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320 gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380 actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440 ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500 ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560 cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620 tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagatt 1680 atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740 tctctgctgc agggttaa

```
<210> 63
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 63
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actocgatto tgacotggao tocatocagg acgaaatcaa atotogtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagete catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1680
attcagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 64
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 64
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac caccgaaggc 240
gcgctgtctg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accggaacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctt 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ccaecettea tgctgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ttctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
```

```
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
<210> 65
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 65
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accgggacta actotgatto ggatotggao tocattoagg acgaaatcaa atcccgtoto 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat ttcttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
                                                                   1758
tctctgctgc agggttaa
<210> 66
 <211> 1788
<212> DNA
<213> Escherichia coli
<400> 66
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggtaggtgcg aacgacggcc agactatcac tattgatctg 480
 aagaaaattg actctgatac gctggggctg aatggtttta acgtgaatgg ttccggtacg 540
 atagccaata aagcggcgac cattagcgac ctgacagcag cgaaaatgga tgctgcaact 600
 aatactataa ctacaacaaa taatgcgctg actgcatcaa aggcccttga tcaactgaaa 660
 gatggtgaca ctgttactat caaagcagat gcagctcaaa ctgccacggt ctatacatac 720
 aatgcatctg ctggtaactt ctcattcagt aatgtatcga ataatacttc agcaaaagca 780
 ggtgatgtag cagctagcct tctcccgccg gctgggcaaa ctgctagtgg tgtttacaaa 840
 gcagcaagcg gtgaagtgaa ctttgatgtt gatgcgaatg gtaaaattac aatcggagga 900
 caggaageet atttaactag tgatggtaac ttaactacaa acgatgetgg tggtgegaet 960
```

```
geggetacge ttgatggttt attcaagaaa getggtgatg gtcaatcaat egggtttaat 1020
aagactgcat cagtcacgat ggggggaaca acttataact ttaaaacggg tgctgatgct 1080
ggtgctgcaa ctgctaacgc aggggtatcg ttcactgata cagctagcaa agaaaccgtt 1140
ttaaataaag tggctacagc taaacaaggc acagcagttg cagctaacgg tgatacatcc 1200
gcaacaatta cctataaatc tggcgttcag acgtatcagg cggtatttgc cgcaggtgac 1260
ggtactgcta gcgcaaaata tgccgataat actgacgttt ctaatgcaac agcaacatac 1320
acagatgctg atggtgaaat gactacaatt ggttcataca ccacgaagta ttcaatcgat 1380
gctaacaacg gcaaggtaac tgttgattct ggaactggtt cgggtaaata tgcgccgaaa 1440
gtcggggctg aagtatatgt tagtgctaat ggtactttaa caacagatgc aactagcgaa 1500
ggcacagtaa caaaagatcc actgaaagct ctggatgaag ctatcagctc catcgacaaa 1560
tteegtteat ecetggggge tatecaaaac egtttggatt eegeegteac caacetgaac 1620
aacaccacta ccaacctgtc tgaagcgcag tcccgtattc aggacgccga ctatgcgacc 1680
gaagtgtcca acatgtcgaa agcgcagatt atccagcagg ccggtaactc cgtgctggca 1740
aaagccaacc aggtaccgca gcaggttctg tctctactgc agggttaa
<210> 67
<211> 1398
<212> DNA
<213> Escherichia coli
<400> 67
aacaaatete agtettetet tagetetget attgagegte tgtettetgg tetgegtatt 60
aacagegcaa aagacgatge agcaggtcag gegattgeta accgttttac ggcaaatatt 120
aaaggtotga occaggotto ocgtaacgca aatgatggta tttotgttgo goagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagtgac ctgacctcca tccagtccga aatccagcag 300
cgtctgagtg aaattgaccg tgtttctggt cagactcagt ttaacggcgt taaagtgctg 360
gcttctgatc aggatatgac tattcaggtt ggtgcaaacg acggcgaaac aattactatt 420
aaactgcagg aaattaattc cgacacactg ggattatctg gttttggtat taaagatcct 480
actaaattaa aagccgcaac ggctgaaaca acctattttg gatcgacagt taagcttgct 540
gacgctaata cacttgatgc agatattaca gctacagtta aaggcactac gactccgggc 600
caacgtgacg gtaatattat gtctgatgct aacggtaagt tgtacgttaa agttgccggt 660
tcagataaac ccgctgaaaa tggttattat gaagttactg tggaggatga tccgacatct 720
cctgatgcag gtaagctgaa gctgggggct ctagcgggta cccagcctca agctggtaat 780
ttaaaggaag tcacaacggt gaaagggaag ggggctattg atgttcagtt gggtactgat 840 accgcaaccg cttctatcac aggtgcaaaa ctctttaagt tagaagacgc caatggcaaa 900
gatactggtt catttgcgtt gattggtgat gacggtaaac agtatgcagc gaatgttgat 960
cagaaaacag gagcagtttc cgttaaaaca atgtcttaca ctgatgctga cggtgtcaaa 1020
cacgacaatg ttaaagttga actgggtgga agcgatggca aaaccgaagt tgtaactgca 1080
accgatggca aaacttacag tgttagtgat ttacaaggta agagcctgaa aactgattct 1140
attgcagcaa tttctacgca gaaaacagaa gatcctttgg ctgctatcga taaagcactg 1200
tctcaggttg actcgttgcg ttctaaccta ggtgcaattc aaaatcgttt cgactctgcc 1260
atcaccaacc ttggcaacac cgtaaacaac ctgtcttctg cccgtagccg tatcgaagat 1320
gctgactacg cgaccgaagt gtctaacatg tctcgtgcgc agatcctgca acaagcgggt 1380
acctctgttc tggcgcag
 <210> 68
 <211> 1479
 <212> DNA
 <213> Escherichia coli
 <400> 68
 aacaaatete agtettetet gageteegee attgaaegte tetettetgg eetgegtatt 60
 aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120
 aaaggtetga eteaggette eegtaaegeg aatgatggta tttetgttge geagaeeaet 180
 gaaggtgege tttctgaaat caacaataac ttacagegta ttegtgaatt gtcagtacag 240
 gccactaatg gtacaaactc tgactccgac ctgaattcaa ttcaggatga aattacacaa 300
 cgccttagtg aaattgatcg tgtttctaac cagacacaat ttaatggtgt aaaagttctg 360
 gcttctgatc agactatgaa aattcaagta ggtgcgaacg atggtgaaac cattgagatt 420
 gecettgata aaattgatge taaaacettg gggettgata aetttagegt agcaceagga 480
 aaagttccaa tgtcctctgc ggttgcactt aagagcgaag ccgctcctga cttaactaag 540
 gtaaatgcaa ctgatggtag tgtgggaggt gctaaagcat tcggtagcaa ttataaaaat 600
 gctgatgttg aaacttattt tggtaccggt aatgtacaag atacaaagga tacaactgat 660
 gcgaccggta ctgcaggaac aaaagtttat caagtacagg tggaagggca gacttatttt 720
 gttggtcaag ataataatac caacacgaac ggttttacat tattgaaaca aaactctaca 780
 ggttatgaaa aagttcaggt gggtggtaag gatgttcagt tagcaaactt tggtggtcgt 840
```

gtaactgcat	ttgttgaaga	taatggttct	gccacatcag	ttgatttagc	tgcgggtaaa	900
atgggtaaag	cattagctta	taatgatgca	ccaatgtctg	tttattttgg	gggaaaaaac	960
ctagatgtcc	accaagtaca	agatacccaa	gggaatcctg	tacctaattc	atttgctgct	1020
aaaacatcag	acggcaccta	cattgcagta	aatgtagatg	ccgctacagg	taacacgtct	1080
gttattactg	atcctaatgg	taaggcagtt	gaatgggcag	taaaaaatga	tggttctgca	1140
caggcaatta	tgcgtgaaga	tgataaggtt	tatacagcca	atatcacgaa	taagacggca	1200
accaaaggtg	ctgaactcag	tgcctcagat	ttgaaagcct	tagcaaccac	aaatccatta	1260
tccacattag	acgaagcttt	ggcaaaagtt	gataagttgc	gcagttcttt	gggtgcagta	1320
caaaaccgtt	tcgactctgc	catcaccaac	cttggcaaca	ccgtaaacaa	cctgtcttct	1380
gcccgtagcc	gtatagaaga	tgctgactac	gcaaccgaag	tgtctaacat	gtctcgtgcg	1440
cagatectge	aacaaqcqqq	tacctctqtt	ctggcacag			1479

WO 99/61458

1

1

33

1,5

- 1 -

PCT/AU99/00385

SEQUENCE LISTING PART

```
<110> THE UNIVERSITY OF SYDNEY
<120> ANTIGENS AND THEIR DETECTION
<130> REEVES
<140>
<141>
<160> 68
<170> PatentIn Ver. 2.0
<210> 1
<211> 1773
<212> DNA
<213> Escherichia coli
<400> 1
atgcgacgta tagaacgaat accggggtta tcggcgtaag cggggcaaag tttacgattt 60
attttttggc ttaatgacac gaacagcaac gaggaagggg agtatttcga ccgctagaaa 120
aaaattctaa aggttgtgag tgaccagacg ataacagggt tgacggcgac gaagccgaag 180
ggtggaagcc caatacttaa accgtagact tgaaaacagg aaaatgaatc atggcacaag 240
tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag aaccagtctg 300
cgctgtcgac ttctatcgag cgcctctctt ctggtctgcg cattaacagc gctaaagatg 360
acgctgcggg ccaagcgatt gctaaccgct tcacttctaa catcaaaggt ctgactcagg 420
ccgcacgtaa cgccaacgac ggtatttctc tggcgcagac cactgaaggc gcactgtctg 480
aaatcaacaa caacttgcag cgtgttcgtg aactgaccgt tcaggccact accggtacta 540
actctgattc tgacctgtct tcaatacagg acgaaatcaa atcccgtctc gatgaaattg 600
accgcgtate eggteagaet eagtteaaeg gegttaatgt tettteeaaa gatggtteaa 660
tgaaaattca ggttggtgcg aatgatggtc aaactatctc catcgatctg aagaaaattg 720
attetteaac tttggggetg aatggettet eagtttetaa aaactetett aatgteagea 780
atgctatcac atctatcccg caagccgcta gcaatgaacc tgttgatgtt aacttcggtg 840
atactgatga gtctgcagca atcgcagcca aattgggggt ttccgatacg tcaagcctgt 900
cgctgcacaa catccttgat aaagatggta aggcaacagc tgattatgtt gttcagtcag 960
gtaaagactt ctatgctgct tctgttaatg ccgcttcagg taaagtaacc ttaaacacca 1020
ttgatgttac ttatgatgat tatgcgaacg gtgttgacga tgccaagcaa acaggtcagc 1080
```

tgatcaaagt ttcagcagat aaagacggcg cagctcaagg ttttgtcaca cttcaaggca 1140 aaaactattc tgctggtgat gcggcagaca ttcttaaggaa tggagcaaca gctcttaagg 1200 taactgatct gaatttaagt gatgttactg atactaatgg taaggtaacc acaactgcga 1260 ctgagcaatt tgaaggtgct tcaactgagg atccgctggc gcttctggat aaagctattg 1320 catcagtcga caaattccgg tcttctctag gtgccgtgca gaaccgtctc gattccgcta 1380 tcaccaacct gaacaacacc accaaccacc tgtctgaagc gcagtcccgt attcaggacg 1440 ccgactatgc gaccgaagtg tccaacatgt cgaaagcgca gatcatccag caggcaggta 1500 actccgtgct gtctaaagcg aaccaggtac cgcagggttt tttctgtccg caatttaccg 1620

```
ataaccccca aataacccct catttcaccc actaatcgtc cgattaaaaa ccctgcagaa 1680
acggataatc atgccgataa ctcatataac gcagggctgt ttatcgtgaa ttcactctat 1740
accgctgaag gtgtaatgga taaacactcg ctg
                                                                   1773
<210> 2
<211> 500
<212> DNA
<213> Escherichia coli
<400> 2
aacagcctct cgctgatcac tcagaacaac atcaacaaaa accagtcttc aatgtctact 60
gccattgagc gtctgtcttc cggtctgcgt atcaacagcg caaaagatga cgctgctggc 120
caggegattg ccaacegett cacetetaac atcaaaggte tgaeteagge agetegtaae 180
gccaacgacg gtatctccgt tgcacagacc actgaaggcg cactgtctga aatcaacaac 240
aacctgcagc gtatccgtga gctgactgtt cagtcttcta cgggtactaa ctctgaatcc 300
gatetgaaet caatecagga egaaattaaa teeegtetgg aegaaattga eegegtatee 360
ggtcagaccc agttcaacgg cgtgaacgtg ctggcaaaag acggctccat gaaaattcag 420
gttggcgcga acgatggtga aaccatcacc atcgacctga aaaaaattga ctcttctact 480
ttaaacctga ctgggtttaa
                                                                   500
<210> 3
<211> 500
<212> DNA
<213> Escherichia coli
<400> 3
ctcagtatgc tgtcaccggc agtacaggtg ccgtaactta cgatccagat acagatcctg 60
ccgcgactgg tgatattgtt tctgcttatg ttgatgatgc aggtacattg acaactgatg 120
caaacaaaac tgtaaaatat tatgcccaca ctaatggtag cgtcacgaac gacagtggtt 180
cagctattta cgcaactgaa gcgggcaaat tgactactga agcgtctaca gctgctgaaa 240
ctaccgctaa cccactgaaa gccctggacg atgcaatcag ccagatcgac aaattccgtt 300
cttctctggg tgctgtacag aaccgtctgg attctgcggt aaccaacctg aacaacacca 360
ccaccaacct gtctgaagcg cagtcccgta ttcaggacgc cgactatgcg accgaagtgt 420
caaatatgtc taaagcgcag atcatccagc aggccggtaa ctccgtgttg gctaaagcta 480
accaggttcc tcagcaggtt
                                                                   500
<210> 4
<211> 399
<212> DNA
<213> Escherichia coli
<400> 4
agectgtege tgttgaccea gaataacetg aacaaatete agtettetet gageteegee 60
attgagcgtc tctcttctgg cctgcgtatt aacagtgcta aagatgacgc agcaggtcag 120
gcgattgcta accgttttac agcaaatatt aaaggtctga ctcaggcttc ccgtaacgcg 180
aatgatggta tttctgttgc gcagaccact gaaggcgcgc tgaatgaaat taacaacaac 240
ctgcagcgtg tacgtgaact gactgttcag gcaactaacg gtactaactc tgacagcgat 300
ctttcttcta tccaggctga aattactcaa cgtctggaag aaattgaccg tgtatctgag 360
```

1

1

WO 99/61458 PCT/AU99/00385

```
caaactcagt ttaacggcgt gaaagtcctt gctgaaaat
                                                                   399
<210> 5
<211> 417
<212> DNA
<213> Escherichia coli
<400>5
gcacgttagt tgttaacggt gcaacttacg atgttagtgc agatggtaaa acgataacgg 60
agactgcttc tggtaacaat aaagtcatgt atctgagcaa atcagaaggt ggtagcccga 120
ttctggtaaa cgaagatgca gcaaaatcgt tgcaatctac caccaacccg ctcgaaacta 180
tcgacaaagc attggctaaa gttgacaatc tgcgttctga cctcggtgca gtacaaaacc 240
gtttcgactc tgctatcacc aaccttggca acaccgtaaa caacctgtct tctgcccgta 300
gccgtatcga agatgctgac tacgcgaccg aagtgtctaa catgtctcgt gcgcagatcc 360
tgcaacaagc gggtacctct gttctggcgc aggctaacca gaccacgcag aacgtac
<210> 6
<211> 950
<212> DNA
<213> Escherichia coli
<400> 6
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
aacagcgcta aagatgacgc cgcgggccag gcgattgcta accgctttac ttctaacatc 120
aaaggtctga ctcaggccgc acgtaacgcc aacgacggta tttctctggc gcagacggct 180
gaaggcgcgc tgtcagagat taacaacaac ttgcagcgta ttcgtgaact gaccgttcag 240
geetetaceg geacgaacte tgatteegae etgtetteta tteaggaega aatcaaatee 300
cgtcttgatg aaattgaccg tgtatctggt cagacccagt tcaacggtgt gaacgtgctg 360
tcgaaaaacg attcgatgaa gattcagatt ggtgccaatg ataaccagac gatcagcatt 420
ggcttgcaac aaatcgacag taccactttg aatctgaaag gatttaccgt gtccggcatg 480
geggatttea gegeggegaa aetgaegget getgatggta cageaattge tgetgeggat 540
gtcaaggatg ctgggggtaa acaagtcaat ttactgtctt acactgacac cgcgtctaac 600
agtactaaat atgcggtcgt tgattctgca accggtaaat acatggaagc cactgtagtc 660
attaccggta cggcggcggc ggtaactgtt ggtgcagcgg aagtggcggg agccgctaca 720
geogateegt taaaageact ggatgeegea ategetaaag tegacaaatt eegeteetee 780
ctcggtgccg ttcaaaaccg tctggattct gcggtcacca acctgaacaa caccaccacc 840
aacctgtctg aagcgcagtc ccgtattcag gacgccgact atgcgaccga agtgtccaac 900
atgtcgaaag cgcagattat ccagcaggcg ggcaactccg tgctgtctaa
                                                                   950
<210> 7
<211> 1212
<212> DNA
<213> Escherichia coli
<400> 7
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
aacagegeta aagatgaege egegggeeag gegattgeta acegetteae ttetaacate 120
aaaggtctga ctcaggccgc acgtaacgcc aacgacggta tctctctggc gcagaccact 180
```

```
gaaggcgcgc tgtctgaaat caacaacaac ttgcagcgtg tgcgtgagtt gaccgttcag 240
gcgacgaccg ggactaactc tgattctgac ctgtcttcta ttcaggacga aatcaaatcc 300
cgtctggatg aaattgatcg cgtttccggt cagacccagt tcaacggcgt gaatgtgctg 360
gcgaaagatg gttcgatgaa gattcaggtt ggcgcgaatg atgggcagac tattagcatt 420
gatttgcaga agattgactc ttctacatta ggactgaacg gtttctccgt ttcgggtcag 480
tcacttaacg ttagtgattc cattactcaa attaccggtg ccgccgggac aaaacctgtt 540
ggtgttgatt tcactgctgt tgcgaaagat ctgactactg cgacaggtaa aacagtcgat 600
gtttctagcc tgacgttaca caacactctg gatgcgaaag gggctgctac atcacagttc 660
gtcgttcaat ccggcaatga tttctactcc gcgtcgatta atcatacaga cggcaaagtc 720
acgttgaata aagccgatgt cgaatacaca gacaccgata atggactaac gactgcggct 780
actcagaaag atcaactgat taaagttgcc gctgactctg acggctcggc tgcgggatat 840
gtaacattcc aaggtaaaaa ctacgctaca acggtttcaa cggcacttga tgataatact 900
geggeaaaag caacagataa taaagttgtt gttgaattat caacagcaaa acegactgca 960
cagttctcag gggcttcttc tgctgatcca ctggcacttt tagacaaagc tattgcacag 1020
gttgatactt teegeteete eeteggtgeg gtgeaaaace gtetggatte egeagtaace 1080
aacctgaaca acaccaccac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1140
tatgctacag aagtgtccaa catgtcgaaa gcgcagatca tccagcaggc aggtaactcg 1200
                                                                  1212
gtgctgtcca aa
```

<210> 8

<211> 1647

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actctgatac gctggggctg aatgggttta atgtgaacgg caaaggggaa 540
acggctaata cggcagcaac cctgaaagat atgtctggat tcacagctgc ggcggcacca 600
gggggaactg ttggtgtaac tcaatatact gacaaatcgg ctgtagcaag tagcgtagat 660
attctaaatg ctgttgctgg cgcagatgga aataaagtta caactagcgc cgatgttggt 720
tttggtacac cagccgctgc tgtaacctat acctacaata aagacactaa ttcatattcc 780
gccgcttctg atgatatttc cagcgctaac ctggctgctt tcctcaatcc tcaggccgga 840
gatacgacta aagctacagt tacaattggt ggcaaagatc aagatgtaaa catcgataaa 900
teeggtaatt taactgetge tgatgatgge geagtaettt atatggatge taeeggtaac 960
ttaactaaaa ataatgetgg tggtgataca caagetactt tggctaaact tgctactgct 1020
actggtgcta aagccgcgac catccaaact gataaaggaa cattcaccag tgacggtaca 1080
gcgtttgatg gtgcatcaat gtccattgat accaatacat ttgcaaatgc agtaaaaaat 1140
gacacttata ctgccactgt aggtgctaag acttatagcg taacaacagg ttctgctgct 1200
gcagacaccg cttatatgag caatggggtt ctcagtgata ctccgccaac ttactatgca 1260
caagctgatg gaagtatcac aactactgag gatgcggctg ccggtaaact ggtctacaaa 1320
ggttccgatg gtaagttaac aacggatacg actagcaaag cagaatcaac atcagatccg 1380
```

```
ctggcagctc ttgacgacgc tatcagccag atcgacaaat tccgctcctc cctgggtgcg 1440
gtgcaaaacc gtctggattc cgcagtgacc aacctgaaca acaccactac caacctgtct 1500
gaagcgcagt cccgtattca ggacgccgac tatgcgaccg aagtgtccaa catgtcgaaa 1560
gcgcagatta tccagcaggc cggtaactcc gtgctggcaa aagctaacca ggttccgcag 1620
caggttctgt ctctgctgca gggttaa
                                                                  1647
<210> 9
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 9
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac caccgaaggc 240
gcgctgtctg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accggaacta actotgatto ggatotggao tocattoagg acgaaatoaa atoccgtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attetgatac tetgggtetg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagetgeaac ggtaagtgat ttaaettetg etggegegaa gttaaacace 600
acgacaggic titatgatci gaaaaccgaa aataccitgi taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ttctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                   1758
<210> 10
<211> 1383
<212> DNA
```

<213> Escherichia coli

```
<400> 10
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtctga cccaggcttc ccgtaacgca aatgatggta tttctgttgc gcagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctqttcaq 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa caggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
gatgttggcg gtaaaactta taccgtgaat gtggagagcg gcgcggttaa gaatgatgct 600
aataaagatg tttttgtaag cgcagctgat ggatcgctga cgaccagtag tgatactaaa 660
gtatccggtg aaagtattga tgcaacagaa ctagcgaaac ttgcaataaa attagctgac 720
aaaggeteea ttgaatacaa gggeattaca tttactaaca acaetggege agagettgat 780
gctaatggta aaggtgtttt gaccgcaaat attgatggtc aagatgttca atttactatt 840
gacagtaatg cacccacggg tgccggcgca acaataacta cagacacagc tgtttacaaa 900
aacagtgcgg gccagttcac cactacaaaa gtggaaaata aagccgcaac actctctgat 960
ctggatctta atgcagccaa gaaaacaggt agcactttag ttgtaaatgg cgccacctac 1020
aatgtcageg cagatggtaa aacggtaact gatactactc ctggtgcccc taaagtgatg 1080
tatctgagca aatcagaagg tggtagcccg attctggtaa acgaagatgc agcaaaatcg 1140
ttgcaatcta ccaccaaccc gctcgaaact atcgacaagg cattggctaa agttgacaat 1200
ctgcgttctg acctcggtgc agtacaaaac cgtttcgact ctgccatcac caaccttggc 1260
aacaccgtaa acaacctgtc ttctgcccgt agccgtatcg aagatgctga ctacgcgacc 1320
gaagtgtcta acatgtctcg tgcgcagatc ctgcaacaag cgggtacctc tgttctggcg 1380
cag
                                                                  1383
<210> 11
<211> 2013
<212> DNA
<213> Escherichia coli
```

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcacagac cactgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcttct 300
accgggacta actccgattc ggatctggac tecattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctgtccaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctgaatctg gctggtttta acgttaacgg taaaggttct 540
gtagcgaata cagctgcgac aagcgacgat ttaaaactgg ctggtttcac taagggcacc 600
acagatacca atggcgtgac cgcgtataca aacacaatta gtaatgacaa agccaaagct 660
teegatetgt tagetaatat caeegatgga teagtgatea etgggggagg ggeaaaeget 720
tttggcgtgg ctgcaaagaa tggttacacc tatgatgcag caagtaaatc ttatagtttt 780
gctgcagatg gtgccgattc agcgaagacg ttaagcatca ttaatccaaa caccggtgat 840
tegtegeagg egacagtgae tattggtggt aaagageaga aagttaatat tteecaggat 900
ggaaaaatta ctgcggcaga tgataatgcg acgctgtatt tagataaaca gggaaacttg 960
```

```
acaaaaacga atgcaggtaa cgataccgca gcgacttggg atggtttaat ttccaacagc 1020
gattctaccg gtgcggttcc agttggggtt gcaactacaa ttacaattac ttctggtaca 1080
gcttccggaa tgtctgttca gtccgcagga gcaggaattc agacctcaac aaattctcag 1140
attettgeag gtggtgeatt tgeggetaag gtaagtattg agggaggege tgetacagae 1200
attttggtag caagtaatgg aaacataaca geggetgatg gtagtgeact ttatettgat 1260
gcgactactg gtggattcac tacaacggct ggaggaaata cagctgcttc gttagataat 1320
ttaattgcta acagtaagga tgctacctta accgtaactt caggtaccgg ccagaacact 1380
gtttatagca caacaggaag tggcgctcag ttcaccagtt tagcaaaagt agacacagtc 1440
aatgtcacca acgcacatgt cagtgccgaa ggtatggcaa atctgacaaa aagcaatttt 1500
accattgata tgggcggtac aggtacagta acttacacag tttccaatgg ggatgtgaaa 1560
gctgctgcaa atgctgatgt ttatgtcgaa gatggtgcac tttcagccaa tgctacaaaa 1620
gatgtaacct actttgaaca aaaaaatggg gctattacca acagcaccgg tggtaccatc 1680
tatgaaacag ctgatggtaa gttaacaaca gaagctacta ctgcatccag ttccaccgcc 1740
gateceetga aagetetgga egaageeate ageteeateg acaaatteeg eteeteeete 1800
ggtgcggtgc aaaaccgtct ggattccgcg gtcaccaacc tgaacaacac cactaccaac 1860
ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1920
tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc taaccaggta 1980
ccgcagcagg ttctgtctct gctgcagggt taa
```

<210> 12

<211> 1263

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gegetgteeg aaattaacaa caacttacag egtgtgegtg agetgaetgt teaggegaee 300
accegtacta actotgagto tgacotgtot totatocagg acgaaatcaa atotogootg 360
gaagagattg atcgtgtttc aagtcagact caatttaacg gcgtgaatgt tttggctaaa 420
gatgggaaaa tgaacattca ggttggggca aatgatggac agactatcac tattgatctg 480
aaaaagatcg attcatctac actaaacctc tccagttttg atgctacaaa cttgggcacc 540
agtgttaaag atggggccac catcaataag caagtggcag taggtgctgg cgactttaaa 600
gataaagctt caggatcgtt aggtacccta aaattagttg agaaagacgg taagtactat 660
gtaaatgaca ctaaaagtag taagtactac gatgccgaag tagatactag taagggtaaa 720
attaacttca actctacaaa tgaaagtgga actactccta ctgcagcgac ggaagtaact 780
actgttggcc gcgatgtaaa attggatgct tctgcactta aagccaacca atcgcttgtc 840
gtgtataaag ataaaagcgg caatgatgct tatatcattc agaccaaaga tgtaacaact 900
aatcaatcaa ctttcaatgc cgctaatatc agtgatgctg gtgttttatc tattggtgca 960
tctacaaccg;cgccaagcaa tttaacagct aacccgctta aggctcttga tgatgcaatt 1020
gcatctgttg ataaattccg ctcttctctc ggtgccgttc agaaccgtct ggattctgcc 1080
attgccaacc tgaacaacac cactaccaac ctgtctgaag cgcagtcccg tattcaggac 1140
gctgactatg cgaccgaagt gtccaacatg tcgaaagcgc agattatcca gcaggccggt 1200
aactccgtgc tggcaaaagc caaccaggta ccgcagcagg ttctgtctct gctgcagggt 1260
                                                                   1263
 taa
```

```
<210> 13
<211> 1368
<212> DNA
<213> Escherichia coli
<400> 13
aacaaatctc agtottotot gagotoogoo attgaacgto totottotgg cotgogtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120
aaaggtetga eteaggette eegtaaegeg aatgatggta titetgttge geagaceaet 180
gaaggtgege tgaatgaaat taacaacaac etgeagegtg taegtgaact gaetgtteag 240
gcaactaacg gtactaactc tgacagegat ctttcttcta tccaggetga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataactat 540
gatgttggcg gtgatgctta tactgttaac gtagatagcg gagctgttaa agatactaca 600
gggaatgata tttttgttag tgcagcagat ggttcactga caactaaatc tgacacaaac 660
atagctggta cagggattga tgctacagca ctcgcagcag cggctaagaa taaagcacag 720
aatgataaat tcacgtttaa tggagttgaa ttcacaacaa caactgcagc ggatggcaat 780
gggaatggtg tatattctgc agaaattgat ggtaagtcag tgacatttac tgtgacagat 840
gctgacaaaa aagcttcttt gattacgagt gagacagttt acaaaaatag cgctggcctt 900
tatacgacaa ccaaagttga taacaaggct gccacacttt ccgatcttga tctcaatgca 960
gctaagaaaa caggaagcac gttagttgtt aacggtgcaa cttacgatgt tagtgcagat 1020
ggtaaaacga taacggagac tgcttctggt aacaataaag tcatgtatct gagcaaatca 1080
gaaggtggta gcccgattct ggtaaacgaa gatgcagcaa aatcgttgca atctaccacc 1140
aacccgctcg aaactatcga caaagcattg gctaaagttg acaatctgcg ttctgacctc 1200
ggtgcagtac aaaaccgttt cgactctgct atcaccaacc ttggcaacac cgtaaacaac 1260
ctgtcttctg cccgtagccg tatcgaagat gctgactacg cgaccgaagt gtctaacatg 1320
tctcgtgcgc agatcctgca acaagcgggt acctctgttc tggcgcag
<210> 14
<211> 1788
<212> DNA
<213> Escherichia coli
<400> 14
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatctccg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
accegggacta acteegatte ggatetggae tecatteagg acgaaateaa ateeegtetg 360
gacgaaattg accgcgtate tggccagace cagttcaacg gcgtgaacgt actggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
aagaaaattg actcagatac gctggggctg aatggtttta acgtgaatgg ttccggtacg 540
atagccaata aagcggcgac cattagcgac ctgacagcag cgaaaatgga tgctgcaact 600
aatactataa ctacaacaaa taatgcgctg actgcatcaa aggcgcttga tcaactgaaa 660
```

gatggtgaca ctgttactat caaagcagat gctgctcaaa ctgccacggt ttatacatac 720

```
aatgcatcag ctggtaactt ctcattcagt aatgtatcga ataatacttc agcaaaagca 780
ggtgatgtag cagctagcct tctcccgccg gctgggcaaa ctgctagtgg tgtttataaa 840
gcagcaagcg gtgaagtgaa ctttgatgtt gatgcgaatg gtaaaatcac aatcggagga 900
cagaaagcat atttaactag tgatggtaac ttaactacaa acgatgctgg tggtgcgact 960
geggetaege ttgatggttt atteaagaaa getggtgatg gteaateaat egggtttaag 1020
aagactgcat cagtcacgat ggggggaaca acttataact ttaaaacggg tgctgatgct 1080
gatgctgcaa ctgctaacgc aggggtatcg ttcactgata cagctagcaa agaaaccqtt 1140
ttaaataaag tggctacagc taaacaaggc aaagcagttg cagctgacgg tgatacatcc 1200
gcaacaatta cctataaatc tggcgttcag acgtatcagg ctgtatttgc cgcaggtgac 1260
ggtactgcta gcgcaaaata tgccgataaa gctgacgttt ctaatgcaac agcaacatac 1320
actgatgctg atggtgaaat gactacaatt ggttcataca ccacgaagta ttcaatcgat 1380
gctaacaacg gcaaggtaac tgttgattct ggaactggta cgggtaaata tgcgccgaaa 1440
gtaggggctg aagtatatgt tagtgctaat ggtactttaa caacagatgc aactagcgaa 1500
ggcacagtaa caaaagatcc actgaaagct ctggatgaag ctatcagctc catcgacaaa 1560
ttccgttctt ccctgggtgc tatccagaac cgtctggatt ccgcagtcac caacctgaac 1620
aacaccacta ccaacctgtc cgaagcgcag tcccgtattc aggacgccga ctatgcgacc 1680
gaagtgtcca acatgtcgaa agcgcagatc attcagcagg ccggtaactc cgtgctggca 1740
aaagccaacc aggtaccgca gcaggttctg tctctgctgc agggttaa
                                                                  1788
<210> 15
<211> 1653
<212> DNA
<213> Escherichia coli
<400> 15
atggcacaag tcattaatac caacagcete tegetgatea etcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcgcagac cactgaaggt 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg agctgacggt tcaggcttct 300
accyggacta actccgattc tgacctggac tccatccagg acgaaatcaa gtctcgtctg 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac gattgatctg 480
aagaaaattg actcagatac gctggggctg agtgggttta atgtgaatgg tggcggggct 540
gttgctaaca ctgctgcatc taaagctgac ttggtagctg ctaatgcaac tgtggtaggc 600
aacaaatata ctgtgagtgc gggttacgat gctgctaaag cgtctgattt gctggctgga 660
gttagtgatg gtgatactgt tcaggcaacc attaataacg gcttcggaac ggcggctagt 720
gcaacgaatt acaagtatga cagtgcaagt aagtcttact cttttgatac cacaacggct 780
teagetgeeg atgtteagaa atatttgace eegggegttg gtgatacege taagggeact 840
```

attactatcg atggttctgc acaggatgtt cagatcagca gtgatggtaa aattacgtca 900 agcaatggag ataaacttta cattgataca actgggcgct taacgaaaaa cggctttagt 960 gettetttga etgaggetag tetgteeaca ettgeageea ataataceaa agegaeaace 1020 attgacattg geggtacete tateteettt aceggtaata gtactaegee gaacactatt 1080 acttattcag taacaggtgc aaaagttgat caggcagctt tcgataaagc tgtatcaacc 1140 tetggaaacg atgttgattt cactacegea ggttatageg tegaeggege aactggeget 1200 gtaacaaaag gtgttgctcc ggtttatatt gataacaacg gggcgttgac cacatctgat 1260 actgtagatt tttatctaca ggatgatggt tcagtgacta acggcagcgg taaggcagtt 1320 tataaagatg ctgacggtaa attgacgaca gatgctgaaa ctaaagctgc aaccaccgcc 1380

```
gateceetga aagetetgga egaageeate ageteeateg acaaatteeg etecteeete 1440
ggtgcggtgc agaaccgtct ggattccgcg gtcaccaacc tgaacaacac cactaccaac 1500
ctgtctgaag cgcagtcccg tattcaggac gctgactatg cgaccgaagt atccaacatg 1560
tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc taaccaggta 1620
                                                                  1653
ccacagcagg ttctgtctct gctgcagggt taa
<210> 16
<211> 1689
<212> DNA
<213> Escherichia coli
<400> 16
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gegetgteeg aaateaacaa caacttacag egtgtgegtg aactgaeegt teaggeaace 300
accggtacca acteceagte tgacetggae tetatecagg acgaaattaa atecegtetg 360
gacgaaattg atcgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
gacggttcca tgaaaattca ggttggcgcg aacgatggcc agaccatcac tatcgacctq 480
aagaagattg actettetae ettgaacetg acaggtttta aegttaaegg ttetggttet 540
gtggcgaata ctgcagcaac taaagctgat ttaaccgctg ctcaactctc tgcaccgggt 600
gcagcagacg caaatggtac agttacttat actgtcagtg ctggttataa agaatccact 660
gctgcagatg ttattgctag catcaaagac ggcagtgctc cgacttctgc aattactgca 720
accattaata atggettegg tgattecagt gegetgaett ecaatgaeta taettatgae 780
ccagcaaaag gcgacttcac ttacgacgta gcttcaagcg ccaataatac tgctgcccag 840
gttcagtcct tcctgacgcc gaaagcaggt gataccgcaa atctgaaagt aaccgttggt 900
acgacategg ttgatgtegt tetggeeagt gatggtaaga ttacageaaa agatggttet 960
gcattatata tegacagtae aggtaacetg acteagaaca gtgetggett gacetetget 1020
aaactggcta ctctgactgg ccttcagggc tctggtgttg cttcaaccat cactactgaa 1080
gatggcacta atattgatat tgctgctaac ggtaatattg gtctgaccgg tgttcgtatc 1140
agtgctgatt ctctgcagtc agcgactaaa tctacgggct ttactgttgg tactggcqct 1200
acaggtctga ccgtaggtac tgatggtaaa gtgactatcg gcgggactac tgctcagtcc 1260
tacaccagca aagatggttc cctgactact gataacacca ctaaactgta tctgcagaaa 1320
gatggctctg taaccaacgg ttcaggtaaa gcggtctatg tagaagcgga tggtgatttc 1380
actaccgacg ctgcaaccaa agccgcaacc accaccgatc cgctgaaagc cctggatgag 1440
gcaatcagcc agatcgataa gttccgttca tccctgggtg ctatccagaa ccgtctggat 1500
teegeggtea ceaacetgaa caacaceact accaacetgt etgaagegea gteeegtatt 1560
caggacgccg actatgcgac cgaagtgtcc aacatgtcga aagcgcagat cattcagcag 1620
gccggtaact ccgtgctggc aaaagccaac caggtaccgc aacaggttct gtctctgctg 1680
cagggctaa
                                                                   1689
<210> 17
<211> 915
<212> DNA
<213> Escherichia coli
```

```
gegetgtega ettetatega gegeetetet tetggtetge gtattaacag egetaaagat 60
gacgctgcgg gccaggcgat tgctaaccgc ttcacttcta acatcaaagg tctgactcag 120
geogeaegta aegeeaaega eggtatttet etggegeaga eggetgaagg egegetgtea 180
gagattaaca acaacttgca gcgtattcgt gaactgaccg ttcaggcctc taccggcacg 240
aactctgatt ccgacctgtc ttctattcag gacgaaatca aatcccgtct tgatgaaatt 300
gaccgtgtat ctggtcagac ccagttcaac ggtgtgaacg tgctgtcgaa aaacgattcg 360
atgaagattc agattggtgc caatgataac cagacgatca gcattggctt gcaacaaatc 420
gacagtacca ctttgaatct gaaaggattt accgtgtccg gcatggcgga tttcagcgcg 480
gcgaaactga cggctgctga tggtacagca attgctgctg cggatgtcaa ggatgctggg 540
ggtaaacaag tcaatttact gtcttacact gacaccgcgt ctaacagtac taaatatgcg 600
gtcgttgatt ctgcaaccgg taaatacatg gcagccactg tagtcattac cagtacggcg 660
gcggcggtaa ctgttggtgc aacggaagtg gcgggagccg ctacagccga accgttaaaa 720
gcactggatg cegeaatege taaagtegae aaatteeget eeteeetegg tgeegtteaa 780
aaccgtctgg attctgcggt caccaacctg aacaacacca ccaccaacct gtctgaagcg 840
cagtecegta ttcaggaege egactatgeg acegaagtgt ccaacatgte gaaagegeag 900
attatccagc aggcg
                                                                  915
```

<210> 18 <211> 1665

<212> DNA

<213> Escherichia coli

<400> 18

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120 gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180 ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240 gegetgteeg aaateaacaa caacttacag egtattegtg aactgaeggt teaggecact 300 acagggacta actoogatto tgacetggac tocatocagg acgaaatcaa atotogtotg 360 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctgtccaaa 420 gatggttcaa tgaaaattca ggtcggcgca aatgatggtg aaaccatcac gattgatctg 480 aagaaaattg actctgatac gctgaatctg gctggtttta acgtgaatgg cgaaggtgaa 540 acagccaata ctgctgcaac acttaaagat atggttggtt taaaactcga taatacgggg 600 gtcactacag ctggagttaa tagatatatt gctgacaaag ccgtcgcaag tagcacggat 660 attttgaatg cggtagctgg tgttgatggc agtaaagttt ccacggaggc agatgttggt 720 tttggtgcag ctgcccctgg tacgccagtg gaatatactt atcataaaga tactaacaca 780 tatacggctt ctgcttcagt tgatgcgact caactggcgg cattcctgaa tcctgaagcg 840 ggtggtacca ctgctgcaac agtaagtatt ggcaacggta caacagctca agagcaaaaa 900 gtcattattg ctaaagatgg ttctttaact gctgctgatg acggtgccgc tctctatctt 960 gatgatactg gtaacttaag taaaactaac gcaggcactg atactcaagc taaactgtct 1020 gacttaatgg caaacaatgc taatgccaaa acagtcatta caacagataa aggtacattt 1080 actgėtaata cgacaaagtt tgatggggta gatatttctg ttgatgcttc aacgtttgct 1140 aacgccgtta aaaatgagac ttacactgca actgttggtg taactttacc tgcgacatat 1200 acagtcaata atggcactgc tgcatcagcg tatttagtcg atggaaaagt gagcaaaact 1260 cctgccgagt attttgctca agctgatggc actattacta gtggtgaaaa tgcggctacc 1320 agtaaagcta tetatgtaag tgecaatggt aacttaaega etaatacaae tagtgaatet 1380 gaagetacta ecaaceeget ggeageattg gatgaegeta tegegtetat egacaaatte 1440 cgttcttccc tgggtgctat ccagaaccgt ctggattccg cagtcaccaa cctgaacaac 1500

```
accactacca acctgtctga agcgcagtcc cgtattcagg acgccgacta tgcgaccgaa 1560
gtgtccaaca tgtcgaaagc gcagatcatt cagcaggccg gtaactccgt gctggcaaaa 1620
gccaaccagg taccgcagca ggttctgtct ctgctgcagg gttaa
                                                                  1665
<210> 19
<211> 1842
<212> DNA
<213> Escherichia coli
<400> 19
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag tretategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac cactgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtattcgtg aactgacggt tcaggcgacg 300
accggaacta actecacete tgacetggae tecatecagg acgaaateaa atcccgtett 360
gacgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctgtctaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctgaatctg gctggtttta acgttaacgg taaaggttct 540
gtagcgaata ccgctgcgac tacagataat ctgacattgg ctggttttac agcgggtact 600
aaagctgctg atggcaccgt aacttatagc aaaaatgtcc agtttgccgc cgcgactgca 660
agcaatgtac tggctgctgc taaagatggc gacgaaatta cgttcgctgg taataacggc 720
acaggtatag ctgcaactgg ggggacttat acttatcata aggactctaa ctcatacagc 780
tttagegeaa eggetgeate taaagattet etgttgagea eaetggeace aaaegetgge 840
gatacattta ccgctaaagt gactattggt tctaaatcgc aagaagttaa cgttagcaaa 900
gatggtacga ttacatccag cgatggtaag gcgctgtatt tagatgagaa gggcaacctg 960
acccaaacag gtagtggcac aaccaaagct gcaacctggg ataacctgat ggccaataca 1020
gatactacag gcaaagatgc ctatggtaac tetgeggeag eagetgttgg gacagtaate 1080
gaagcaaaag gaatgaccat cacttctgct ggtggtaatg ctcaggtgtt aaaagacgcg 1140
gettataatg eegeatatge gaceteaatt aetaetggta eteegggtga tgegggagee 1200
gegggageeg etgeaaetge gggtaatgee geggtgggag egetgggege aaeggeagtt 1260
gataatacca eggeagatgt tgcegatate tetateteag ettegeaaat ggegageate 1320
cttcaggata aagatttcac cttaagtgat ggtagtgata cttacaacgt gaccagcaat 1380
gctgtcacta tcaatggcaa agcagcaaac attgatgaca gcggcgcaat cacagaccaa 1440
accagtaaag ttgtcaatta tttcgctcat actaacggta gcgtgactaa cgatacaggc 1500
tecactattt atgegacaga agatggtage etgaceaceg atgeageaac caaageegaa 1560
accaccgccg atcccctgaa agctctggac gaagccatca gctccatcga caaattccgc 1620
tecteceteg gtgeggtgea aaacegtetg gatteegegg teaceaacet gaacaacace 1680
accaccaacc tgtctgaagc gcagtcccgt attcaggacg ccgactatgc gaccgaagtg 1740
tecaacatgt egaaagegea gattateeag eaggeeggta acteegtget ggeaaaaget 1800
aaccaggtac cacagcaggt tctgtctctg ctgcagggtt aa
                                                                   1842
<210> 20
<211> 1731
<212> DNA
<213> Escherichia coli
<400> 20
```

```
atggcacaag tcattaatac caacagcete tegetgatea etcaaaataa tateaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaattaacaa caacttacag cgtgtgcgtg agctgactgt tcaggcgacc 300
accggtacca acteccagte tgatetggae tetatecagg acgaaatcaa atecegtetg 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
gacggttcca tgaaaattca ggttggcgcg aatgatggcc agaccatcac tatcgacctg 480
aagaagattg actettetae gttgaaactg actggtttta acgtgaatgg ttetggttet 540
gtggcgaata ctgcggcgac taaagcggat ttggctgctg ctgcaattgg tacccctggg 600
gcagcagatt ctacaggtgc cattgcttac acagtaagtg ctgggctgac taaaactaca 660
gccgcagatg tactgtctag cctcgctgat ggtacgacta ttacagccac aggcgtgaaa 720
aatggctttg ctgcaggagc cacttccaat gcctataaac ttaacaaaga taataataca 780
tttacttatg acacgactgc tacgacagct gagctgcagt cttacctgac tccgaaagcg 840
ggcgacactg caacattcag tgttgaaatt ggtggtacta cacaagacgt cgtgctgtcc 900
agtgatggca aactcactgc taaggatggc tctaagcttt acattgatac aactggtaat 960
ttaactcaga atggtggtaa taacggtgtt ggaacactcg cggaagcgac tctgagtggt 1020
ttagctctga acaaaaatgg tttaacggct gttaaatcca caattactac agctgataac 1080
acttcgattg tactgaatgg ttcaagcgat ggtactggta atgctggtac tgaaggtacg 1140
attgctgtta caggcgctgt aattagttca gctgctctgc aatctgcaag caaaacgact 1200
ggtttcactg ttggtacagt agacacagct ggttatatct ctgtaggtac tgatgggagt 1260
gttcaggcat atgatgctgc gacttctggc aacaaagctt cttacaccaa cactgacggt 1320
acactgacta ctgataacac cactaaactg tatctgcaga aagatggctc tgtaaccaac 1380
ggttcaggta aagcggtcta tgtagaagcg gatggtgatt tcactaccga cgctgcaacc 1440
aaagcegcaa ccaccaccga teegetggee getetggatg acgeaatcag ccagategae 1500
aagtteegtt cateettggg tgetateeag aacegtetgg attetgeagt caceaacetg 1560
aacaacacca ccaccaacct gtctgaagcg cagtcccgta ttcaggacgc cgactatgcg 1620
accgaagtgt ccaatatgtc gaaagcgcag atcatccagc aggccggtaa ctccgtgctg 1680
                                                                   1731
gcaaaagcca accaggtacc gcagcaggtt ctgtctctgc tgcagggtta a
```

<210> 21

<211> 1380

<212> DNA

<213> Escherichia coli

```
aacaaatctc agtettetet gageteegee attgaaegte teteteteg eetgegtatt 60 aacagtgeta aagatgaege ageaggteag gegattgeta aeegttttae ageaaatatt 120 aaaggtetga eteaggette eegtaaegeg aatgatggta tetetgtege geagaeeacet 180 gaaggtgege tgaatgaaat taacaacaae etgeagegta teegtgaaet teetgteag 240 geaactaaeg gtaetaaete tgaeagegat etteteteta teeaggetga aattaeteaa 300 egtegaaaata atgaaatgaa aatteaggt ggtgetaatg atggtgaaae eateaetate 420 aatetggeaa eaattgatge gaaaactee ggeetggaeg gttttaatat egatggegeg 480 eagaaageaa eeggeagta eetgattet aatgtaaga eagtgetga eetgattet aatgtagata gtggegtagt aeaggataa 540 gatggeaaae aagtttatgt gagtaetgeg gatggtteae ttaeggeeg eagtgataet 660 eaatteaaga ttgatgeaae taagettgea gtggetgeta aagatttage teaagggaat 720
```

```
aagattgtct acgaaggtat cgaatttaca aataccggca ctgtcgctat agatgccaaa 780 ggtaatggta aattaaccgc caatgttgat ggtaaggctg ttgaattcac tatttcgggg 840 agtactgata catcaggtac tagtgcaacc gttgccccta cgacagccct atacaaaaat 900 agtgcagggc aattgactgc aacaaaagtt gaaaataaag cagcgacact atctgatctt 960 gatctgaacg ctgccaagaa aacaggaagc acgttagttg ttaacggtgc aacttacgat 1020 gttagtgcag atggtaaaac gataacggag actgcttctg gtaacaataa agtcatgtat 1080 ctgagcaaat cagaaggtgg tagcccgatt ctggtaaacg aagatgcagc aaaatcgttg 1140 caatctacca ccaacccgct cgaaactatc gacaaagcat tggctaaagt tgacaatctg 1200 cgttctgacc tcggtgcagt acaaaaccgt ttcgactctg ccatcaccaa ccttggcaac 1260 accgtaaca acctgtcttc tgcccgtagc cgtatcgaag atgctgacta cgcgaccgaa 1320 gtgtctaaca tgtctcgtgc gcagatcctg caacaagcgg gtacctctgt tctggcacag 1380 <210> 22 <211> 1767 <212> DNA
```

<213> Escherichia coli

```
atggcacaag tcattaatac caacagectc tegetgatea etcaaaataa tatcaacaag 60
aaccagtetg egetgtegag tietategag egietgiett eiggetigeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcacgtaa cgccaacgac ggtatctctc tggcgcagac caccgaaggt 240
gcgctgtctg aaatcaacaa caacttacag cgtgtacgtg aactgaccgt tcaggcaacc 300
accggtacta actocgacto cgacetgget tetatteagg acgaaateaa atcccgtetg 360
gatgaaattg accgcgtatc tggtcagact cagttcaacg gcgtgaacgt gctggcaaaa 420
gacggttcca tgaaaattca ggtaggtgct aacgacggcc agactatcac tattgacctg 480
aaaaaaatcg actctgatac tctgggcctg aatggtttta acgtgaatgg ttctgggacg 540
attaccaaca aagcagcaac tgtcagtgat gttactcgcg caggcggtac attggtgaat 600
ggtgcctatg atataaaaac cactaacaca gcgctgacta caactgatgc cttcgcgaaa 660
ttgaatgatg gtgatgttgt tactatcaat aatggtaagg atactgccta taaatataat 720
gctgctacag gtgggtttac gacggatgtc tccatctccg gggatcctac cgctgctgac 780
gctactgcta ataaaactgc ccgtgatgca cttgcggcgt ctttacatgc tgagccgggt 840
aaaactgtta atggttettg gactaegaat gatggtaegg taaaatttga taeegatgee 900
gatggtaaga tttctattgg tggtgttgct gcttatgtag atgcagcagg caacctgacc 960
actaacgcag caggtatgac gactcaagca acaactaccg atttggttac tgctgctgca 1020
tctgctactg gtaagggtgg atccctgacc tttggtgaca cgacgtataa aattggtcag 1080
ggtacggctg gggttgatcc tgatgacgct tcagatgatg tactgggcac catttcttac 1140
tctaaatcag taagcaagga tgttgttctt gctgatacta aagcaactgg taacacgaca 1200
acagttgatt tcaactccgg tatcatgact tcaaaggtta gtttcgatgc aggtacatca 1260
actgatacat tcaaagatgc agatggtgct atcaccaaaa ctaaagaata caccacttct 1320
tatgctgtaa ataaagatac tggtgaagtt accgttgctg attatgctgc ggtagatagc 1380
gccgataagg ctgttgatga tactaaatat aaaccgacta tcggcgcgac agttaacctg 1440
aattctgcag gtaaattgac cactgatacc accagtgcag gcacagcaac caaagatcct 1500
ctggctgccc tggacgctgc tatcagctcc atcgacaaat tccgttcatc cctgggtgct 1560
atccagaacc gtctggattc cgcagtcacc aacctgaaca acaccactac caacctgtcc 1620
gaagcgcagt cccgtattca ggacgccgac tatgcgaccg aagtgtccaa catgtcgaaa 1680
gcgcagatta tccagcaggc cggtaactcc gtgctggcaa aagccaacca ggtaccgcag 1740
caggttctgt ctctgctaca gggttaa
                                                                   1767
```

- 15 -

```
<210> 23
<211> 1383
<212> DNA
<213> Escherichia coli
<400> 23
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tttcttctgg tctgcgtatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga etcaggeege aegtaaegee aacgaeggta tttetetgge geagaeeaet 180
gaaggcgcgc tgtctgagat taacaacaac ttgcagcgtg tgcgtgagtt gactgtacag 240
gegaegaeeg ggaetaaete tgattetgae etgtetteta teeaggatga aatcaaatee 300
cgtttaagcg aaattgaccg tgtatctggt cagactcagt ttaacggcgt gaacgtactg 360
gctaagaatg acaccctgtc tattcaggta ggtgcaaatg acggtcagac tatcaatatt 420
gacctgcagc aaatcgattc tcatacactg ggtctggatg gtttcagcgt taaaaaataat 480
gatgcagtga aaaccagtgc tgccgtgaat actcttgggg ggggggcagg ttctgttgct 540
gtcgacttcg caacaaccag tttgactgct atcactggtc tcggtagcgg tgctatcagc 600
gaaattgcta aagacgataa tggtgattac tacgcgcatg tcacagggac tacgggtaat 660
actgctgatg gttactatgc tgtcgatatc gacaaggcta ccggtgaggt cgctctgaaa 720
gatggtaacg tagatacacc gacaggtacg ccaacgacga caagcacata tgacttcaca 780
gacgetggte aaacegttte etttggeact gatgetgeaa cageeggtat cageactggt 840
 gcttctctcg ttaaacttca ggatgagaaa ggcaatgata ctgctactta tgcaatcaaa 900
 gcacaagatg gcagcctgta tgccgccaac gttgatgagg ctaccggtaa agtcactgtc 960
 aaaaccgcca gctatactga tgctgacggc aaagcagtga ccgatgccgc tgtaaaactg 1020
 ggtggtgaca atggcacaac cgaaattgtt gtcgatgctg cgtcaggtaa aacttacgat 1080
 gctggtgcac tgcaaaacgt tgatctctcc agtgcaacca acacggtaac cgcaatcccg 1140
 aacggtaaaa ccacgtetee getggetgee ettgacgacg caatcageca gategacaaa 1200
 ttccgctcct ccctcggtgc ggtgcagaac cgtctggatt ccgcggtcac caacctgaac 1260
 aacaccacta ccaacctgtc tgaagcgcag tcccgtattc aggacgctga ctatgcgacc 1320
 gaagtateca acatgtegaa agegeagate atecageagg caggtaacte egtgetgtee 1380
                                                                    1383
 aaa
 <210> 24
 <211> 1197
 <212> DNA
 <213> Escherichia coli
 <400> 24
 gegetgtega ettetatega gegeetetet tetggtetge geattaaeag egetaaagat 60
 gacgctgcgg gccaagcgat tgctaaccgc ttcacttcta acatcaaagg tctgactcag 120
 gccgcacgta acgccaacga cggtatttct ctggcgcaga ccactgaagg cgcactgtct 180
 gaaatcaaca acaacttgca gcgtgttcgt gaactgaccg ttcaggccac taccggtact 240
 aactctgatt ctgacctgtc ttcaatacag gacgaaatca aatcccgtct cgatgaaatt 300
 gaccgcgtat ccggtcagac tcagttcaac ggcgttaatg ttctttccaa agatggttca 360
  atgaaaatte aggttggtge gaatgatggt caaactatet ecategatet gaagaaaatt 420
  gattetteaa etttgggget gaatggette teagttteta aaaactetet taatgteage 480
  aatgctatca catctatccc gcaagccgct agcaatgaac ctgttgatgt taacttcggt 540
  gatactgatg agtctgcagc aatcgcagcc aaattggggg tttccgatac gtcaagcctg 600
```

```
tegetgeaca acatecttga taaagatggt aaggeaacag etgattatgt tgtteagtea 660 ggtaaagact tetatgetge ttetgttaat geegetteag gtaaagtaac ettaaacace 720 attgatgata ettatgatga taaagaegge geggttgaeg atgeeaagea aacaggteag 780 etgateaaag ttteageaga taaagaegge geageteaag gttttgteae actteaagge 840 aaaaactatt etgetggtga tgeegeagae attettaaga atggageaae agetettaag 900 etaactgatea ttgaaggtge tteaactgag gateegetgg egettetgga taaagetatt 1020 geateagteg acaaatteeg gtetteteta ggtgeegtge agaacegtet egatteeget 1080 ateaecaace tgaacaaca eaceacaac etgeaaage egegaetatg egeggea 1140 geegaetatg egacegaagt gteeaacatg tegaaagee agateatee geagea 1197
```

<210> 25 <211> 1674 <212> DNA

<213> Escherichia coli

<400> 25

```
atggcacaag tcattaatac caacagcete tegetgatea eteaaaataa tateaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actecgatte tgacetggae tecatecagg acgaaateaa atetegtetg 360
gacgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctgtctaaa 420
gatggctcga tgaaaattca ggtcggcgcg aacgatggcg aaacgattac tattgatctg 480
aagaaaattg actctgatac gctaaatctg gctggtttta acgtgaatgg tgctggctct 540
gttgataatg ccaaggcgac tggcaaagat cttactgatg ctggttttac ggcaagcgca 600
gctgatgcta atggcaaaat cacttatacc aaagacaccg ttactaaatt cgacaaagcg 660
acageggetg atgtattggg caaagegget getggegata geattaceta tgegggeaet 720
gatactggct taggagtcgc tgctgatgcc tcgacttaca cctacaatgc agccaataag 780
tettacaett ttgatgetae tggtgttgee aaggeggatg etggaaegge aetgaaaggg 840
tacttaggcg catctaacac cggtaaaatt aatatcggtg gtaccgagca agaagttaac 900
attgccaaag atggctccat caccgatacc aatggcgatg cgctgtatct cgatagtacc 960
ggcaacttaa ccaaaaatac cgcgaatttg ggggctgctg ataaagcaac tgtagataaa 1020
ctgtttgctg gtgctcagga tgcaacgatc accttcgata gcggcatgac agctaaattc 1080
gatcaaactg ctggtaccgt tgatttcaaa ggcgcgtcta tttctgctga tgcaatggca 1140
tcaaccttaa ataatggttc ctatacagcc aacgtaggtg gtaaggctta tgccgtaacc 1200
gctggcgcag ttcagacagg tggcgcagat gtgtataaag ataccactgg cgcactgacg 1260
actgaagatg acgaaaccgt taccgcgacc tactacggtt ttgctgatgg taaagtttct 1320
gacggtgaag gttctactgt ctataaagct gctgatggtt ccatcactaa agatgcgact 1380
 accaagtetg aagcaaccae tgaccetetg aaageeettg acgacgcaat cagecagate 1440
 gacaaattcc gctcctccct cggtgccgtt caaaaccgtc tggattccgc cgtcaccaac 1500
 ctgaacaaca ccactaccaa cctgtctgaa gcgcagtccc gtattcagga cgccgactat 1560
 gcgaccgaag tgtccaacat gtcgaaagcg cagatcattc agcaggccgg taactccgtg 1620
 ctggcaaaag ccaaccaggt accgcagcag gttctgtctc tgctgcaggg ttaa
```

<210> 26

<211> 1365

- 17 -

<212> DNA

<213> Escherichia coli

<400> 26

```
aacaaatctc agtcttctct tagctctgct attgagcgtc tctcttctgg cctgcgtatt 60
aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtetga eteaggette eegtaaegeg aatgatggta titetgtige geagactaet 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgtg tacgtgaact gactgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta ttcaggcaga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gccgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggggaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gctttaatat cgatggcgcg 480
cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
caaattaacg gtactgataa ctatactgtt aatgtagata gtggagcagt tcaaaatgag 600
gatggtgacg caatttttgt tagcgctacc gatggttctc tgactactaa gagtgataca 660
aaagtcggtg gtacaggtat tgatgcgact gggcttgcaa aagccgcagt ttctttagct 720
aaagatgcct caattaaata ccaaggtatt actttcacca acaaaggcac tgatgcattt 780
gatggcagtg gtaacggcac tctaaccgct aatattgatg gcaaagatgt aacctttact 840
attgatgcga cagggaagga cgcaacatta aaaacgtctg atcctgttta caaaaatagt 900
gcaggtcagt tcactacaac taaggttgaa aacaaagccg ctacagcatc ggatctggac 960
ttaaataacg ctaaaaaagt gggtagttct ttagttgtaa atggcgctga ttatgaagtt 1020
agcgctgatg gtaagacagt aactgggctt ggcaaaacta tgtatctgag caaatcagaa 1080
ggtggtagcc cgattctggt aaaagaagat gcagcaaaat cgttgcaatc tactaccaac 1140
ccgctcgaaa ccatcgacaa ggcattggct aaagttgaca atctgcgttc tgacctcggt 1200
gcagtacaaa accgtttcga ctctgctatc accaaccttg gcaacaccgt aaacaacctg 1260
 tottotgocc gtagcogtat cgaagatgot gactacgoga ccgaagtgto taacatgtot 1320
                                                                   1365
 cgtgcgcaga tcctgcaaca agcgggtacc tctgttctgg cgcag
```

<210> 27

in in

. .

11

1

\$14.5 \$14.5

11:11:

<211> 1740

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacageete tegetgatea etcaaaataa tatcaacaag 60
aaccagtotg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgat ggtatttctg ttgcacagac cactgaaggc 240
gegetgteeg aaateaacaa caacttacag egtateegtg aactgaeggt teaggettet 300
accgggacta actoogatto ggatotggao tocattoagg acgaaatoaa atcoogtotg 360
gacgaaattg accgcgtate tggccagace cagttcaacg gegtgaacgt actggegaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcad gattgatctg 480
aagaaaattg actctgatac gctggggctg agtgggttta atgtgaatgg tagcggggct 540
gtggctaata ctgcagcgac taaatctgat ttggcagcag ctcaactctt ggctccaggt 600
actgctgatg ctaatggtac agttacctat actgttggcg caggcctgaa aacatctaca 660
gctgcagatg taattgcgag tttggctaat aacgcaaaag ttaatgccac aattgcaaat 720
ggttttggat cgccaacagc tacagattat acatacaaca gcgctacagg cgattttaca 780
tatagtgcaa ctattgcagc tggtacaaat tctggtgata gtaacagtgc tcagttacaa 840
```

<212> DNA

<213> Escherichia coli

```
teetteetga caccaaaage gggegataet getaaettaa aegttaaaat tggttetaeg 900
tcaattgacg ttgtattggc tagcgacggt aaaattaccg cgaaagatgg ttcagaacta 960
tttattgacg tagatggtaa cctcactcaa aacaatgctg ggactgtcaa agcagccact 1020
cttgatgcac tgactaaaaa ctggcataca acaggcacac cgagtgccgt atctacggta 1080
attacaactg aagatgaaac aaccttcact ctggctggcg gtactgatgc tactacttct 1140
ggtgcaatca ctgtagcaaa tgcaagaatg agtgctgagt ctcttcaatc ggcaactaag 1200
tccacaggat tcacagttga tgttggagct actggtacca gcgcaggcga tattaaagtt 1260
gatagtaaag gtatagtaca acaacacaca ggtacaggtt ttgaagacgc ttacaccaaa 1320
gctgatggtt cactgactac cgataataca accaatctgt ttttgcaaaa agacggaact 1380
gtgaccaatg gttcaggtaa agcagtctat gtttcagcgg atggtaattt tactactgac 1440
getgaaaeta aagetgeaae eacegeegat eeactgaaag etetggaega agegateage 1500
tecategaea aatteegtte tteesteggt geggtgeaaa accgtetgga tteegeagte 1560
accaacctga acaacaccac tactaacctg tctgaagcgc agtcccgtat tcaggacgct 1620
gactatgega cogaagtgto caatatgtog aaagcgcaga toatocagca ggccggtaac 1680
teegtgetgg caaaagetaa eeaggtaceg cageaggtte tgtetetget geagggttaa 1740
<210> 28
<211> 1233
<212> DNA
<213> Escherichia coli
<400> 28
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtctga ctcaggccgc acgtaacgcc aacgacggta tctctctggc gcagaccact 180
gaaggcgcac tgtctgaaat caacaacaac ttgcagcgtg ttcgtgagct gaccgttcag 240
gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300
cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360
gcaaaagata acaccatgaa gattcaggtt ggtgcgaacg atggtcagac tatatccatc 420
gacctgcaaa aaatcgactc ttctactctt ggtttgaacg gtttctccgt ttctaaaaat 480
gctctcgaaa ctagcgaagc gatcactcag ttgccgaacg gtgcgaatgc accaatcgct 540
gtgaagatgg atgcgtctgt tctgaccgat cttaacatta ctgatgcttc cgctgtttcg 600
ctgcacaacg taactaaagg tggtgtcgca acgtctactt atgttgttca gtatggcgat 660
aagagetatg cageatetgt tgatgeggga ggtacagtaa aaetgaataa ageegaegta 720
acatataacg acgcagcaaa tggtgttacg aatgccaccc agattggtag tctggttcag 780
gttggtgctg.atgcaaacaa tgatgcagtt ggttttgtta ccgtgcaggg gaaaaactat 840
gttgctaatg actcattagt caatgctaat ggcgctgctg gcgctgcagc aactagagtt 900
acaattgatg gtgatggtag ccttggagct aaccaggcta aaattgaact tagccaaaat 960
ggtgctactg ctgcaacatc agagtteget ggtgcttcaa ccaacgatec actgactetg 1020
ctggacaaag ctatcgcatc tgttgataaa ttccgttctt ctttgggggc ggtacagaac 1080
cgtctgagct ccgctgtaac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1140
tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatc 1200
atccagcagg caggtaactc cgtgctgtcc aaa
                                                                   1233
<210> 29
<211> 1713
```

ş

11.

1, 1

, 113 113

\$1,\$:

```
<400> 29
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggcgacg 300
accggaacta actccacctc tgacctggac tccattcagg acgaaatcaa atcccgtctt 360
gatgaaattg accgcgtatc cggccaaacc cagttcaacg gcgtgaacgt actgtcaaaa 420
gatggctcga tgaaaattca ggtcggcgca aatgatggtg aaaccatcac gattgatctg 480
aaaaagatcg actcttctac attgaagctg accagcttca atgttaacgg taaaggcgct 540
gttgataatg ctaaagccac tgaagcagat ctgaccgctg cgggcttctc ccaaggtgca 600
gtcgtcagtg gcaacagcac ctggactaaa tctactgtta ctacctttaa tgcagcaaca 660
gctaccgacg tgctggcaag cgttagcggc ggcagcacta ttagcggtta taccggtaca 720
aacaatggat taggcgtagc ggcttctact gcatatacct acaacgcaac cagcaagtct 780
tattcatttg acgcaaccgc acttaccaat ggcgatggta ctggggccac cactaaagtt 840
gctgatgtgc tgaaagccta tgcagcaaac ggtgataata cggctcagat ctccatcggc 900
ggaagcgctc aggacgttaa aattgccagc gatggcaccc tgactgacgt caatggtgat 960
getttatata ttggttetga eggeaacetg actaaaaace aggeeggegg teeagatgeg 1020
gcaacgttgg acggtatttt caacggtgcg aatggtaatg cagcagttga tgcgaagatt 1080
acatteggea geggeatgae egttgattte acceaggeta geaaaaaagt ggataftaag 1140
ggcgcaacgg tatccgccga agatatggac actgcgttaa ctgggcaggc ttataccgta 1200
gctaacggcg cacagtettt tgacgttgcc gctggtgggg cagtaaccgc tactacaggt 1260
ggcgctaccg taaatattgg tgctgatggt gaactgacga ctgcgaccaa caagactgtc 1320
acagaaactt atcacgaatt tgctaacggc aatattctgg atgatgacgg cgcggctctg 1380
tacaaagcgg ctgacggttc tctgaccact gaagctactg gtaaatccga agtgaccacg 1440
gatecgetga aagegetgga egatgetate geatecgtag acaaatteeg etecteete 1500
 ggtgcggtgc agaaccgtct ggattccgca gtcaccaacc tgaacaacac cactaccaac 1560
 ctgtctgaag cgcagtcccg cattcaggac gccgactatg cgaccgaagt gtccaatatg 1620
 tcgaaagcgc agatcatcca gcaggccggt aactccgtgc tggcaaaagc caaccaggta 1680
                                                                   1713
 ccgcagcagg ttctgtctct gctgcagggt taa
```

```
<210> 30
```

<211> 1668

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gctaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac cactgaaggc 240
gegetgteeg aaateaacaa caacttacag egtateegtg aactgaeggt teaggettet 300
accgggacta actccgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360
gacgaaattg accgcgtatc tggccagacc cagttcaacg gcgtgaacgt actggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actcagatac gctggggctg agtgggttta atgtgaatgg tggcggggct 540
gttgctaata ctgcagcgac taaagatgat ttggtcgctg catcagtttc agctgcggta 600
```

```
ggtaatgaat acactgtctc tgctggcctg tcgaaatcaa ctgctgctga tgttattgct 660
agteteacag atggtgegae agtaactgeg getggtgtaa geaatggttt tgetgeaggg 720
gcaactggag atgettataa atteaateaa gcaaacaaca ettttaetta caataceaee 780
tcaacagcgg cagaactcca atcttacctc acgcctaagg cgggggatac cgcaactttc 840
tccgttgaaa ttggtggcac caagcaggat gttgttctgg ctagtgatgg caaaatcaca 900
gcaaaagacg ggtctaaact ttatattgac accacaggga atttaaccca aaacggtgga 960
ggtactttag aagaagctac cctcaatggc ttagctttca accactctgg tccagccgct 1020
gctgtacaat ctactattac tactgcggat ggaacttcaa tagttctagc aggttctggc 1080
gactttggaa caacaaaaac tgctggggct attaatgtca caggagcagt gatcagtgct 1140
gatgcacttc tttccgccag taaagcgact gggtttactt ctggcactta taccgtaggt 1200
ttaactactg acaataccac aaaatattat ttacaagatg acgggtctgt aactaatggt 1320
tctggtaaag ctgtgtatgc tgatgcaaca ggaaaactaa ctactgacgc tgaaactaaa 1380
qccqaaacca ccgccgatcc cctgaaagct ctggacgaag cgatcagctc catcgacaaa 1440
ttccgttctt ccctcggtgc ggtgcaaaac cgtctggatt ccgcggtcac caacctgaac 1500
aacaccacta ccaacctgtc cgaagcgcag tcccgtattc aggacgccga ctatgcgacc 1560
gaagtgtcca acatgtcgaa agcgcagatc atccagcagg ccggtaactc cgtgctggca 1620
aaagctaacc aggtaccgca gcaggttctg tctctgctgc agggttaa
```

<210> 31 <211> 1713 <212> DNA

<213> Escherichia coli

<400> 31

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120 gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180 ctgactcagg ctgcacgtaa cgccaacgac ggtatttccg ttgcgcagac caccgaaggc 240 gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggccact 300 accggtacta actccgattc tgacctggac tccatccagg acgaaatcaa atctcgtctt 360 gatgaaattg accgcgtatc tggtcagacc cagttcaatg gcgtgaatgt gttgtccaaa 420 gacggttcaa tgaaaattca ggtgggcgca aatgatggtg aaaccatcac gattgacctg 480 aaaaaaatcg actettetac actgaagetg accagettea acgteaacgg taaaggeget 540 gttgataatg caaaagccac tgaagcagat ctgaccgctg cgggcttctc ccaaagtgca 600 gttgtcagtg gcaatagcac ctggactaaa tctactgtta ctacctttaa tgcagcaaca 660 gctaccgatg tgctggctag cgttagtggc ggcagcacta ttagcggtta tgctggcaca 720 aacaatgggt taggcgtagc ggcttctact gcatatacct acaacgcaac cagcaagtct 780 tattcatttg acgcaaccgc acttactaat ggtgatggta ctgcgggctc aactaaagtt 840 gctgatgttc tgaaagccta tgcagcaaac ggcgataaca cggctcagat ctccatcggt 900 ggtagcgctc aggaagttaa aattgccagc gatggtaccc tgacggatac taatggcgat 960 getttataca ttggtgetga eggtaacetg acgaaaaacc aggeeggegg eccageegeg 1020 gcaacgttgg acggtatttt caacggtgcg aatggtcatg atgcagttga tgcgaagatt 1080 acctteggea geggeatgae egttgaette acceaggtta geaacaatgt ggatattaag 1140 ggcgcgacgg tatccgccga agatatgaac actgcgttaa ccggtcaggc ttataccgta 1200 gctaacggcg cacagtctta tgacgttgcc gctgatggtg cagtaactgc tactacaggt 1260 ggagegaceg taaatattgg tgctgagggt gaactgacga ctgeggeeaa caagactgte 1320 acagaaactt atcacgaatt tgctaacggc aatattctgg atgatgacgg cgcggctctg 1380

```
- 21 -
tataaagcgg ctgacggctc tctgaccact gaagctacag gtaaatctga agcgaccacg 1440
gatecgetga aagegetgga egatgetate geatecgtag acaaatteeg ttetteeetg 1500
ggtgccgtgc agaaccgtct ggattccgca gtcaccaacc tgaacaacac cactaccaac 1560
ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1620
tcgaaagcgc agattattca gcaggcaggt aactccgtgc tggcaaaagc taaccaggta 1680
                                                                  1713
ccgcagcagg ttctgtctct gctgcagggt taa
<210> 32
<211> 1188
<212> DNA
<213> Escherichia coli
<400> 32
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagegeta aagatgaege tgegggeeag gegattgeta acegetteae ttetaacate 120
aaaggtctga ctcaggccgc acgtaacgcc aacgacggta tctctctggc gcagaccact 180
gaaggcgcac tgtctgaaat caacaacaac ttgcagcgtg tgcgtgagtt gactgttcag 240
gcgacgaccg ggactaactc tgattctgac ctgtcttcta ttcaggacga aatcaaatcc 300
cgtctggatg aaattgaccg tgtttccggt cagacccagt tcaacggcgt gaacgtgctg 360
gctaaaaacg gttctatggc gattcaggtt ggcgcgaatg atgggcagac catcaacatc 420
gacctgcaga aaatcgactc ttctactctg ggcctgggcg gcttctccgt atctaacaat 480
gcactgaaac tgagcgattc tatcactcag gttggtgcga gtggttcact ggcagatgtg 540
aaactgaget etgttgeete ggetetgggt gtagaegeaa geaetetgae tetgeacaae 600
gtacagaccc cagetggcgc agcaacagct aactatgttg tetettetgg ttetgacaac 660
 tactcagtat ctgttgaaga tagctccggt acagttacgc tgaacaccac tgatataggt 720
 tataccgata ccgctaatgg cgttactacc ggttccatga ctggtaagta cgttaaagtt 780
 ggagctgatg cattgggtgc tgctgtaggt tatgtcaccg tacagggaca aaacttcaaa 840
 gctgatgctg gcgcgctggt taactccaag aatgctgctg gtagtcagaa tgttacttct 900
 gcaattggcg atattgctaa taaagcgaat gctaacattt acactggaac ctcttctgca 960
 gatccactgg ctctgctgga caaagctatc gcatctgttg ataaattccg ttcttctcta 1020
 ggggcggtgc agaaccgtct gagctctgct gtaaccaacc tgaacaacac cactaccaac 1080
 ctgtccgaag cgcagtcccg tattcaggac gccgactatg cgaccgaagt gtccaacatg 1140
                                                                   1188
 tcgaaagcgc agatcatcca gcaggcgggt aactccgtgc tgtctaaa
 <210> 33
 <211> 1638
 <212> DNA
 <213> Escherichia coli
 <400> 33
 atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
 aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
 gegaaggatg acgccgccgg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
 ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240
 gegetgteeg aaateaacaa caaettacag egtattegtg aaetgaeggt teaggettet 300
 accgggacta actetgatte ggatetggae tecatteagg acgaaateaa atccegtete 360
 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
```

gacggttega tgaaaattea ggttggtgeg aacgacggee agactateae tattgatetg 480

```
aagaaaattg actctgatac gctggggctg agtgggttta acgtaaatgg tagcgcagat 540
aaggcaagtg tcgcggcgac agctgacgga atggttaaag acggatatat caaagggtta 600
acttcatctg acggcagcac tgcatatact aaaactacag caaatactgc agcaaaagga 660
totgatatto ttgeggeget taagactgge gataaaatta eegeaacagg tgeaaatage 720
cttgctgata atgcgacatc gacaacttat acttataatg caaccagcaa taccttctcc 780
tatacggctg acggtgtaaa ccaaacgaat gctgcagcaa atctcatacc tgcagcaggg 840
aaaacgacag ctgcatcagt tactattggt gggacagcac agaatgtaaa tattgatgat 900
tcgggcaata ttacttcaag tgatggcgat caactttatc tggattcaac aggtaacctg 960
actaaaaacc aggccggcaa cccgaaaaaa gcaaccgttt ctgggcttct cggaaatacg 1020
gatgcgaaag gtactgctgt taaaacaacc atcaagacag aggctggtgt aacagttaca 1080
gctgaaggta atacaggtac tgtaaaaatt gaaggtgcta ctgtttcagc atctgcattt 1140
acgggcattg catattccgc caacaccggt gggaatactt atgctgttgc cgcaaataat 1200
actacaaatg gtttcctggc gggggatgac ttaacccagg atgctcaaac tgtttcaacc 1260
tactactcgc aagccgatgg cacggtcacg aatagcgcag gcaaagaaat ctataaagac 1320
gctgatggtg tctacagcac agagaataaa acatcgaaga cgtccgatcc attggctgcg 1380
cttgacgacg caatcagctc catcgacaaa ttccgttcat ccttgggtgc tatccagaac 1440
cgtctggatt ccgcggtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1500
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagate 1560
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1620
                                                                   1638
tctctgctgc agggctaa
```

<210> 34 <211> 2145 <212> DNA <213> Escherichia coli

<400> 34

aacaaatctc agtcttctct gagctccgcc attgaacgtc tctcttctgg cctgcgtatt 60 aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120 aaaggtotga otcaggotto cogtaacgog aatgatggta tttotgttgo goagaccact 180 gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgtg tacgtgaact gactgttcag 240 gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300 cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360 gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420 aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480 cagaaagcaa ctggcagtga cctgatttct aaatttaaag cgacaggtac tgataactat 540 gatgttggcg gtgatgctta tactgttaac gtagatagcg gagctgggta atgactccaa 600 cttattgata gtgttttatg ttcagataat gcccgatgac tttgtcatgc agctccaccg 660 attttgagaa cgacagegae tteegteeca geegtgeeag gtgetgeete agatteaggt 720 tatgccgctc aattcgctgc gtatatcgct tgctgattac gtgcagcttt cccttcaggc 780 gggattcata cagcggccag ccatccgtca tccatatcac cacgtcaaag ggtgacagca 840 ggctcataag acgccccagc gtcgccatag tgcgttcacc gaatacgtgc gcaacaaccg 900 tetteeggag cetgteatae gegtaaaaca geeagegetg gegegattta geeeegaeat 960 agtcccactg ttcgtccatt tccgcgcaga cgatgacgtc actgcccggc tgtatgcgcg 1020 aggttaccga ctgcggcctg agttttttaa gtgacgtaaa atcgtgttga ggccaacgcc 1080 cataatgcgg gcagttgccc ggcatccaac gccattcatg gccatatcaa tgattttctg 1140 gtgcgtaccg ggttgagaag cggtgtaagt gaactgcagt tgccatgttt tacggcagtg 1200 agageagaga tagegetgat gtccggeggt gettttgeeg ttaegeacea eccegteagt 1260

```
agctgaacag gagggacagc tgatagaaac agaagccact ggagcacctc aaaaacacca 1320
tcatacacta aatcagtaag ttggcagcat taccgcggag ctgttaaaga tactacaggg 1380
aatgatattt ttgttagtgc agcagatggt tcactgacaa ctaaatctga cacaaacata 1440
gctggtacag ggattgatgc tácagcactc gcagcagcgg ctaagaataa agcacagaat 1500
gataaattca cgtttaatgg agttgaattc acaacaacaa ctgcagcgga tggcaatggg 1560
aatggtgtat attctgcaga aattgatggt aagtcagtga catttactgt gacagatgct 1620
gacaaaaaag cttctttgat tacgagtgag acagtttaca aaaatagcgc tggcctttat 1680
acgacaacca aagttgataa caaggctgcc acactttccg atcttgatct caatgcagct 1740
aagaaaacag gaagcacgtt agttgttaac ggtgcaactt acgatgttag tgcagatggt 1800
aaaacgataa cggagactgc ttctggtaac aataaagtca tgtatctgag caaatcagaa 1860
ggtggtagcc cgattctggt aaacgaagat gcagcaaaat cgttgcaatc taccaccaac 1920
ccgctcgaaa ctatcgacaa agcattggct aaagttgaca atctgcgttc tgacctcggt 1980
gcagtacaaa accgtttcga ctctgctatc accaaccttg gcaacaccgt aaacaacctg 2040
tettetgece gtageegtat egaagatget gaetaegega eegaagtgte taacatgtet 2100
                                                                   2145
cgtgcgcaga tcctgcaaca agcgggtacc tctgttctgg cgcag
```

<210> 35 <211> 1587 <212> DNA <213> Escherichia coli

```
aacaagaacc agtctgcgct gtcgagttct atcgagcgtc tgtcttctgg cttgcgtatt 60
aacagegega aggatgaege egeaggteag gegattgeta acegttttae ttetaacatt 120
aaaggeetga eteaggetge aegtaaegee aaegaeggta tttetgttge geagaeeaee 180
gaaggegege tgteegaaat caacaacaae ttacagegtg tgegtgaaet gaeegtteag 240
gcaaccaccg gtaccaactc ccagtctgac ctggactcta tccaggacga aattaaatcc 300
cgtctggacg aaattgaccg cgtatccggt cagacccagt tcaacggcgt gaacgtactg 360
gcaaaagacg gttccatgaa aattcaggtt ggcgcgaacg atggccagac catcactatc 420
gacctgaaga agattgactc ttctacgctg aaactgactg gttttaacgt gaatggcaaa 480
gcagcggttg ataatgctaa agcgacggat gcaaatctga ctaccgccgg ttttacacaa 540
ggcgttgtgg attcaaatgg taatagtact tggactaaat caactacgac taatttcgat 600
gcggcaactg cagtaaacgt actagcagca gttaaagatg gcagcacaat caattacacc 660
ggtactggta atggtttagg gattgctgca acaagtgctt atacatatca cgatagcact 720
aaatectata eetttgatte taeggggget geagtagetg gtgeegegte eageetgeaa 780
ggtacttttg gtacagatac gaatactgca aaaatcacca tcgatggttc tgctcaagaa 840
gtaaacatcg ctaaagatgg gaaaattact gatactgatg gtaaagcttt atatatcgat 900
 tccactggta atttgactaa gaacggctct gatactttaa ctcaggcaac attgaatgat 960
 gtccttactg gtgctaattc agttgatgat acaaggattg acttcgatag cggcatgtct 1020
 gtcacccttg ataaagtgaa cagcactgta gatatcactg gcgcatctat ttcagccgct 1080
 gcaatgacta atgagttgac aggtaaggcc tataccgtag taaatggtgc agaatcttac 1140
 gctgtagcta ctaataacac agtaaaaacg actgctgatg ctaaaaatgt ttatgttgat 1200
 gctagtggta aattaactac tgatgacaaa gccactgtta cagaaactta tcatgaattt 1260
 gcgaatggca atatctatga tgataaaggc gctgctgttt atgcggcggc ggatggttct 1320
 ctgactacag aaactacaag taaatcagaa gctacagcta acccgctggc cgctctggac 1380
 gacgcaatca gccagatcga caaattccgt tcatccctgg gtgctatcca gaaccgtctg 1440
 gattccgcag tcaccaacct gaacaacacc actaccaatc tgtctgaagc gcagtcccgt 1500
 attcaggacg ccgactatgc gaccgaagtg tccaatatgt cgaaagcgca gatcatccag 1560
```

```
- 24 -
                                                                  1587
caggcaggca actccgtgct ggcaaaa
<210> 36
<211> 1245
<212> DNA
<213> Escherichia coli
<400> 36
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga eteaggeege aegtaaegee aaegaeggta tetetetgge geagaeeaet 180
gaaggcgcac tgtctgaaat caacaacaac ttgcagcgtg ttcgtgaact gaccgttcag 240
gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300
cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360
gcaaaagatg gctcgatgaa aattcaggtc ggtgcaaatg atggtcagac aatcagcatt 420
gatttgcaga agattgattc ttctacttta gggttaaatg gtttttctgt ttccaaaaat 480
gcagtatetg ttggtgatgc tattactcaa ttgcctggcg agacggcagc cgatgcacca 540
gtaaccatca agtttgatga ttcagtaaaa actgatttaa aactgaccga tgcttcaggg 600
ttaagtctgc ataacctcaa agatgaaaat ggtaatttaa ctaaccagta tgttgtacag 660
aatggcggaa aatcttacgc tgctacagtc gctgccaatg gtaatgttac gctgaacaaa 720
gcaaatgtaa cctacagcga tgtcgcaaac ggtattgata ccgcaacgca gtcaggccag 780
ttagttcagg ttggtgcaga ttctaccggt acgccaaaag cattcgtgtc tgtccaaggt 840
aaaagetttg geattgatga egeegeettg aagaataaca etggtgatge tacegetact 900
caaccgggaa catctgggac aacagttgtc gcagcgtcaa ttcatctgag tacgggcaaa 960
aactetgtag acgetgatgt aacggettee actgaattea caggtgette aaccaacgat 1020
ccactgactc tgctggacaa agctatcgca tctgttgata aattccgttc ttctttgggg 1080
gcggtacaga accgtctgag ctccgctgta accaacctga acaaccac caccaacctg 1140
totgaagogo agtocogtat toaggacgoo gactatgoga cogaagtgto caacatgtog 1200
aaagcgcaga ttatccagca ggcaggtaac tccgtgctgt ccaaa
                                                                   1245
<210> 37
<211> 1185
<212> DNA
<213> Escherichia coli
<400> 37
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagcgcta aagatgacgc tgcgggccag gcgattgcta accgcttcac ttctaacatc 120
aaaggtetga eteaggetge aegtaaegee aatgaeggta titetetage acagaeageg 180
gaaggegege tgteagagat taacaacaac ttgcagegtg tgegtgagtt gacegtgeag 240
gcaaccactg gtaccaactc tgattccgat ctctcttcta ttcaggatga aattaaatct 300
cgtctggatg aaattgaccg cgtctctggt cagacccagt ttaacggcgt gaacgtactg 360
gctaaaaacg gttctatggc aattcaggtt ggcgcgaacg atggccagac tatctctatc 420
gacctgcaga aaatagactc ttctactctg ggtctgagcg gcttctctgt ttctcagaac 480
teectgaaac tgagegatte tateactaeg ateggeaata etactgetge ategaagaac 540
```

gtggacctga gcgcagtagc aactaaactg ggcgtgaatg caagcaccct gagcctgcac 600 gaagttcagg actctgctgg tgacggtact ggtaccttcg ttgtttcttc tggcagcgac 660 aactatgetg tgtetgtaga egeggeetet ggtgeagtta acetgaacae eactgaegte 720

```
acctatgatg acgctactaa tggtgttact ggcgcgactc agaacggtca gctgatcaaa 780
gtaacttetg acgecaacgg tgcagetgtt ggttacgtaa ccattcaggg taaaaactat 840
caggetggtg egaceggtgt tgaegttetg gegaacageg gtgttgeage tecaactaca 900
getgttgata eeggtaetet geaactgage ggtaetggtg caactaetga getgaaaggt 960
actgcaactc agaacccact ggcactattg gacaaagcta tcgcttctgt tgataaattc 1020
cgttcttctc tgggtgcggt acagaatcgt ctgagctctg ctgtaaccaa cctgaataac 1080
accaccacta acctgtctga agegeagtee egtatteagg atgeegaeta tgegaeegaa 1140
gtgtcaaata tgtctaaagc gcagatcgtt cagcaggccg gtaac
                                                                  1185
<210> 38
<211> 1383
<212> DNA
<213> Escherichia coli
<400> 38
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac gqcaaatatt 120
aaaggtctga cccaggcttc ccgtaacgca aatgatggta tttctgttgc gcagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagegat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa caggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
gatgttggcg gtaaaactta taccgtgaat gtggagageg gegeggttaa gaatgatget 600
aataaagatg tttttgtaag cgcagctgat ggatcgctga cgaccagtag tgatactaaa 660
gtatccggtg aaagtattga tgcaacagaa ctagcgaaac ttgcaataaa attagctgac 720
aaaggeteea ttgaatacaa gggeattaca tttactaaca acaetggege agagettgat 780
gctaatggta aaggtgtttt gaccgcaaat attgatggtc aagatgttca atttactatt 840
gacagtaatg cacccacggg tgccggcgca acaataacta cagacacagc tgtttacaaa 900
aacagtgcgg gccagttcac cactacaaaa gtggaaaata aagccgcaac actctctqat 960
ctggatctta atgcagccaa gaaaacaggt agcactttag ttgtaaatgg cgccacctac 1020
aatgtcagcg cagatggtaa aacggtaact gatactactc ctggtgcccc taaagtgatg 1080
tatetgagea aateagaagg tggtageeeg attetggtaa acgaagatge ageaaaateg 1140
ttgcaatcta ccaccaaccc gctcgaaact atcgacaagg cattggctaa agttgacaat 1200
etgegttetg accteggtge agtacaaaac egtttegaet etgecateac caacettgge 1260
aacaccgtaa acaacctgtc ttctgcccgt agccgtatcg aagatgctga ctacgcgacc 1320
gaagtgtcta acatgtctcg tgcgcagatc ctgcaacaag cgggtacctc tgttctggcg 1380
cag
                                                                   1383
<210> 39
<211> 1680
<212> DNA
<213> Escherichia coli
<400> 39
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60
aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
```

```
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac gytatttctg ttgcacagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtatccgtg aactgacggt tcaggcttct 300
accgggacta actotgatto ggatotggac tocattoagg acgaaatcaa atoccgtotg 360
gacgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480
aagaaaattg actctgatac tctgggtttg agtggattta atgtgaatgg caaaggggct 540
gtggctaacg caaaagcgac cgaagcagat ttaacggggg ctggtttctc tcaaggagcg 600
gtggatacaa acggaaatag tacttggaca aaatcaacca ccaccaatta ctcagctgca 660
acaactgctg acttgttatc gaccattaag gatggctcta ctgttacata tgcagggaca 720
gacaccggat taggggtcgc agcagcagga aattatactt atgatgcgaa cagtaaatct 780
tatteettea atgecaatgg tetgaeggge geaaataeeg eaaetgeaet eaaaggttae 840
ttggggacag gtgctaacac cgctaaaatt tctatcggtg gtacagagca ggaagtgaat 900
attgccaaag atggcactat tacagatacg aatggtgatg cgctctatct ggatattacc 960
ggcaacctga ctaagaacta tgcgggttca ccacctgcag caacgctgga taacgtatta 1020
getteegeaa etgtaaatge caetateaag tttgatageg gtatgaeggt tgattacaet 1080
gcaggtactg gcgcgaatat tacaggtgca tccatttctg cagatgacat ggccgcaaaa 1140
ctgagcggaa aggcgtacac tgttgccaat ggtgctgagt cttatgacgt tgctgcagtt 1200
acgggggctg taacaactac agcaggtaat tcacctgtgt atgccgatgc agacggtaaa 1260
ttaacgacga gtgccagtaa tacggttact cagacttatc acgagtttgc taatggtaac 1320
atttatgatg acaaaggete gteaetgtat aaagetgeag atggetetet gaettetgaa 1380
gctaaaggga aatctgaagc aaccgccgat cccctgaaag ctctggacga agccatcagc 1440
tccatcgaca aattccgctc ctccctcggt gccgttcaaa accgtctgga ttctgcggtg 1500
accaacctga acaacaccac taccaacctg tctgaagcgc agtcccgtat tcaggacgcc 1560
gactatgcga ccgaagtgtc caatatgtcg aaagcgcaga tcatccagca ggccggtaac 1620
teegtgttgg caaaagetaa ccaggtaccg cagcaggttc tgtctctgct gcagggttaa 1680
```

<210> 40 <211> 1146 <212> DNA

<213> Escherichia coli

```
etggataegg etgatgaatt taetgggget tecaetgetg atecaetgge aettttagae 960
aaagctattg cacaggttga tactttccgc tcctccctcg gtgccgttca aaaccgtctg 1020
gatteegeag teaceaacet gaacaacact actaceaace tgtetgaage geagteeegt 1080
attcaggacg ccgactatgc gaccgaagtg tccaatatgt cgaaagcgca gatcatccag 1140
caggcc
                                                                  1146
<210> 41
<211> 1506
<212> DNA
<213> Escherichia coli
<400> 41
atggcacaag tcattaatac caacagcete tegetgatea etcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180
ctgactcagg ctgcacgtaa cgccaatgac ggtatttctc tggcgcagac cactgaaggc 240
gcactgtctg aaatcaacaa caacttgcag cgtgtgcgtg aactgaccgt acaggcgaca 300
accggaacga actccgaatc tgacctgtcc tctatccagg acgaaatcaa atcccgtctg 360
gaagagattg accgcgtate eggeeagact cagtteaaeg gegtgaatgt getggeaaaa 420
gacggcacca tgaaaattca ggtaggcgcg aacgatggtc agactatetc tategatetg 480
aaaaaaatcg actcttcaac cctgggcctg accggttttg atgtttcgac gaaagcgaat 540
atttctacga cagcagtaac gggggcggca acgaccactt atgctgatag cgccgttgca 600
attgatatcg gaacggatat tagcggtatt gctgctgatg ctgcgttagg aacgatcaat 660
ttcgataata caacaggcaa gtactacgca cagattacca gtgcggccaa tccgggcctt 720
gatggtgctt atgaaatcca tgttaatgac gcggatggtt ccttcactgt agcagcgagt 780
gataaacaag cgggtgctgc tccgggtact gctctgacaa gcggtaaagt tcagactgca 840
accaccaege caggtaegge tgttgatgte actgeggeta aaactgetet ggetgeagea 900
ggtgctgaca cgagtggcct gaaactggtt caactgtcca acacggattc cgcaggtaaa 960
gtgaccaacg tgggttacgg cctgcagaat gacagcggca ctatctttgc aaccgactac 1020
gatggcacca ctgtgaccac gccgggcgca gagactgtga cttacaaaga tgcttccggt 1080
aacagcacca ctgcggctgt cacactgggt ggctctgatg gcaaaaccaa tctggttacc 1140
gccgctgacg gcaaaacgta cggtgcgact gcactgaatg gtgctgatct gtccgatcct 1200
aataacaccg ttaaatctgt tgcagacaac gctaaaccgt tggctgccct ggatgatgca 1260
attgcgatgg tcgacaaatt ccgctcctcc ctcggtgcgg tgcaaaaccg tctggattcc 1320
gcagtcacca acctgaacaa caccactacc aacctgtctg aagcgcagtc ccgtattcag 1380
gacgccgact atgcgaccga agtgtccaac atgtcgaaag cgcagattat ccagcaggca 1440
ggtaactccg tgctgtccaa agctaaccag gttccgcaqc aggttctgtc tctgctgcag 1500
ggttaa
                                                                   1506
<210> 42
 <211> 950
 <212> DNA
 <213> Escherichia coli
 <400> 42
 aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgtatt 60
 aacagcgcta aagatgacgc cgcgggccag gcgattgcta accgctttac ttctaacatc 120
```

aaaggtctga ctcaggccgc acgtaacgcc aacgacggta tttctctggc gcagacggct 180

```
gaaggegegetgtcagagattaacaacaacttgcagegtattcgtgaactgacegttcag240gcctctaccggcacgaactctgattccgacctgtcttctattcaggacgaaatcaaatcc300cgtcttgatgaaattgaccgtgtatctggtcagacccagttcaacggtgtgaacgtgctg360tcgaaaaacgattcgatgaagattcagattggtgccaatgataaccagacgatcagcatt420ggcttgcaacaaatcgacagtaccactttgaatctgaaaggatttaccgtgtccggcatg480gcggatttcagcgcggcgaaactgacggctgctgatggtacagcaattgctgctgcggat540gtcaaggatgctgggggtaaacaagtcaatttactgtcttacactgacaccgcgtctaac600agtactaaatatgcggtcgttgattctgcaaccggtaaatacatggaagccactgtagcc660attaccggtataaaagcactggatgccgcaatggcaaaatccgctcctcc780ctcggtgccgtcaaaaaccgtctggattctgcggtcaccaacctgaacaacaccaccacc840aacctgtctgaagcgcagtcccgtattcaggcgccgactatgcgaccaagtgccaac900atgtcgaaagcgcagattatccagcaggcggtaactccgtgctggcaaagtgccaac950
```

<210> 43 <211> 1707 <212> DNA

<213> Escherichia coli

atggcacaag	tcattaatac	caacagcctc	tcgctgatca	ctcaaaataa	tatcaacaag	60
aaccagtctg	cgctgtcgag	ttctatcgag	cgtctgtctt	ctggcttgcg	tattaacagc	120
gcgaaggatg	acgcagcggg	tcaggcgatt	gctaaccgtt	ttacctctaa	cattaaaggt	180
ctgactcagg	ctgcacgtaa	cgccaacgac	ggtatttctg	ttgcacagac	cactgaaggc	240
gcgctgtccg	aaatcaacaa	caacttacag	cgtatccgtg	aactgacggt	tcaggcttct	300
accgggacta	actccgattc	ggatctggac	tccattcagg	acgaaatcaa	atcccgtctg	360
gacgaaattg	accgcgtatc	cggtcaaacc	cagttcaacg	gtgtgaacgt	actggcgaaa	420
gacggttcga	tgaaaattca	ggttggtgcg	aatgacggcc	agactatcac	gattgatctg	480
aagaaaattg	actcagatac	gctggggctg	aatggtttca	acgttaatgg	caaaggcact	540
attgcgaaca	aagctgctac	agtcagcgat	ctgaccgctg	ctggtgcaac	gggaacaggt	600
ccttatgctg	tgaccacaaa	caatacagca	ctcagcgcta	gcgatgcact	gtctcgcctg	660
aaaaccggag	atacagttac	tactactggc	tcgagtgctg	cgatctatac	ttatgatgcg	720
gctaaaggga	acttcaccac	tcaagcaaca	gttgcagatg	gcgatgttgt	taactttgcg	780
aatactctga	aaccagcggc	tggcactact	gcatcaggtg	tttatactcg	tagtactggt	840
gatgtgaagt	ttgatgtaga	tgctaatggc	gatgtgacca	tcggtggtaa	agccgcgtac	900
ctggacgcca	ctggtaacct	atctacaaac	aaccccggca	ttgcatcttc	agcgaaattg	960
tccgatctgt	ttgctagcgg	tagtacctta	gcgacaactg	gttctatcca	gctgtctggc	1020
acaacttata	actttggtgc	agcggcaact	tctggcgtaa	cctacaccaa	aactgtaagc	1080
gctgatactg	tactgagcac	agtgcagagt	gctgcaacgg	ctaacacagc	agttactggt	1140
gcgacaatta	agtataatac	aggtattcag	tctgcaacgg	cgtccttcgg	tggtgtgaat	1200
actaatggtg	ctggtaattc	gaatgacacc	tatactgatg	cagacaaaga	gctcaccaca	1260
accgcatctt	acactatcaa	ctacaacgtc	gataaggata	ccggtacagt	aactgtagdt	1320
tcaaatggcg	caggtgcaac	tggtaaattt	gcagctactg	ttggggcaca	ggcttatgtt	1380
aactctacag	gcaaactgac	cactgaaacc	accagtgcag	gcactgcaac	caaagatcct	1440
ctggctgccc	tggatgaagc	tatcagctcc	atcgacaaat	tccgttcatc	cctgggtgct	1500
atccagaacc	gtctggattc	cgcggttacc	aacctgaaca	acaccactac	caacctgtcc	1560
gaagcgcagt	cccgtattca	ggacgccgac	tatgcgaccg	aagtgtccaa	catgtcgaaa	1620
gcgcagatta	tccagcaggc	cggtaactcc	gtgctggcaa	aagccaacca	ggtaccgcag	1680

```
WO 99/61458
                                - 29 -
caggttctgt ctctgctgca gggttaa
                                                                     1707
<210> 44
<211> 1720
<212> DNA
<213> Escherichia coli
<400> 44
```

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaaataa tatcaacaag 60 aaccagtctg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120 gegaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa tattaaaggc 180 ctgactcagg ctgcacgtaa cgccaatgac ggtatttctg ttgcacagac cactgaaggc 240 gegetgteeg aaateaacaa caacttacag egtgtgegtg aactgacegt teaggegace 300 accggtacca acteccagte tgatetggae tetatecagg acgaaatcaa atcccgtetg 360 gacgaaattg accgcgtatc cggtcagact cagttcaacg gcgtgaacgt actggcaaaa 420 gacggttcca tgaaaattca ggttggcgcg aatgatggcc agaccatcac tatcgacctg 480 aagaagattg actettetae gttgaaaetg aetggtttta aegtgaatgg ttetggttet 540 gtggcgaata ctgcggcgac taaagacgaa ctggctgctg ctgctgcggc ggcgggtaca 600 actectgetg teggtactga eggegtgace aaatataceg tagacgeagg gettaacaaa 660 gccacagcag caaacgtgtt tgcaaacctt gcagatggtg ctgttgttga tgctagcatt 720 tccaacggtt ttggtgcagc agcagccaca gactacacct acaataaagc tacaaatgat 780 ttcactttca atgccagcat tgctgctggt gctgcggccg gtgatagtaa cagcgcagct 840 etgeaateet teetgactee aaaageaggt gatacageta acetgagegt caaaateggt 900 acgacatctg ttaatgttgt tctggcgagc gatggcaaaa ttacagcgaa agatggctca 960 gctctgtata tcgactcaac gggtaacctg actcagaaca gcgcaggcac tgtaacagca 1020 gcaaccctgg atggactgac caaaaaccat gatgcgacag gagctgttgg tgttgatatc 1080 acgaccgcag atggcgcaac tatctctctg gcaggctctg ctaacgcggc aacaggtact 1140 caatcaggtg caattacact gaaaaatgtt cgtatcagtg ctgatgctct gcagtctgct 1200 gcgaaaggta ctgttatcaa tgttgataat ggtgctgatg atatttctgt tagtaaaacc 1260 gggtgtcgtt actaccggag gtgcgcctac ttatactgat gctgatggta aattaacgac 1320 aaccaacacc gttgattatt teetgeaaac tgatggeage gtaaccaatg gttetggtaa 1380 aggggtttac accgatgcag ctggtaaatt cactaccgac gctgcaacca aagccgcaac 1440 caccaccgat ccgctgaaag cccttgatga cgcaatcagc cagatcgata agttccgttc 1500 atccctgggt gctatccaga accgtctgga ttccgcggtt accaacctga acaacaccac 1560 taccaacctg tccgaagcgc agtcccgtat tcaggacgcc gactatgcga ccgaagtgtc 1620 caatatgtcg aaagcgcaga tcatccagca ggccggtaac tccgtgttgg caaaagctaa 1680 ccaggtaccg cagcaggttc tgtctctgct gcagggttaa 1720

```
<210> 45
<211> 14516
<212> DNA
<213> Escherichia coli
```

<400> 45 gatetgatgg cegtagggeg etaegtgett tetgetgata tetgggetga gttggaaaaa 60 actgctccag gtgcctgggg acgtattcaa ctgactgatg ctattgcaga gttggctaaa 120 aaacagtctg ttgatgccat gctgatgacc ggcgacagct acgactgcgg taagaagatg 180 ggctatatgc aggcattegt taagtatggg etgegeaace ttaaagaagg ggegaagtte 240

```
cgtaagagca tcaagaagct actgagtgag tagagattta cacgtctttg tgacgataag 300
ccagaaaaaa tagcggcagt taacatccag gcttctatgc tttaagcaat ggaatgttac 360
tgccgttttt tatgaaaaat gaccaataat aacaagttaa cctaccaagt ttaatctgct 420
ttttgttgga ttttttcttg tttctggtcg catttggtaa gacaattagc gtgagtttta 480
gagagttttg egggateteg eggaaetget eacatetttg geatttagtt agtgeaetgg 540
tagctgttaa gecaggggeg gtagettgee taattaattt ttaaegtata catttattet 600
tgccgcttat agcaaataaa gtcaatcgga ttaaacttct tttccattag gtaaaagagt 660
gtttgtagtc gctcagggaa attggttttg gtagtagtac ttttcaaatt atccattttc 720
cgatttagat ggcagttgat gttactatgc tgcatacata tcaatgtata ttatttactt 780
ttagaatgtg atatgaaaaa aatagtgatc ataggcaatg tagcgtcaat gatgttaagg 840
ttcaggaaag aattaatcat gaatttagtg aggcaaggtg ataatgtata ttgtctagca 900
aatgattttt ccactgaaga tettaaagta etttegteat ggggegttaa gggggttaaa 960
ttctctctta actcaaaggg tattaatcct tttaaggata taattgctgt ttatgaacta 1020
aaaaaaattc ttaaggatat ttccccagat attgtatttt catattttgt aaagccagta 1080
atatttggaa ctattgcttc aaagttgtca aaagtgccaa ggattgttgg aatgattgaa 1140
ggtctaggta atgccttcac ttattataag ggaaagcaga ccacaaaaac taaaatgata 1200
aagtggatac aaattetttt atataagtta geattaeega tgettgatga tttgatteta 1260
ttaaatcatg atgataaaaa agatttaatc gatcagtata atattaaagc taaggtaaca 1320
gtgttaggtg ggattggatt ggatcttaat gagttttcat ataaagagcc accgaaagag 1380
aaaattacct ttatttttat agcaaggtta ttaagagaga aagggatatt tgagtttatt 1440
gaagccgcaa agttcgttaa gacaacttat ccaagttctg aatttgtaat tttaggaggt 1500
catgatetta tttateetgg teatgtggaa aatgtteaag attggttaga gaaaagttet 1620
gtttttgttt tacctacatc atatcgagaa ggcgtaccaa gggtgatcca agaagctatg 1680
gctattggta gacctgtaat aacaactaat gtacctgggt gtagggatat aataaatgat 1740
ggggtcaatg gctttttgat acctccattt gaaattaatt tactggcaga aaaaatgaaa 1800
tattttattg agaataaaga taaagtactc gaaatggggc ttgctggaag gaagtttgca 1860
gaaaaaaact ttgatgcttt tgaaaaaaat aatagactag catcaataat aaaatcaaat 1920
aatgattttt gacttgagca gaaattattt atatttcaat ctgaaaaata aaggctgtta 1980
ttatgaataa agtggcatta attactggta tcactgggca agatggctcc tatttggcag 2040
aattattgtt agaaaaaggt tatgaagttc atggtattaa acgccgtgca tcttcattta 2100
atactgageg agtggateae atetateagg atteacattt agetaateet aaacttttte 2160
tacactatgg cgatttgaca gatacttcca atctgacccg tattttaaaa gaagttcaac 2220
cagatgaagt ttacaatttg ggggcgatga gccatgtagc ggtatcattt gagtcaccag 2280
aatacactgo tgatgttgat gogataggaa cattgogtot tottgaagot atcaggatat 2340
tggggctgga aaaaaagaca aaattttatc aggcttcaac ttcagagctt tatggtttgg 2400
ttcaagaaat tccacaaaaa gagactacgc cattttatcc acgttcgcct tatgctgttg 2460
caaaattata tgcctattgg atcactgtta attatcgtga gtcttatggt atgtttgcct 2520
gcaatggtat tetetttaac cacgaatcac etegeegtgg cgagacettt gttactcgta 2580
aaataacacg cgggatagca aatattgete aaggtettga taaatgetta taettgggaa 2640
atatggattc tctgcgtgat tggggacatg ctaaggatta tgtcaaaatg caatggatga 2700
tgctgcagca agaaactcca gaagattttg taattgctac aggaattcaa tattctgtcc 2760
gtgagtttgt cacaatggcg gcagagcaag taggcataga gttagcattt gaaggtgagg 2820
gagtaaatga aaaaggtgtt gttgtttcgg tcaatggcac tgatgctaaa gctgtaaacc 2880
cgggcgatgt aattatatct gtagatccaa ggtattttag gcctgcagaa gttgaaacct 2940
tgcttggcga tcctactaat gcgcataaaa aattaggatg gagccctgaa attacattgc 3000
gtgaaatggt aaaagaaatg gtttccagcg atttagcaat agcgaaaaag aacgtcttgc 3060
tgaaagctaa taacattgcc actaatattc cgcaagaata aaaaagataa tacattaaat 3120
```

aattaaaaat ggtgctagat ttattagtac cattattttt ttttgggtga ctaatgttta 3180 ttacatcaga taaatttaga gaaattatca agttagttcc attagtatca attgatctgc 3240 taattgaaaa cgagaatggt gaatatttat ttggtcttag gaataatcga ccggccaaaa 3300 attatttttt tgttccaggt ggtaggattc gcaaaaatga atctattaaa aatgctttta 3360 aaagaatatc atctatggaa ttaggtaaag agtatggtat ttcaggaagt gtttttaatg 3420 gtgtatggga acatttctat gatgatggtt ttttttctga aggcgaggca acacattata 3480 tagtgctttg ttacacactg aaagttctta aaagtgaatt gaatctccca gatgatcaac 3540 atcgtgaata cctttggcta actaaacacc aaataaatgc taaacaagat gttcataact 3600 attcaaaaaa ttattttttg taatttttat taaaaattaa tatgcgagag aattgtatgt 3660 ctcaatgtct ttaccctgta attattgccg gaggaaccgg aagccgtcta tggccgttgt 3720 ctcgagtatt ataccctaaa caatttttaa atttagttgg ggattctaca atgttgcaaa 3780 caacaattac gcgtttggat ggcatcgaat gcgaaaatcc aattgttatc tgcaatgaag 3840 atcaccgatt tattgtagca gagcaattac gacagattgg taagctaacc aagaatatta 3900 tacttgagcc gaaaggccgt aatactgcac ctgccatagc tttagctgct tttatcgctc 3960 agaagaataa teetaatgae gaeeetttat tattagtaet tgeggeagae caetetataa 4020 ataatgaaaa agcatttcga gagtcaataa taaaagctat gccgtatgca acttctggga 4080 agttagtaac atttggaatt attccggaca cggcaaatac tggttatgga tatattaaga 4140 gaagttette agetgateet aataaagaat teecageata taatgttgeg gagtttgtag 4200 aaaaaccaga tgttaaaaca gcacaggaat atatttcgag tgggaattat tactggaata 4260 gcggaatgtt tttatttcgc gccagtaaat atcttgatga actacggaaa tttagaccag 4320 atatttatca tagctgtgaa tgtgcaaccg ctacagcaaa tatagatatg gactttgtcc 4380 gaattaacga ggctgagttt attaattgtc ctgaagagtc tatcgattat gctgtgatgg 4440 aaaaaacaaa agacgctgta gttcttccga tagatattgg ctggaatgac gtgggttctt 4500 ggtcatcact ttgggatata agccaaaagg attgccatgg taatgtgtgc catggggatg 4560 tgctcaatca tgatggagaa aatagtttta tttactctga gtcaagtctg gttgcgacag 4620 teggagtaag taatttagta attgteeaaa eeaaggatge tgtaetggtt geggaeegtg 4680 ataaagtcca aaatgttaaa aacatagttg acgatctaaa aaagagaaaa cgtgctgaat 4740 actacatgca tegtgeagtt tttegeeett ggggtaaatt egatgeaata gaccaaggeg 4800 atagatatag agtaaaaaa ataatagtta aaccaggaga agggttagat ttaaggatgc 4860 atcatcatag ggcagagcat tggattgttg tatccggtac tgctaaagtt tcactaggta 4920 gtgaagttaa actattagtt tctaatgagt ctatatatat ccctcaggga gcaaaatata 4980 gtottgagaa tocaggogta atacotttgo atotaattga agtaagttot ggtgattaco 5040 ttgaatcaga tgatatagtg cgttttactg acagatataa cagtaaacaa ttcctaaagc 5100 gagattgata aatatgaata aaataacttg cttcaaagca tatgatatac gtgggcgtct 5160 tggtgctgaa ttgaatgatg aaatagcata tagaattggt cgcgcttatg gtgagttttt 5220 taaacctcaa actgtagttg tgggaggaga tgctcgctta acaagtgaga gtttaaagaa 5280 atcactctca aatgggctat gtgatgcagg cgtaaatgtc ttagatcttg gaatgtgtgg 5340 tactgaagag atatattttt ccacttggta tttaggaatt gatggtggaa tcgaggtaac 5400 tgcaagccat aatccaattg attataatgg aatgaaatta gtaaccaaag gtgctcgacc 5460 aatcagcagt gacacaggtc tcaaagatat acaacaatta gtagagagta ataattttga 5520 agageteaac etagaaaaaa aagggaatat taccaaatat tecaeeegag atgeetacat 5580 aaatcatttg atgggctatg ctaatctgca aaaaataaaa aaaatcaaaa tagttgtgaa 5640 ttctgggaat ggtgcagctg gtcctgttat tgatgctatt gaggaatgct ttttacggaa 5700 caatatteeg atteagtttg taaaaataaa taatacacce gatggtaatt ttecacatgg 5760 tatecetaat ecattaetae etgagtgeag agaagataee ageagtgegg ttataagaea 5820 tagtgctgat tttggtattg catttgatgg tgattttgat aggtgttttt tctttgatga 5880 aaatggacaa tttattgaag gatactacat tgttggttta ttagcggaag tttttttagg 5940 gaaatateea aaegeaaaaa teatteatga teetegeett atatggaata etattgatat 6000

cgtagaaagt catggtggta tacctataat gactaaaacc ggtcatgctt acattaagca 6060 aagaatgegt gaagaggatg cegtatatgg eggegaaatg agtgegeate attattttaa 6120 agattttgca tactgcgata gtggaatgat tccttggatt ttaatttgtg aacttttgag 6180 tctgacaaat aaaaaattag gtgaactggt ttgtggttgt ataaacgact ggccggcaag 6240 tggagaaata aactgtacac tagacaatcc gcaaaatgaa atagataaat tatttaatcg 6300 ttacaaagat agtgccttag ctgttgatta cactgatgga ttaactatgg agttctctga 6360 ttggcgtttt aatgttagat gctcaaatac agaacctgta gtacgattga atgtagaatc 6420 taggaataat getattetta tgeaggaaaa aacagaagaa attetgaatt ttatateaaa 6480 ataaatttgc acctgagttc ataatgggaa caagaaatat atgaaagtac ttctgactgg 6540 acttactcca accagetetg atttgaattt attagataaa aatgaaatag aaaaatteat 6660 gcttatcaac atgccagact gtattataca tgcagcggga ttagttggag gcattcatgc 6720 aaatataagc aggccgtttg attttctgga aaaaaatttg cagatgggtt taaatttagt 6780 ttccgtcgca aaaaaactag gtatcaagaa agtgcttaac ttgggtagtt catgcatgta 6840 ccccaaaaac tttgaagagg ctattcctga gaaagctctg ttaactggtg agctagaaga 6900 aactaatgag ggatatgcta ttgcgaaaat tgctgtagca aaagcatgcg aatatatatc 6960 aagagaaaac totaattatt tttataaaac aattatocca tgtaatttat atgggaaata 7020 tgataaattt gatgataact cgtcacatat gattccggca gttataaaaa aaatccatca 7080 tgcgaaaatt aataatgtcc cagagatcga aatttggggg gatggtaatt cgcgccgtga 7140 gtttatgtat gcagaagatt tagctgatct tattttttat gttattccta aaatagaatt 7200 catgcctaat atggtaaatg ctggtttagg ttacgattat tcaattaatg actattataa 7260 gataattgca gaagaaattg gttatactgg gagtttttct catgatttaa caaaaccaac 7320 aggaatgaaa cggaagctag tagatatttc attgcttaat aaaattggtt ggtcaagtca 7380 ctttgaactc agagatggca tcagaaagac ctataattat tacttggaga atcaaaataa 7440 atgattacat acccacttgc tagtaatact tgggatgaat atgagtatgc agcaatacag 7500 tcagtaattg actcaaaaat gtttaccatg ggtaaaaagg ttgagttata tgagaaaaat 7560 tttgctgatt tgtttggtag caaatatgcc gtaatggtta gctctggttc tacagctaat 7620 ctgttaatga ttgctgccct tttcttcact aataaaccaa aacttaaaag aggtgatgaa 7680 ataatagtac ctgcagtgtc atggtctacg acatattacc ctctgcaaca gtatggctta 7740 aaggtgaagt ttgtcgatat caataaagaa actttaaata ttgatatcga tagtttgaaa 7800 aatgctattt cagataaaac aaaagcaata ttgacagtaa atttattagg taatcctaat 7860 gattttgcaa aaataaatga gataataaat aatagggata ttatcttact agaagataac 7920 tgtgagtcga tgggcgcggt ctttcaaaat aagcaggcag gcacattcgg agttatgggt 7980 acctttagtt ctttttactc tcatcatata gctacaatgg aagggggctg cgtagttact 8040 gatgatgaag agctgtatca tgtattgttg tgccttcgag ctcatggttg gacaagaaat 8100 ttaccaaaag agaatatggt tacaggcact aagagtgatg atattttcga agagtcgttt 8160 aagtttgttt taccaggata caatgttcgc ccacttgaaa tgagtggtgc tattgggata 8220 gagcaactta aaaagttacc aggttttata tccaccagac gttccaatgc acaatatttt 8280 gtagataaat ttaaagatca tccattcctt gatatacaaa aagaagttgg tgaaagtagc 8340 tggtttggtt tttccttcgt tataaaggag ggagctgcta ttgagaggaa gagtttagta 8400 aataatetga teteageagg cattgaatge egaceaattg ttaetgggaa tttteteaaa 8460 aatgaacgtg ttttgagtta ttttgattac tctgtacatg atacggtagc aaatgccgaa 8520 tatatagata agaatggttt ttttgtcgga aaccaccaga tacctttgtt taatgaaata 8580 gattatctac gaaaagtatt aaaataacta acgaggcact ctatttcgaa tagagtgcct 8640 ttaagatggt attaacagtg aaaaaaattt tagcgtttgg ctattctaaa gtactaccac 8700 eggttattga acagtttgte aateeaattt geatetteat tateacacea etaataetea 8760 accacctggg taagcaaagc tatggtaatt ggattttatt aattactatt gtatcttttt 8820 ctcagttaat atgtggagga tgttccgcat ggattgcaaa aatcattgca gaacagagaa 8880 ttcttagtga tttatcaaaa aaaaatgctt tacgtcaaat ttcctataat ttttcaattg 8940 ttattatcgc atttgcggta ttgatttctt ttcttatatt aagtatttgt ttcttcgatg 9000 ttgcgaggaa taattcttca ttcttattcg cgattattat ttgtggtttt tttcaggaag 9060 ttgataattt atttagtggt gcgctaaaag gttttgaaaa atttaatgta tcatgttttt 9120 ttgaagtaat tacaagagtg ctctgggctt ctatagtaat atatggcatt tacggaaatg 9180 cactettata ttttacatgt ttageettta eeattaaagg tatgetaaaa tatattettg 9240 tatgtctgaa tattaccggt tgtttcatca atcctaattt taatagagtt gggattgtta 9300 atttgttaaa tgagtcaaaa tggatgtttc ttcaattaac tggtggcgtc tcacttagtt 9360 tgtttgatag gctcgtaata ccattgattt tatctgtcag taaactggct tcttatgtcc 9420 cttgccttca actagctcaa ttgatgttca ctctttctgc gtctgcaaat caaatattac 9480 taccaatgtt tgctagaatg aaagcatcta acacatttcc ctctaattgt ttttttaaaa 9540 ttctgcttgt atcactaatt tctgttttgc cttgtcttgc gttattcttt tttggtcgtg 9600 atatattatc aatatggata aaccctacat ttgcaactga aaattataaa ttaatgcaaa 9660 ttttagctat aagttacatt ttattgtcaa tgatgacatc ttttcatttc ttgttattag 9720 gaattggtaa atctaagctt gttgcaaatt taaatctggt tgcagggctc gcacttgctg 9780 cttcaacgtt aatcgcagct cattatggcc tttatgcaat atctatggta aaaataatat 9840 atccggcttt tcaattttat tacctttatg tagcttttgt ctattttaat agagcgaaaa 9900 atgtctattg atttactttt ttcaattact gaaatcgcaa ttgttttttc ttgcactatt 9960 tacatattta ctcaatgttt gttaatgcgg aggatctatt tagataaaag tattttaatt 10020 cttttatgct tgctcttttt tttagtaatc attcaacttc ctgagcttaa tgtaaacggt 10080 ttggtcgatt ctttaaagtt atcactgcct ttattgatgg tctttatcgc ttttcaaaaa 10140 ccgaaattat gcttgtgggt tattattgca ttgttgtttt tgaactctgc atttaatttt 10200 ttatatttaa agacattcga taagtttagc tcatttcctt ttacttttt tatattgctg 10260 ttttacttgt ttagattggg aattggtaat ttaccggttt ataaaaataa aaaattttac 10320 gegttgattt ttetetttat attaatagae ataatgeagt eattgttaat aaattatagg 10380 gggcagattt tatattccgt aatttgcatc ctgatacttg tgtttaaagt taatttaaga 10440 aaaaagattc catacttttt tttaatgctg ccagttttat atgtaattat tatggcttat 10500 attggtttta attatttcaa taaaggcgta actttttttg aacctacagc aagtaatatt 10560 gaacgtacgg ggatgatata ttatttggtt tcacagcttg gtgattatat attccatggt 10620 atggggacat taaatttett aaataaegge ggacaatata agaegttata tggaetteea 10680 tcattaattc ctaatgaccc tcatgatttt ttattacggt tctttataag tattggtgtg 10740 ataggagcat tggtttatca ttctatattt tttgtttttt ttaggagaat atctttctta 10800 ttatatgaga gaaatgctcc tttcattgtt gtaagttgtt tgttactgtt acaagttgtg 10860 ttaatttata cattaaaccc ttttgatgct tttaatcgat tgatttgcgg gcttacagtt 10920 ggagttgttt atggatttgc aaaaattaga taagtatacc tgtaatggaa atttagacgc 10980 tccacttgtt tcaataatca ttgcaactta taattctgaa cttgatatag ctaagtgttt 11040 gcaatcggta actaatcaat cttataagaa tattgaaatc ataataatgg atggaggatc 11100 ttctgataaa acgcttgata ttgcaaaatc gtttaaagac gaccgaataa aaatagtttc 11160 agagaaagat cgtggaattt atgatgcctg gaataaagca gttgatttat ccattggtga 11220 ttgggtagca tttattggtt cagatgatgt ttactatcat acagatgcaa ttgcttcatt 11280 gatgaagggg gttatggtat ctaatggcgc ccctgtggtt tatgggagga cagcgcacga 11340 aggtcccgat aggaacatat ctggattttc aggcagtgaa tggtacaacc taacaggatt 11400 taagtttaat tattacaaat gtaatttacc attgcccatt atgagcgcaa tatattctcg 11460 tgatttcttc agaaacgaac gttttgatat taaattaaaa attgttgctg acgctgattg 11520 gtttctgaga tgtttcatca aatggagtaa agagaagtca ccttatttta ttaatgacac 11580 gacccctatt gttagaatgg gatatggtgg ggtttcgact gatatttctt ctcaagttaa 11640 aactacgeta gaaagtttea ttgtacgeaa aaagaataat atateetgtt taaacataca 11700 gctgattctt agatatgcta aaattctggt gatggtagcg atcaaaaata tttttggcaa 11760

taatgtttat	aaattaatgc	ataacgggta	tcattcccta	aagaaaatca	agaataaaat	11820
atgaagattg	tttatataat	aaccgggctt	acttgtggtg	gagccgaaca	ccttatgacg	11880
cagttagcag	accaaatgtt	tatacgcggg	catgatgtta	atattatttg	tctaactggt	11940
atatctgagg	taaagccaac	acaaaatatt	aatattcatt	atgttaatat	ggataaaaat	12000
tttagaagct	tttttagagc	tttatttcaa	gtaaaaaaaa	taattgtcgc	cttaaagcca	12060
gatataatac	atagtcatat	gtttcatgct	aatatttta	gtcgttttat	taggatgctg	12120
attccagcgg	tgcccctgat	atgtaccgca	cacaacaaaa	atgaaggtgg	caatgcaagg	12180
atgttttgtt	atcgactgag	tgatttttta	gcttctatta	ctacaaatgt	aagtaaagag	12240
gctgttcaag	agtttatagc	aagaaaggct	acacctaaaa	ataaaatagt	agagattccg	12300
aattttatta	atacaaataa	atttgatttt	gatattaatg	tcagaaagaa	aacgcgagat	12360
gcttttaatt	tgaaagacag	tacagcagta	ctgctcgcag	taggaagact	tgttgaagca	12420
aaagactatc	cgaacttatt	aaatgcaata	aatcatttga	ttctttcaaa	aacatcaaat	12480
tgtaatgatt	ttattttgct	tattgctggc	gatggcgcat	taagaaataa	attattggat	12540
ttggtttgtc	aattgaatct	tgtggataaa	gttttcttct	tggggcaaag	aagtgatatt	12600
aaagaattaa	tgtgtgctgc	agatctttt	gttttgagtt	ctgagtggga	aggttttggt	12660
ctcgttgttg	cagaagctat	ggcgtgtgaa	cgtcccgttg	ttgctaccga	ttctggtgga	12720
gttaaagaag	tcgttggacc	tcataatgat	gttatccctg	tcagtaatca	tattctgttg	12780
gcagagaaaa	tcgctgagac	acttaaaata	gatgataacg	caagaaaaat	aataggtatg	12840
aaaaatagag	aatatattgt	ttccaatttt	tcaattaaaa	cgatagtgag	tgagtgggag	12900
cgcttatatt	ttaaatattc	caagcgtaat	aatataattg	attgaaaata	taagtttgta	12960
			tttttactgg			
			gtctcaactt			
			acaggagtat			
			caacctggcg			
			cgagaaaact			
			ggtgaaagag			
			aggggcggga			
			cattattgat			
			cgcggaaggc			
			aggcccatct			
			gaccaagatt			
			cggtgcgggt			
			gattgctgaa			
			aaccactttt			
			agacatcttc			
cadatacctg	gttgatgtga	tcctggacga	agctgcgaac	aaaggcaccg	gtaaatggac	13920
tegetagate	tettetetet	rgggtgaacc	gctgtcgctg	atcaccgaat	ccgtattcgc	13980
acagastana	ctcttttttga	aagaccagcg	cattgcggca	tctaaagtgc	tgtctggtcc	14040
cctagataaa	ctggetggtg	ataaagcaga	gttcgttgag	aaagtccgtc	gcgcgctgta	14100
atacaactcc	accycecet	atgcccaagg	cttctctcaa	ctgcgtgccg	cgtctgacga	14160
teatacacea	tteetee	acygcgaaat	cgcgaagatc	ttccgcgcgg	gctgcatcat	14220
cctattacta	actocates	tcasss	cgcgtatgct	gaaaacaaag	gcattgctaa	14280
tataataact	tatectetes	agaagatat	cgctgatgaa	tatcagcaag	cgctgcgtga	14340
ctactacgac	agctaccatt	ctacagtact	tccggtaccg	accttctctg	cagcggtagc	14400
ttacttcggf	acacacacac	ataaaccaa	gccggctaat	ctgattcagg	cacagcgtga	
550	Jegododogo	acadacycac	tgataaagaa	ygtgtgttcc	acaccg	14516

WO 99/61458 PCT/AU99/00385

```
- 35 -
<211> 1380
<212> DNA
<213> Escherichia coli
<400> 46
aacaaatctc agtcttctct tagctctgct attgagcgtc tgtcttctgg tctgcgtatt 60
aacagcgcaa aagacgatgc agcaggtcag gcgattgcta accgttttac ggcaaatatt 120
aaaggtctga cccaggcttc ccgtaacgcg aatgatggta tttctgttgc gcagaccact 180
gaaggtgcgc tgaatgaaat taacaacaac ctgcagcgta ttcgtgaact ttctgttcag 240
gcaactaacg gtactaactc tgacagcgat ctttcttcta tccaggctga aattactcaa 300
cgtctggaag aaattgaccg tgtatctgag caaactcagt ttaacggcgt gaaagtcctt 360
gctgaaaata atgaaatgaa aattcaggtt ggtgctaatg atggtgaaac catcactatc 420
aatctggcaa aaattgatgc gaaaactctc ggcctggacg gttttaatat cgatggcgcg 480
cagaaagcaa ccggcagtga cctgatttct aaatttaaag cgacaggtac tgataattat 540
caaattaacg gtactgataa ctatactgtt aatgtagata gtggagtagt acaggataaa 600
gatggcaaac aagtttatgt gagtgctgcg gatggttcac ttacgaccag cagtgatact 660
caattcaaga ttgatgcaac taagcttgca gtggctgcta aagatttagc tcaaggtaat 720
aagattgtet acgaaggtat egaatttaca aataceggea etggegetat acetgecaca 780
ggtaatggtg aattaaccgc caatgttgat ggtaaggctg ttgaattcac tatttcgggg 840
agtgctgata catcaggtac tagtgcaacc gttgccccta cgacagccct atacaaaaat 900
agtgcagggc aattgactgc aacaaaagtt gaaaataaag cagcgacact atctgatctt 960
gatctgaacg ctgccaagaa aacaggaagc acgttagttg ttaacggtgc aacttacgat 1020
gttagtgcag atggtaaaac gataacggag actgcttctg gtaacaataa agtcatgtat 1080
ctgagcaaat cagaaggtgg tagcccgatt ctggtaaacg aagatgcagc aaaatcgttg 1140
caatctacca ccaacccgct cgaaactatc gacaaagcat tggctaaagt tgacaatctg 1200
cgttctgacc tcggtgcagt acaaaaccgt ttcgactctg ccatcaccaa ccttggcaac 1260
accgtaaaca acctgtcttc tgcccgtagc cgtatcgaag atgctgacta cgcgaccgaa 1320
gtgtctaaca tgtctcgtgc gcagatcctg caacaagcgg gtacctctgt tctggcacag 1380
<210> 47
<211> 1497
<212> DNA
<213> Escherichia coli
<400> 47
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatctccg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtgtgcgtg aactgacggt acaggccact 300
accggtacta actctgagtc tgatctgtct tctatccagg acgaaattaa atcccgtctg 360
gatgaaattg accgcgtatc tggtcagacc cagttcaacg gcgtgaacgt gctggcaaaa 420
aatggctcca tgaaaatcca ggttggcgca aatgataacc agactatcac tatcgatctg 480
aagcagattg atgctaaaac tettggeett gatggtttta gegttaaaaa taacgataca 540
gttaccacta gtgctccagt aactgctttt ggtgctacca ccacaaacaa tattaaactt 600
actggaatta ccctttctac ggaagcagcc actgatactg gcggaactaa cccagcttca 660
```

attgagggtg tttatactga taatggtaat gattactatg cgaaaatcac cggtggtgat 720 aacgatggga agtattacgc agtaacagtt gctaatgatg gtacagtgac aatggcgact 780

```
ggagcaacgg caaatgcaac tgtaactgat gcaaatacta ctaaagctac aactatcact 840 tcaggcggta cacctgttca gattgataat actgcaggtt ccgcaactgc caaccttggt 900 gctgttaget tagtaaaact gcaggattec aagggtaatg ataccgatac atatgcgctt 1020 gttaaaacta ttacctatac tgactcttec ggtgecgca gttctccaac cgcggtcaaa 1080 ctgggcggag atgatggcaa aacagaagtg gtcgatattg atggtaaaac atacgattet 1140 gccgatttaa atggcgata tctgcaacaa ggtttgactg ctggtggtga ggctctgact 1200 gctgttgcaa atggtaaaac cacggatccg ctgaaagcgc tggacgatg tatcgcatct 1260 gtagacaaat tccgttct cctcggtgcg gtgcaaaacc gtctggatte cgcggttacc 1320 aacctgaaca acaccactac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1380 tatggcaaa aagctaacca ggtaccgaa caggttctgt ctctgctgc gggttaac aagctgcaa aagctaacca ggtaccgaa caggttctgt ctctgctgca gggttaac 1440 gtgttggcaa aagctaacca ggtaccgaa caggttctgt ctctgctgca gggttaa 1497
```

<210> 48 <211> 1695 <212> DNA <213> Escherichia coli

<400> 48

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120 gegaaggatg acgeegcagg teaggegatt getaacegtt ttaettetaa cattaaagge 180 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240 gegetgtetg aaateaacaa caacttacag egtattegtg aactgaeggt teaggettet 300 accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctg 360 gacgaaattg accgcgtatc cggtcaaacc cagttcaacg gtgtgaacgt actggcgaaa 420 gacggttcga tgaaaattca ggttggtgcg aatgacggcc agactatcac tattgatctg 480 aagaaaattg actctgatac gctggggctg aatggtttta acgttaacgg caaaggtact 540 attgcgaaca aagcggcaac cattagtgat ctggcggcga cgggggcgaa tgttactaac 600 tcaagcaata ttgttgtcac gacaaagttc aatgccttgg atgcagcgac tgcatttagc 660 aaactcaaag atggtgattc tgttgccgtt gctgctcaga aatatactta taacgcatcg 720 accaatgatt ttacgacaga aaatacagta gcgacaggca ctgcaacgac agatcttggc 780 gctactctga aggctgctgc tgggcagagt caatcaggta catatacctt tgcaaatggt 840 aaagttaact ttgatgttga tgcaageggt aatatcacta ttggeggega aaaggettte 900 ttggttggtg gagcgctgac tactaacgat cccaccggct ccactccagc aacgatgtct 960 tccctgttta aggccgcgga tgacaaagat gccgctcaat cctcgattga ttttggcggg 1020 aaaaaatacg aatttgctgg tggcaattct actaatggtg geggegttaa attcaaagac 1080 acggtgtctt ctgacgcgct tttggctcag gttaaagcgg atagtactgc taataatgta 1140 aaaatcacct ttaacaatgg teetetgtea tteactgeat egtteeaaaa tggtgtatet 1200 ggctccgcgg catcgaatgc agcctacatt gatagcgaag gcgaactgac aactactgaa 1260 tcctacaaca caaattattc cgtagacaaa gacacggggg ctgtaagtgt tacagggggg 1320 ageggtaegg gtaaataege egeaaaegtg ggtgeteagg ettatgtagg itgeagatggt 1380 aaattaacca cgaatactac tagtaccggc tctgcaacca aagatccact aaatgcgctg 1440 gatgaggcaa ttgcatccat cgacaaattc cgttcttccc tgggggctat ccagaaccgt 1500 ctggattccg cagtcaccaa cctgaacaac accactacca acctgtctga agcgcagtcc 1560 cgtattcagg acgccgacta tgcgaccgaa gtgtccaaca tgtcgaaagc gcagatcatc 1620 cagcaggccg gtaactccgt gttggcaaaa gctaaccagg taccgcagca ggttctgtct 1680 ctgctgcagg gttaa 1695

```
- 37 -
```

```
<210> 49
<211> 1164
<212> DNA
<213> Escherichia coli
<400> 49
aacaagaacc agtctgcgct gtcgagttct atcgagcgtc tgtcttctgg cttgcgtatt 60
aacagegega aggatgaege egegggteag gegattgeta acegttttae ttetaacatt 120
aaaggcctga ctcaggctgc acgtaacgcc aacgacggta tttctgttgc gcagaccacc 180
gaaggcgcgc tgtccgaaat taacaacaac ttacagcgtg tgcgtgagct gactgttcag 240
gegaceaceg gtactaacte tgagtetgae etgtetteta teeaggaega aateaaatet 300
cgcctggaag agattgatcg tgtttcaagt cagactcaat ttaacggcgt gaatgttttg 360
gctaaagatg ggaaaatgaa cattcaggtt ggggcaagtg atggacagac tatcactatt 420
gatctgaaaa agatcgattc atctacacta aacctctcca gttttgatgc tacaaacttg 480
ggcaccagtg ttaaagatgg ggccaccatc aataagcaag tggcagtaga tgctggcgac 540
tttaaagata aagcttcagg atcgttaggt accctaaaat tagttgagaa agacggtaag 600
tactatgtaa atgacactaa aagtagtaag tactacgatg ccgaagtaga tactagtaag 660
ggtgaaatta acttcaactc tacaaatgaa agtggaacta ctcctactgc agcgacggaa 720
gtaactactg ttggccgcga tgtaaaattg gatgcttctg cacttaaagc caaccaatcg 780
cttgtcgtgt ataaagataa aagcggcaat gatgcttata tcattcagac caaagatgta 840
acaactaatc aatcaacttt caatgeeget aatateagtg atgetggtgt tttatetatt 900
ggtgcatcta caaccgcgcc aagcaattta acagctgacc cgcttaaggc tcttgatgat 960
gcaattgcat ctgttgataa attccgctct tctctcggtg ccgttcagaa ccgtctggat 1020
tctgccattg ccaacctgaa caacaccact accaacctgt ctgaagcgca gtcccgtatt 1080
caggacgctg actatgcgac cgaagtgtcc aacatgtcga aagcgcagat tatccagcag 1140
gccggtaact ccgtgctggc aaaa
                                                                   1164
<210> 50
<211> 1818
<212> DNA
<213> Escherichia coli
<400> 50
atggcacaag tcattaatac caacageete tegetgatea etcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt tcacctctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgctaacgat ggtatctctc tggcgcagac cactgaaggc 240
gcactgtctg agattaacaa caacttacaa cgtgtgcgtg agttgactgt acaggcgacc 300
accggtacta actetgatte tgacetgget tetatteagg acgaaateaa atecegtttg 360
tetgaaattg accgegtate egggeagace eagtteaacg gegtgaaegt attgtetaaa 420
gatggctccc tgaaaattca ggttggcgca aatgatggtc agactatctc tatcgacctg 480
aagaaaattg actotgatac totgggtttg aatggtttca acgttaatgg ttotggtacc 540
attgcaaaca aagcggccac aatcagtgac ttgactgctc agaaagccgt tgacaacggt 600
 aatggtactt ataaagttac aactagcaac gctgcactta ctgcatctca ggcattaagt 660
 aagctgagtg atggcgatac tgtagatatt gcaacctatg ctggtggtac aagttcaaca 720
 gttagttata aatacgacgc agatgcaggt aacttcagtt ataacaatac tgcaaacaaa 780
 acaagtgctg cggctggaac tctggcagat actcttctcc cggcagctgg ccagactaaa 840
```

```
accggtactt acaaggetge tactggtgat gttaacttta atgttgacge aactggtaat 900
ctgacaattg gcggacagca agcctacctg actactgatg gtaaccttac aacaaacaac 960
tccggtggtg cggctactgc aactcttaaa gagctgttta ctcttgctgg cgatggtaaa 1020
tetetgggga aeggeggtae tgetaeegtt aetetggata ataetaegta taattteaaa 1080
gctgctgcga acgttactga tggtgctggt gtcatcgctg ctgctggtgt aacttataca 1140
qccactqttt ctaaaqatqt cattctggca caactgcaat ctgcaagtca ggcagcagca 1200
accyctaccy acgytyatac tytcycaacy atcaactata aatctygtyt catgatcygt 1260
teegetaeet ttaccaatgg taaaggtaet geegatggta tgaettetgg tacaacteca 1320
gtcgtagcta caggtgctaa agctgtatat gttgatggca acaatgaact gacttccact 1380
gcatcttacg atacgactta ctctgtcaac gcagatacag gcgcagtaaa agtggtatca 1440
ggtactggta ctggtaaatt tgaagctgtt gctggtgcgg atgcttatgt aagcaaagat 1500
ggcaaattaa cgacagaaac caccagtgca ggcactgcaa ccaaagatcc tttggctgcc 1560
etggatgetg etateagete categacaaa tteegtteet eeetgggtge tatecagaac 1620
cgtctggatt ccgcagtcac caacctgaac aacaccacta ctaacctgtc tgaagcgcag 1680
tecegtatte aggaegeega etatgegaee gaagtgteea atatgtegaa agegeagate 1740
atccagcagg ccggtaactc tgtgttggca aaagctaacc aggtaccgca gcaggttctg 1800
tetetgetge agggttaa
                                                                  1818
```

<210> 51 <211> 1344 <212> DNA <213> Escherichia coli

<400> 51

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120 gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240 gegetgteeg aaateaacaa caacttacag egtattegtg aactgaeggt teaggettet 300 accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360 gacgaaattg accgcgtttc cggtcagacc cagttcaacg gcgtgaacgt gctggcgaaa 420 gacggttcga tgaagattca ggttggcgcg aatgacgggc agaccatctc tatcgatttg 480 cagaaaattg attetteaac getgggattg aaaggtttet eggtateagg gaacgeatta 540 aaagttagcg atgcgataac tacagttect ggtgctaatg ctggcgatgc cccggttacg 600 gttaaatttg gtgcgaacga taccgctgct gccgcaatgg ctaaaacatt gggaataagt 660 gatacatcag gcttgtccct acataacgta caaagcgcgg atggtaaagc gacaggaacc 720 tatgttgttc aatctggtaa tgacttctat tcggcttccg ttaatgctgg tggcgttgtt 780 acgcttaata ccaccaatgt tactttcact gatcctgcga acggtgttac cacagcaaca 840 cagacaggtc agectatcaa ggtcacgacg aatagtgctg gegeggetgt tggctatgtt 900 actattcaag gcaaagatta cettgetggt gcagaeggta aggatgcaat tgaaaaeggt 960 ggtgacgctg caacaaatga agacacaaaa atccaactta ccgatgaact cgatgttgat 1020 ggttctgtaa aaacagcggc aacagcaaca ttttctggta ctgcaaccaa cgatccgctg 1080 gcacttttag acaaagctat ctcgcaagtt gatactttcc gctcctccct cggtgccgta 1140 caaaaccgtc tggattctgc ggtcaccaac ctgaataaca ccaccaccaa cctgtctgaa 1200 gcgcagtccc gtattcagga cgccgactat gcgaccgaag tgtccaacat gtcgaaagcg 1260 cagatcatcc agcaggcggg taactctgtg ctgtctaaag ctaaccaggt accgcagcag 1320 gttctgtctc tgctgcaggg ttaa 1344

<210> 52

```
<211> 2599
<212> DNA
<213> Escherichia coli
<400> 52
cttctcttag ctctgctatt gagcgtctgt cttctggtct gcgtattaac agcgcaaaag 60
acgatgcage aggtcaggeg attgctaace gttttacgge aaatattaaa ggtctgacce 120
aggetteeeg taacgegaat gatggtattt etgttgegea gaccaetgaa ggtgegetga 180
atgaaattaa caacaacctg cagcgtattc gtgaactttc tgttcaggca actaacggta 240
ctaactctga cagcgatctt tcttctatcc aggctgaaat tactcaacgt ctggaagaaa 300
ttgaccgtgt atctgagcaa actcagttta acggcgtgaa agtccttgct gaaaataatg 360
aaatgaaaat tcaggttggt gctaatgatg gtgaaaccat tgacctgccc ccacgattag 420
atacaacact cagttagtaa cgtcggaatc ttcattctca gaatgaccct ttctccagcc 480
cgctgcaaat tcagacggtg tctgataatt cagcgtggag tgcgggcggc attcgttata 540
atcctgccgc cagtcattaa taattttcct ggcatgaacg atatcgctga accagtgctc 600
attcaaacat tcatcgcgaa atcgtccgtt aaagctctca ataaatccgt tctgcgttgg 660
cttgcccggc tggattaagc gcaactcaac accatgctca aaggcccatt gatccagtgc 720
acggcaagtg aactccggcc cctggtcagt tcttatcgtc gccggatagc ctcgaaacag 780
tgcaatgctg tccagaatac gcgtgacctg aacgcctgaa atcccaaagg caacagtgac 840
cgtcaggcat teetttgtga aateategae geaggtaaga caettgatee tgegaeeggt 900
ggaaagtgcg tccatgacga aatccatcga ccaggtcaga ttgggcgccg ccggacggag 960
cageggcaga egitetgitg ecagecetti acgaegtett etgegittia egeceaggee 1020
actgaggtga taaagccggt acacgcgctt atgattaaca tgaagccctt cacggcgcag 1080
caactgccaa atacgacggt agccaaaacg cctgcgctcc agtgccagct cagtgatgcg 1140
ccctgataaa tgcgcatcag cagccggacg gtgagcctca tagcggcagg tcgacaggga 1200
taaacctgta agcctgcagg cacgacgttg cgacagaccg gtcgcatcac acatcaacat 1260
cacggettee egettetggt etgtegteag tactttegee caagageeac etgaagegee 1320
tetttateca geatggette ggeaageage ttettgagte tggtgttete tteetcaage 1380
gacttcaggc gcttaacttc aggcacctcc ataccgccat acttcttacg ccaggtgtaa 1440
aacgtggcat cggaaatggc atgcttgcgg cagagttcac gggcgggtac cccagcttcg 1500
gcttcgcgga gaatactgat gatctgttcg tcggaaaaac gcttcttcat ggggatgtcc 1560
tcatgtggct tatgaagaca ttactaacat cggggtgtac taatcaacgg ggagcaggtc 1620
accatcacta teaatetgge aaaaattgat gegaaaacte teggeetgga eggttttaat 1680
atcgatggcg cgcagaaagc aaccggcagt gacctgattt ctaaatttaa agcgacaggt 1740
actgataatt atcaaattaa cggtactgat aactatactg ttaatgtaga tagtggagta 1800
gtacaggata aagatggcaa acaagtttat gtgagtgctg cggatggttc acttacgacc 1860
agcagtgata ctcaattcaa gattgatgca actaagcttg cagtggctgc taaagattta 1920
geteaaggta ataagattgt etaegaaggt ategaattta caaatacegg caetggeget 1980
atacctgcca caggtaatgg taaattaacc gccaatgttg atggtaaggc tgttgaattc 2040
actatttcgg ggagtgctga tacatcaggt actagtgcaa ccgttgcccc tacgacagcc 2100
ctatacaaaa atagtgcagg gcaattgact gcaacaaaag ttgaaaataa agcagcgaca 2160
ctatctgatc ttgatctgaa cgctgccaag aaaacaggaa gcacgttagt tgttaacggt 2220
gcaacttacg atgttagtgc agatggtaaa acgataacgg agactgcttc tggtaacaat 2280
aaagtcatgt atctgagcaa atcagaaggt ggtagcccga ttctggtaaa cgaagatgca 2340
gcaaaatcgt tgcaatctac caccaacccg ctcgaaacta tcgacaaagc attggctaaa 2400
gttgacaatc tgcgttctga cctcggtgca gtacaaaacc gtttcgactc tgccatcacc 2460
aaccttggca acaccgtaaa caacctgtet tetgeeegta geegtatega agatgetgae 2520
```

- 39 -

```
tacgcgaccg aagtgtctaa catqtctcqt gcgcaqatcc tgcaacaagc gqgtacctct 2580
gttctggcac aggctaacc
                                                                  2599
<210> 53
<211> 1245
<212> DNA
<213> Escherichia coli
<400> 53
aacaaaaacc agtctgcgct gtcgacttct atcgagcgcc tctcttctgg tctgcgcatt 60
aacagogota aagatgacgo tgogggocag gogattgota acogottoac ttotaacato 120
aaaggtotga otcaggoogo acgtaacgoo aacgacggta totototggo goagaccact 180
gaaggcgcac tgtctgaaat caacaacaac ttgcagcgtg ttcgtgaact gaccgttcag 240
gccactaccg gtactaactc tgattctgac ctgtcttcaa tccaggacga aatcaaatcc 300
cgtctcgatg aaattgaccg cgtatccggt cagactcagt tcaacggcgt gaacgtactg 360
gcaaaagatg gctcgatgaa aattcaggtc ggtgcaaatg atggtcagac aatcagcatt 420
gatttgcaga agattgattc ttctacttta gggttaaatg gtttttctgt ttccaaaaat 480
gcagtatetg ttggtgatge tattacteaa ttgcetggeg agaeggeage egatgeacea 540
gtaaccatca agtttgatga ttcagtaaaa actgatttaa aactgaccga tgcttcaggg 600
ttaagtctgc ataacctcaa agatgaaaat ggtaatttaa ctaaccagta tgttgtacag 660
aatggcggaa aatcttacgc tgctacagtc gctgccaatg gtaatgttac gctgaacaaa 720
gcaaatgtaa cetacagega tgtegcaaac ggtattgata eegcaaegca gteaggeeag 780
ttagttcagg ttggtgcaga ttctaccggt acgccaaaag cattcgtgtc tgtccaaggt 840
aaaagctttg gcattgatga cgccgccttg aagaataaca ctggtgatgc taccgctact 900
ccaccgggaa catctgggac aacagttgtc gcagcgtcaa ttcatctgag tacgggcaaa 960
aactctgtag acgctgatgt aacggcttcc actgaattca caggtgcttc aaccaacgat 1020
ccactgactc tgctggacaa agctatcgca tctgttgata aattccgttc ttctttgggg 1080
gcggtacaga accgtctgag ctccgctgta accaacctga acaacaccac caccaacctg 1140
tetgaagege agteeegtat teaggaegee gactatgega eegaagtgte caacatgteg 1200
aaagcgcaga ttatccagca ggcaggtaac tccgtgctgt ccaaa
                                                                   1245
<210> 54
<211> 1212
<212> DNA
<213> Escherichia coli
<400> 54
aacaaaaacc agtctgcgct gtcgacttct atcgaacgcc tctcttctgg cctgcgtatt 60
aacagtgcga aagatgacgc tgccggtcag gcgatagcta accgtttcac ctctaacatt 120
aaaggcctga ctcaggctgc gcgtaacgcc aacgacggta tttctctggc gcagaccaca 180
gaaggtgcgt tgtctgaaat caacaacaac ttgcaacgtg tgcgtgagtt gaccgttcag 240
gcgacgaccg gtactaactc tgattctgac ctgtcatcta ttcaggacga aatcaaatcc 300
cgtctggatg agattgaccg tgtttccggt cagacccagt tcaacggcgt gaatgtactg 360
gcaaaagacg gttcgatgaa gattcaggtt ggcgcgaatg atggccagac tattagcatt 420
gatttacaga aaattgactc ttctacatta gggttgaatg gtttctccgt ttctgctcaa 480
tcacttaacg ttggtgattc aattactcaa attacaggag ccgctgggac aaaacctgtt 540
ggtgttgatt tcactgctgt tgcgaaagat ctgactactg cgacaggtaa aactgtcgat 600
gtttccagcc tgacgttaca caacaccctg gatgcgaaag gggctgccac cgcacagttc 660
```

1758

tctctgctgc agggttaa

```
gtcgttcaat ccggtagtga tttctactcc gcgtccattg accatgcaag tggtgaagtg 720
acgttgaata aagccgatgt cgaatacaaa gacaccgata atggactaac gactgcagct 780
acteagaaag ateagetgat taaagttgee getgaetetg aeggegegge tgegggatat 840
gtaacattee agggtaaaaa etaegetaea aeggeteeag eggegettaa tgatgaeaet 900
acggcaacag ccacagcgaa caaagttgtt gttgaattat ctacagcaac tccgactgcg 960
cagtteteag gggettette tgetgateea etggeaettt tagacaaage cattgeacag 1020
gttgatactt teegeteete eeteggtgee gtteaaaace gtetggaete tgeggtaace 1080
aacctgaaca acaccaccac caacctgtct gaagcgcagt cccgtattca ggacgccgac 1140
tatgcgaccg aagtgtctaa catgtcgaaa gcgcagatca tccagcaggc gggtaactct 1200
                                                                  1212
gtgctgtcta aa
<210> 55
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 55
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gegetgteeg aaateaacaa caacttacag egtateegtg agetgaeggt teaggettet 300
accgggacta actotgatto ggatotggao tocattoagg acgaaatoaa atoccgtoto 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attetgatae tetgggtetg aatggtttta acgtaaatgg taaaggtaet 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ccaccettca tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attacettta atteeggtgt actgageaaa actattgggt ttacegeggg tgaateeagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
 tcccgtattc aggacgccga ctatgcgacc gaagtgtcca acatgtcgaa agcgcagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
```

```
<210> 56
<211> 14024
<212> DNA
<213> Escherichia coli
```

<400> 56 gtaaccaagg gcggtacgtg cataaatttt aatgcttatc aaaactatta gcattaaaaa 60 tatataagaa atteteaaat gaacaaagaa accgttteaa taattatgee egtttacaat 120 ggggccaaaa ctataatctc atcagtagaa tcaattatac atcaatctta tcaagatttt 180 gttttgtata tcattgacga ttgtagcacc gatgatacat tttcattaat caacagtcga 240 tacaaaaaca atcagaaaat aagaatattg cgtaacaaga caaatttagg tgttgcagaa 300 agtegaaatt atggaataga aatggeeacg gggaaatata tttetttttg tgatgeggat 360 gatttgtggc acgagaaaaa attagagcgt caaatcgaag tgttaaataa tgaatgtgta 420 gatgtggtat gttctaatta ttatgttata gataacaata gaaatattgt tggcgaagtt 480 aatgeteete atgtgataaa ttatagaaaa atgeteatga aaaaetaeat agggaatttg 540 acaggaatet ataatgeeaa caaattgggt aagttttate aaaaaaagat tggtcacgag 600 gattatttga tgtggctgga aataattaat aaaacaaatg gtgctatttg tattcaagat 660 aatctggcgt attacatgcg ttcaaataat tcactatcgg gtaataaaat taaagctgca 720 aaatggacat ggagtatata tagagaacat ttacatttgt cctttccaaa aacattatat 780 tattttttat tatatgette aaatggagte atgaaaaaa taacacatte actattaagg 840 agaaaggaga ctaaaaagtg aagtcagcgg ctaagttgat ttttttattc ctatttacac 900 tttatagtct ccagttgtat ggggttatca tagatgatcg tataacaaat tttgatacaa 960 aggtattaac tagtattata attatatttc agattttttt tgttttatta ttttatctaa 1020 cgattataaa tgaaagaaaa cagcagaaaa aatttatcgt gaactgggag ctaaagttaa 1080 tactcgtttt cctttttgtg actatagaaa ttgctgctgt agttttattt cttaaagaag 1140 gtattcctat atttgatgat gatccagggg gggctaaact tagaatagct gaaggtaatg 1200 gactttacat tagatatatt aagtattttg gtaatatagt tgtgtttgca ttaattattc 1260 tttatgatga gcataaattc aaacagagga ccatcatatt tgtatatttt acaacgattg 1320 ctttatttgg ttatcgttct gaattggtgt tgctcattct tcaatatata ttgattacca 1380 atateetgte aaaggataae egtaateeta aaataaaaag aataataggg tattttttat 1440 tggtaggggt tgtatgctcg ttgttttatc taagtttagg acaagacgga gaacaaaatg 1500 actcatataa taatatgtta aggataatta ataggttaac aatagagcaa gttgaaggtg 1560 ttccatatgt tgtttctgaa tctattaaga acgatttctt tccgacacca gagttagaaa 1620 aggaattaaa agcaataata aatagaatac agggaataaa gcatcaagac ttattttatg 1680 gagaacggtt acataaacaa gtatttggag acatgggagc aaatttttta tcagttacta 1740 cgtatggagc agaactgtta gtttttttg gttttctctg tgtattcatt atccctttag 1800 ggatatatat acctttttat cttttaaaga gaatgaaaaa aacccatagc tcgataaatt 1860 gcgcattcta ttcatatatc attatgattt tattgcaata cttagtggct gggaatgcat 1920 cggccttctt ttttggtcct tttctctccg tattgataat gtgtactcct ctgatcttat 1980 tgcatgatac gttaaagaga ttatcacgaa atgaaaatat cagttataac tgtgacttat 2040 aataatgctg aagggttaga aaaaacttta agtagtttat caattttaaa aataaaacct 2100 tttgagatta ttatagttga tggcggctct acagatggaa cgaatcgtgt cattagtaga 2160 tttactagta tgaatattac acatgtttat gaaaaagatg aagggatata tgatgcgatg 2220 aataagggcc gaatgttggc caaaggcgac ttaatacatt atttaaacgc cggcgatagc 2280 gtaattggag atatatataa aaatatcaaa gagccatgtt tgattaaagt tggccttttc 2340 gaaaatgata aacttctggg attttcttct ataacccatt caaatacagg gtattgtcat 2400

caaggggtga tittcccaaa gaatcattca gaatatgatc taaggtataa aatatgtgct 2460 gattataagc tiattcaaga ggtgtttcct gaagggttaa gatctctatc tittgattact 2520

```
togggttatg taaaatatga tatgggggga gtatottoaa aaaaaagaat tttaagagat 2580
aaagagettg eeaaaattat gtttgaaaaa aataaaaaaa aeettattaa gtttatteea 2640
atttcaataa tcaaaatttt attccctgaa cgtttaagaa gagtattgcg gaaaatgcaa 2700
tatatttgtc taactttatt cttcatgaag aatagttcac catatgataa tgaataaaat 2760
caaaaaaata cttaaatttt gcactttaaa aaaatatgat acatcaagtg ctttaggtag 2820
agaacaggaa aggtacagga ttatatcctt gtctgttatt tcaagtttga ttagtaaaat 2880
acteteacta etttetetta tattaaetgt aagtttaaet ttaeettatt taggacaaga 2940
gagatttggt gtatggatga ctattaccag tettggtget getetgacat ttttggactt 3000
aggtatagga aatgcattaa caaacaggat cgcacattca tttgcgtgtg gcaaaaattt 3060
aaagatgagt cggcaaatta gtggtgggct cactttgctg gctggattat cgtttgtcat 3120
aactgcaata tgctatatta cttctggcat gattgattgg caactagtaa taaaaggtat 3180
aaacgagaat gtgtatgcag agttacaaca ctcaattaaa gtctttgtaa tcatatttgg 3240
acttggaatt tattcaaatg gtgtgcaaaa agtttatatg ggaatacaaa aagcctatat 3300
aagtaatatt gttaatgcca tatttatatt gttatctatt attactctag taatatcgtc 3360
gaaactacat gcgggactac cagttttaat tgtcagcact cttggtattc aatacatatc 3420
gggaatctat ttaacaatta atcttattat aaagcgatta ataaagttta caaaagttaa 3480
catacatgct aaaagagaag ctccatattt gatattaaac ggttttttct tttttatttt 3540
acagttaggc actctggcaa catggagtgg tgataacttt ataatatcta taacattggg 3600
tgttacttat gttgctgttt ttagcattac acagagatta tttcaaatat ctacggtccc 3660
tettaegatt tataacatee egttatggge tgettatgea gatgeteatg caegeaatga 3720
tactcaattt ataaaaaaga cgctcagaac atcattgaaa atagtgggta tttcatcatt 3780
cttattggcc ttcatattag tagtgttcgg tagtgaagtc gttaatattt ggacagaagg 3840
aaagattcag gtacctcgaa cattcataat agettatget ttatggtetg ttattgatge 3900
tttttcgaat acatttgcaa gctttttaaa tggtttgaac atagttaaac aacaaatgct 3960
tgctgttgta acattgatat tgatcgcaat tccagcaaaa tacatcatag ttagccattt 4020
tgggttaact gttatgttgt actgcttcat ttttatatat attgtaaatt actttatatg 4080
gtataaatgt agttttaaaa aacatatcga tagacagtta aatataagag gatgaaaatg 4140
aaatatatac cagtttacca accgtcattg acaggaaaag aaaaagaata tgtaaatgaa 4200
tgtctggact caacgtggat ttcatcaaaa ggaaactata ttcagaagtt tgaaaataaa 4260
tttgcggaac aaaaccatgt gcaatatgca actactgtaa gtaatggaac ggttgctctt 4320
catttagctt tgttagcgtt aggtatatcg gaaggagatg aagttattgt tccaacactg 4380
acatatatag catcagttaa tgctataaaa tacacaggag ccacccccat tttcgttgat 4440
tcagataatg aaacttggca aatgtctgtt agtgacatag aacaaaaaat cactaataaa 4500
actaaagcta ttatgtgtgt ccatttatac ggacatccat gtgatatgga acaaattgta 4560
gaactggcca aaagtagaaa tttgtttgta attgaagatt gcgctgaagc ctttggttct 4620
aaatataaag gtaaatatgt gggaacattt ggagatattt ctacttttag cttttttgga 4680
aataaaacta ttactacagg tgaaggtgga atggttgtca cgaatgacaa aacactttat 4740
gaccgttgtt tacattttaa aggccaagga ttagctgtac ataggcaata ttggcatgac 4800
gttataggct acaattatag gatgacaaat atctgcgctg ctataggatt agcccagtta 4860
gaacaagctg atgattttat atcacgaaaa cgtgaaattg ctgatattta taaaaaaaat 4920
atcaacagtc ttgtacaagt ccacaaggaa agtaaagatg tttttcacac ttattggatg 4980
gtctcaattc taactaggac cgcagaggaa agagaggaat taaggaatca ccttgcagat 5040
aaactcatcg aaacaaggcc agttttttac cctgtccaca cgatgccaat gtactcggaa 5100
aaatatcaaa agcaccctat agctgaggat cttggttggc gtggaattaa tttacctagt 5160
ttccccagcc tatcgaatga gcaagttatt tatatttgtg aatctattaa cgaattttat 5220
agtgataaat agcctaaaat attgtaaagg tcattcatga aaattgcgtt gaattcagat 5280
ggattttacg agtggggcgg tggaattgat tttattaaat atattctgtc aatattagaa 5340
acgaaaccag aaatatgtat cgatattett ttaccgagaa atgatataca ttetettata 5400
```

		_	44 -			
agagaaaaag	catttccttt	taaaagtata	ttaaaagcaa	ttttaaagag	ggaaaggcct	5460
cgatggattt	cattaaatag	atttaatgag	caatactata	gagatgcctt	tacacaaaat	5520
aatatagaga	cgaatcttac	ctttattaaa	agtaagagct	ctgcctttta	ttcatatttt	5580
gatagtagcg	attgtgatgt	tattcttcct	tgcatgcgtg	ttccttcggg	aaatttgaat	5640
aaaaaagcat	ggattggtta	tatttatgac	tttcaacact	gttactatcc	ttcattttt	5700
agtaagcgag	aaatagatca	aaggaatgtg	ttttttaaat	tgatgctcaa	ttgcgctaac	5760
aatattattg	ttaatgcaca	ttcagttatt	accgatgcaa	ataaatatgt	tgggaattat	5820
tctgcaaaac	tacattctct	tccatttagt	ccatgccctc	aattaaaatg	gttcgctgat	5880
tactctggta	atattgccaa	atataatatt	gacaaggatt	attttataat	ttgcaatcaa	5940
ttttggaaac	ataaagatca	tgcaactgct	tttagggcat	ttaaaattta	tactgaatat	6000
aatcctgatg	tttatttagt	atgcacggga	gctactcaag	attatcgatt	ccctggatat	6060
tttaatgaat	tgatggtttt	ggcaaaaaag	ctcggaattg	aatcgaaaat	taagatatta	6120
gggcatatac	ctaaacttga	acaaattgaa	ttaatcaaaa	attgcattgc	tgtaatacaa	6180
ccaaccttat	ttgaaggcgg	gcctggaggg	ggggtaacat	ttgacgctat	tgcattaggg	6240
aaaaaagtta	tactatctga	catagatgtc	aataaagaag	ttaattgcgg	tgatgtatat	6300
ttctttcagg	caaaaaacca	ttattcatta	aatgacgcga	tggtaaaagc	tgatgaatct	6360
	atgaacctac					
gcagattttc	ttttagatgt	tgtgaaacaa	gaaattgaat	cccgatctta	atatattcaa	6480
gaggtatata	atgactaaag	tcgctcttat	tacaggtgta	actggacaag	atggatctta	6540
tctagctgag	tttttgcttg	ataaagggta	tgaagttcat	ggtatcaaac	gccgagcctc	6600
atcttttaat	acagaacgca	tagaccatat	ttatcaagat	ccacatggtt	ctaacccaaa	6660
ttttcacttg	cactatggag	atctgactga	ttcatctaac	ctcactagaa	ttctaaagga	6720
ggtacagcca	gatgaagtat	ataatttagc	tgctatgagt	cacgtagcag	tttcttttga	6780
gtctccagaa	tatacagccg	atgtcgatgc	aattggtaca	ttacgtttac	tggaagcaat	6840
tcgcttttta	ggattggaaa	acaaaacgcg	tttctatcaa	gcttcaacct	cagaattata	6900
tggacttgtt	caggaaatcc	ctcaaaaaga	atccacccct	ttttatcctc	gttcccctta	6960
tgcagttgca	aaactttacg	catattggat	cacggtaaat	tatcgagagt	catatggtat	7020
ttatgcatgt	aatggtatat	tgttcaatca	tgaatctcca	cgccgtggag	aaacgtttgt	7080
aacaaggaaa	attactcgag	gacttgcaaa	tattgcacaa	ggcttggaat	catgtttgta	7140
tttagggaat	atggattcgt	tacgagattg	gggacatgca	aaagattatg	ttagaatgca	7200
atggttgatg	ttacaacagg	agcaacccga	agattttgtg	attgcaacag	gagtccaata	7260
ctcagtccgt	cagtttgtcg	aaatggcagc	agcacaactt	ggtattaaga	tgagctttgt	7320
	atcgaagaaa					
	ggtgatgtca					
	cttggagatc					
	gaaatgattt					
	aaatcgcatg					
	ttattgctgg					
	atgatgttga					
	ttttggattt					
	gaggtatttt		•			
	aggcgaatgt					
	cgtcgtgtat					
	ggaaacttga					
	gtgaatctta					
	atggtccaaa					
	gctttcatga					
ayiggtacto	caaagcgtga	attcttacat	gtagatgata	tggcttctgc	aagcatttat	8280

```
gtcatggaga tgccatacga tatatggcaa aaaaatacta aagtaatgtt gtctcatatc 8340
aatattggaa caggtattga ctgcacgatt tgtgagcttg cggaaacaat agcaaaagtt 8400
gtaggttata aagggcatat tacgttcgat acaacaaagc ccgatggagc ccctcgaaaa 8460
ctacttgatg taacgcttct tcatcaacta ggttggaatc ataaaattac ccttcacaag 8520
ggtcttgaaa atacatacaa ctggtttctt gaaaaccaac ttcaatatcg ggggtaataa 8580
tgtttttaca ttcccaagac tttgccacaa ttgtaaggtc tactcctctt atttctatag 8640
atttgattgt ggaaaacgag tttggcgaaa ttttgctagg aaaacgaatc aaccgcccgg 8700
cacagggcta ttggttcgtt cctggtggta gggtgttgaa agatgaaaaa ttgcagacag 8760
cctttgaacg attgacagaa attgaactag gaattcgttt gcctctctct gtgggtaagt 8820
tttatggtat ctggcagcac ttctacgaag acaatagtat ggggggagac ttttcaacgc 8880
attatatagt tatagcattc cttcttaaat tacaaccaaa cattttgaaa ttaccgaagt 8940
cacaacataa tgcttattgc tggctatcgc gagcaaagct gataaatgat gacgatgtgc 9000
attataattg tegegeatat tttaacaata aaacaaatga tgegattgge ttagataata 9060
aggatataat atgtetgatg egecaataat tgetgtagtt atggeeggtg gtacaggeag 9120
tegtetttgg ceaetttete gtgaactata tecaaageag tttttacaae tetetggtga 9180
taacacettg ttacaaacga etttgetacg actttcagge etatcatgte aaaaaccatt 9240
agtgataaca aatgaacagc atcgetttgt tgtggetgaa cagttaaggg aaataaataa 9300
attaaatggt aatattattc tagaaccatg cgggcgaaat actgcaccag caataqcqat 9360
atetgegttt catgegttaa aaegtaatee teaggaagat eeattgette tagttettge 9420
ggcagaccac gttatagcta aagaaagtgt tttctgtgat gctattaaaa atgcaactcc 9480
categetaat caaggtaaaa ttgtaaegtt tggaattata eeagaatatg etgaaaetgg 9540
ttatgggtat attgagagag gtgaactatc tgtaccgctt caagggcatg aaaatactgg 9600
tttttattat gtaaataagt ttgtcgaaaa gcctaatcgt gaaaccgcag aattgtatat 9660
gacttctggt aatcactatt ggaatagtgg aatattcatg tttaaggcat ctgtttatct 9720
tgaggaattg agaaaattta gacctgacat ttacaatgtt tgtgaacagg ttgcctcatc 9780
ctcatacatt gatctagatt ttattcgatt atcaaaagaa caatttcaag attgtcctgc 9840
tgaatctatt gattttgctg taatggaaaa aacagaaaaa tgtgttgtat gccctgttga 9900
tattggttgg agtgacgttg gatcttggca atcgttatgg gacattagtc taaaatcgaa 9960
aacaggagat gtatgtaaag gtgatatatt aacctatgat actaagaata attatatcta 10020
ctctgagtca gcgttggtag ccgccattgg aattgaagat atggttatcg tgcaaactaa 10080
agatgccgtt cttgtgtcta aaaagagtga tgtacagcat gtaaaaaaaa tagtcgaaat 10140
gcttaaattg cagcaacgta cagagtatat tagtcatcgt gaagttttcc gaccatgggg 10200
aaaatttgat tcgattgacc aaggtgagcg atacaaagtc aagaaaatta ttgtgaaacc 10260
tggtgagggg ctttctttaa ggatgcatca ccatcgttct gaacattgga tcgtgctttc 10320
atacattccc cttggcgcag cgtatagtct tgagaatccg ggcataatcc ctcttaatct 10440
tattgaagtc agttcagggg attatttggg agaggatgat attataagac agaaagaacg 10500
ttacaaacat gaagattaac atatgaaatc tttaacctgc tttaaagcct atgatattcg 10560
cgggaaatta ggcgaagaac tgaatgaaga tattgcctgg cgcattgggc gtgcctatgg 10620
cgaatttctc aaaccgaaaa ccattgtttt aggcggtgat gtccgcctca ccagcgaagc 10680
gttaaaactg gcgcttgcga aaggtttaca ggatgcgggc gtcgatgtgc tggatatcgg 10740
tatgteegge accgaagaga tetatttege caegtteeat eteggagtgg atggeggeat 10800
cgaagttacc gccagccata acccgatgga ttacaacggc atgaagctgg tgcgcgaagg 10860
ggetegeeeg ateageggtg ataceggaet gegegatgte eagegtetgg eagaageeaa 10920
tgacttccct cctgtcgatg aaaccaaacg tggtcgctat cagcaaatca atctgcgtga 10980
cgcttacgtt gatcacctgt tcggttatat caacgtcaaa aacctcacgc cgctcaagct 11040
ggtgatcaac teegggaaeg gegeageggg teeggtggtg gaegeeattg aageeegatt 11100
taaagccctc ggcgcaccgg tggaattaat caaagtacac aacacgccgg acggcaattt 11160
```

```
ccccaacggt attoctaacc cgctgctgcc ggaatgccgc gacgacaccc gtaatgcggt 11220
catcaaacac ggcgcggata tgggcattgc ctttgatggc gattttgacc gctgtttcct 11280
gtttgacgaa aaagggcagt ttatcgaggg ctactacatt gtcggcctgc tggcagaagc 11340
gttcctcgaa aaaaatcccg gcgcgaagat catccacgat ccacgtctct cctggaacac 11400
egttgatgtg gtgactgeeg caggeggeae eeeggtaatg tegaaaaeeg gacaegeett 11460
tattaaagaa egtatgegca aggaagaege catctaeggt ggegaaatga gegeteacca 11520
ttactteegt gatttegett aetgegaeag eggeatgate eegtggetge tggtegeega 11580
actggtgtgc ctgaaaggaa aaacgctggg cgaaatggtg cgcgaccgga tggcggcgtt 11640
teeggeaage ggtgagatea acageaaact ggegeaaeee gttgaggeaa ttaategegt 11700
ggaacagcat tttagccgcg aggcgctggc ggtggatcgc accgatggca tcagcatgac 11760
etttgeegae tggegettta acetgegete etceaacace gaaceggtgg tgeggttgaa 11820
tgtggaatca cgcggtgatg taaagctaat ggaaaagaaa actaaagctc ttcttaaatt 11880
gctaagtgag tgattattta cattaatcat taagcgtatt taagattata ttaaagtaat 11940
gttattgegg tatatgatga atatgtggge ttttttatgt ataaegaeta taeegeaaet 12000
ttatctagga aaagattaat agaaataaag ttttgtactg accaatttgc atttcacgtc 12060
acgattgaga cgttcctttg cttaagacat tttttcatcg cttatgtaat aacaaatgtg 12120
ccttatataa aaaggagaac aaaatggaac ttaaaataat tgagacaata gatttttatt 12180
atccctgttt acgatattat agccaaagtt gtatcctgca tcagtcctgc aatatttcac 12240
gagtgctttg ttaactgaat acatgtctgc cattttccag atgataacga cgtcatcgca 12300
attgatggta aaacacttcg gcacacttat gacaagagtc gtcgcagagg agtggttcat 12360
gtcattagtg cgtttcagca atgcacagtc tggtcctcgg atagatcaag acggatgaga 12420
aacctaatgc gttcacagtt attcatgaac tttctaaaat gatgggtatt aaaggaaaaa 12480
taatcataac tgatgcgatg gcttgccaga aagatattgc agagaagata taaaaacaga 12540
gatgtgatta tttattcgct gtaaaaggaa ataagagtcg gcttaataga gtctttgagg 12600
agatatttac gctgaaagaa ttaaataatc caaaacatga cagttacgca attagtgaaa 12660
agaggcacgg cagagacgat gtccgtcttc atattgtttg agatgctcct gatgagctta 12720
ttgatttcac gtttgaatgg aaagggctgc agaatttatg aatggcagtc cactttctct 12780
caataatagc agagcaaaag aaagaatccg aaatgacgat caaatattat attagatctg 12840
ctgctttaac cgcagagaag ttcgccacag taaatcgaaa tcactggcgc atggagaata 12900
tgcattcgaa tgattttcta gaatgcggca catcgctatt aatatctgac aatgataatg 13020
tattcaaggc aggattatca tgtaagatgc gaaaagcagt catggacaga aacttcctag 13080
cgtcaggcat tgcagcgtgc gggctttcat aatcttgcat tggttttgat aagatatttc 13140
tttggagatg ggaaaatgaa tttgtatggt atttttggtg ctggaagtta tggtagagaa 13200
acaataccca ttctaaatca acaaataaag caagaatgtg gttctgacta tgctctggtt 13260
tttgtggatg atgttttggc aggaaagaaa gttaatggtt ttgaagtgct ttcaaccaac 13320
tgctttctaa aagcccctta tttaaaaaag tattttaatg ttgctattgc taatgataag 13380
atacgacaga gagtgtctga gtcaatatta ttacacgggg ttgaaccaat aactataaaa 13440
catccaaata gegttgttta tgatcatact atgataggta gtggegetat tatttctccc 13500
tttgttacaa tatctactaa tactcatata gggaggtttt ttcatgcaaa catatactca 13560
tacgttgcac atgattgtca aataggagac tatgttacat ttgctcctgg ggctaaatgt 13620
aatggatatg ttgttattga agacaatgca tatataggct cgggtgcagt aattaagcag 13680
ggtgtteeta ategeecaet tattattgge gegggageea ttataggtat gggggetgtt 13740
gtcactaaaa gtgttcctgc cggtataact gtgtgcggaa atccagcaag agaaatgaaa 13800
agategecaa catetattta atgggaatge gaaaacaegt tecaaatggg actaatgttt 13860
aaaatatata taattteget aatttaetaa attatggett etttttaage tateetttae 13920
 ttagttatta ctgatacagc atgaaattta taatactctg atacattttt atacgttatt 13980
caagccgcat atctagcggt aacccctgac aggagtaaac aatg
                                                                  14024
```

```
<210> 57
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 57
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag tietategag egietgiett etggetigeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gegetgteeg aaateaacaa caacttacag egtattegtg aactgaeggt teaggeeact 300
acagggacta acteegatte tgaeetggae tecateeagg acgaaateaa atetegtett 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagetgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaccettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtget ggttetgeaa egaccaaece gettgetgee 1500
ctggacgacg caatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagate 1680
attcagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
<210> 58
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 58
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120
gcgaaggatg acgcagcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
```

WO 99/61458 PCT/AU99/00385

- 48 -

```
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actccgattc tgacctggac tccatccagg acgaaatcaa atctcgtctt 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggic titatgatci gaaaaccgaa aatacciigt taactaccga tgcigcatic 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaaa cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaccettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgetggtag egcagetaaa getgatatga aagegetget caaageageg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtetettaca gegttaacaa ggataaegge tetgtgaetg ttgeegggta tgetteageg 1380
actgatacca ataaagatta tgctccagca attggcactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtget ggttetgeaa egaccaacee gettgetgee 1500
ctggacgacg caatcagete catcgacaaa tteegttett eeetgggtge tateeagaae 1560
egtetggatt eegeggteae caacetgaae aacaceaeta eeaacetgte egaagegeag 1620
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagate 1680
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
```

<210> 59

<211> 1758

<212> DNA

<213> Escherichia coli

```
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca ctgaatatac tatcgcaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtetettaea gegttaacaa ggataaegge tetgtgaetg ttgeegggta tgetteageg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagcte catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagatt 1680
atccagcagg ceggtaacte egtgetggea aaagecaace aggtacegea geaggttetg 1740
tctctgctgc agggttaa
                                                                  1758
```

<210> 60 <211> 1758

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actoogatto tgacotggac tocatocagg acgaaatcaa atotogtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggic titatgatet gaaaaccgaa aatacctigt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggctgctg attcagcttc aaaacgtgat gcgttagctg ccacccttca tgctgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgetggtag egcagetaaa getgatatga aagegetget caaageageg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tecagtaget cegttaatee etggtgggat tacttateag 1140
gėtacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtetettaca gegttaacaa ggataaegge tetgtgaetg ttgeegggta tgetteageg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
```

```
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagate 1680
attcagcagg coggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
<210> 61
<211> 1758
<212> DNA
<213> Escherichia coli
<400> 61
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcagg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240
gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcaggccact 300
acagggacta actocgatto tgacctggac tocatocagg acgaaatcaa atotogtott 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420
gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480
aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatetg ttaatggtte ttacaceaca aaagatggta etgtttettt egaaaeggat 900
teageaggta atateaceat eggtggaage caggeataeg tagaegatge aggeaacttg 960
acgactaaca acgetggtag egcagetaaa getgatatga aagegetget caaageageg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtetettaca gegttaacaa ggataacggė tetgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggcactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcggtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagate 1680
atccagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
<210> 62
<211> 1758
<212> DNA
<213> Escherichia coli
```

```
atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
gegetgteeg aaateaacaa caaettacag egtateegtg agetgaeggt teaggettet 300
accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaacgtgat gegttagetg ecaccettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agegaaggta gtgaeggtge etetetgaea tteaatggea etgaatatae tategeaaaa 1080
gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat ttcttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagatt 1680
atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
```

<210> 63

<211> 1758

<212> DNA

<213> Escherichia coli

```
atggcacaag tcattaatac caacagecte teggetgate cteaaaataa tatcaacaag 60 aaccagtetg cgctgtcgag tetatacagg cgtetgtett ctggcttgcg tattaacagg 120 gcgaaaggatg acgccgcagg teagggatt gctaaccgtt ttacttctaa cattaaagge 180 ctgactcagg cggcccgtaa cgccaacgac ggtatttctg ttgcgcagac caccgaaggc 240 gcgctgtccg aaatcaacaa caacttacag cgtattcgtg aactgacggt tcagggcact 300 acagggacta actccgattc tgacctggac tccatccagg acgaaatcaa atctcgtctt 360 gatgaaattg accgcgtatc ggccagacc cagttcaacg gcgtgaacgt gctggcgaaa 420 gacggttcaa tgaaaattca ggttggtgcg aatgacggcg aaaccatcac gatcgacctg 480 aaaaaaatcg attctgatac tctgggtctg aatggcttta acgtaaatgg taaaggtact 540 attaccaaca aagctgcaac ggtaagtgat ttaacctactg ctggcgcaa gttaacacc 600 acgacaggtc ttatgatcc gaaaaccgaa aataccttg taaccacca tgctgcattc 660
```

```
- 52 -
gataaattag ggaatggcga taaagtcaca gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac cactaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetgetg atteagette aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
tcagcaggta atatcaccat eggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct caaagcagcg 1020
agcgaaggta gtgacggtgc ctctctgaca ttcaatggca cagaatatac catcgcaaaa 1080
gcaactcctg cgacaaccac tccagtagct ccgttaatcc ctggtgggat tacttatcag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatca ctaacgttgc cgactataca 1320
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
ctggacgacg caatcagete categacaaa tteegttett eeetgggtge tatecagaac 1560
cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc cgaagcgcag 1620
tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagate 1680
attcagcagg ccggtaactc cgtgctggca aaagctaacc aggtaccgca gcaggttctg 1740
tctctgctgc agggttaa
                                                                  1758
<210> 64
<211> 1758
<212> DNA
<213> Escherichia coli
```

```
atggcacaag tcattaatac caacagcete tegetgatea etcaaaataa tatcaacaag 60
aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac caccgaaggc 240
gcgctgtctg aaatcaacaa caacttacag cgtatccgtg agctgacggt tcaggcttct 300
accggaacta actetgatte ggatetggae tecatteagg acgaaateaa atecegtett 360
gatgaaattg accgcgtatc cggccagacc cagttcaacg gcgtgaacgt actggcaaaa 420
gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
caggetactg atteagetaa aaaaegtgat gegttagetg ceaceettea tgetgatgtg 840
ggtaaatetg ttaatggtte ttacaccaca aaagatggta etgtttettt egaaacggat 900
tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
agegaaggta gtgaeggtge ttetetgaea tteaatggea etgaatatae tategeaaaa 1080
gcaacteetg egacaacete tecagtaget eegttaatee etggtgggat taettateag 1140
gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
```

```
gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
  actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
  ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
  ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
  cgtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
  tecegtatte aggaegeega etatgegaee gaagtgteea acatgtegaa agegeagatt 1680
 atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
 tctctgctgc agggttaa
                                                                    1758
 <210> 65
 <211> 1758
 <212> DNA
 <213> Escherichia coli
 <400> 65
 atggcacaag tcattaatac caacageete tegetgatea etcaaaataa tatcaacaag 60
 aaccagtetg egetgtegag ttetategag egtetgtett etggettgeg tattaacage 120
 gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180
 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240
 gegetgteeg aaateaaeaa caaettaeag egtateegtg agetgaeggt teaggettet 300
 accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360
 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420
 gacggttcga tgaaaattca ggttggtgcg aatgacggtg aaactatcac tatcgacctg 480
 aagaaaatcg attctgatac tctgggtctg aatggtttta acgtaaatgg taaaggtact 540
 attaccaaca aagctgcaac ggtaagtgat ttaacttctg ctggcgcgaa gttaaacacc 600
 acgacaggtc tttatgatct gaaaaccgaa aataccttgt taactaccga tgctgcattc 660
 gataaattag ggaatggcga taaagtcacc gttggcggcg tagattatac ttacaacgct 720
 aaatctggtg attttactac caccaaatct actgctggta cgggtgtaga cgccgcggcg 780
 caggetactg atteagetaa aaaaegtgat gegttagetg ceaecettea tgetgatgtg 840
 ggtaaatctg ttaatggttc ttacaccaca aaagatggta ctgtttcttt cgaaacggat 900
 tcagcaggta atatcaccat cggtggaagc caggcatacg tagacgatgc aggcaacttg 960
 acgactaaca acgctggtag cgcagctaaa gctgatatga aagcgctgct taaagccgcg 1020
 agcgaaggta gtgacggtge etetetgaca ttcaatggca etgaatatae tategcaaaa 1080
 gcaactcctg cgacaacctc tccagtagct ccgttaatcc ctggtgggat ttcttatcag 1140
 gctacagtga gtaaagatgt agtattgagc gaaaccaaag cggctgccgc gacatcttca 1200
 attaccttta attccggtgt actgagcaaa actattgggt ttaccgcggg tgaatccagt 1260
 gatgctgcga agtcttatgt ggatgataaa ggtggtatta ctaacgttgc cgactataca 1320
 gtctcttaca gcgttaacaa ggataacggc tctgtgactg ttgccgggta tgcttcagcg 1380
 actgatacca ataaagatta tgctccagca attggtactg ctgtaaatgt gaactccgcg 1440
 ggtaaaatca ctactgagac taccagtgct ggttctgcaa cgaccaaccc gcttgctgcc 1500
 ctggacgacg ctatcagctc catcgacaaa ttccgttctt ccctgggtgc tatccagaac 1560
gtctggatt ccgcagtcac caacctgaac aacaccacta ccaacctgtc tgaagcgcag 1620
 tecegtatte aggacgeega etatgegace gaagtgteea acatgtegaa agegeagatt 1680
 atccagcagg ccggtaactc cgtgctggca aaagccaacc aggtaccgca gcaggttctg 1740
 tctctgctgc agggttaa
                                                                    1758
```

<210> 66

<211> 1788

<400> 66

- 54 -

<212> DNA <213> Escherichia coli

atggcacaag tcattaatac caacagcctc tcgctgatca ctcaaaataa tatcaacaag 60 aaccagtotg cgctgtcgag ttctatcgag cgtctgtctt ctggcttgcg tattaacagc 120 gcgaaggatg acgccgcggg tcaggcgatt gctaaccgtt ttacttctaa cattaaaggc 180 ctgactcagg ctgcacgtaa cgccaacgac ggtatttctg ttgcacagac cactgaaggc 240 gegetgteeg aaateaacaa caacttacag egtateegtg agetgaeggt teaggettet 300 accgggacta actctgattc ggatctggac tccattcagg acgaaatcaa atcccgtctc 360 gacgaaattg accgcgtatc cggtcagacc cagttcaacg gcgtgaacgt actggcaaaa 420 gacggttcga tgaaaattca ggtaggtgcg aacgacggcc agactatcac tattgatctg 480 aagaaaattg actctgatac gctggggctg aatggtttta acgtgaatgg ttccggtacg 540 atagecaata aageggegae cattagegae etgaeageag egaaaatgga tgetgeaact 600 aatactataa ctacaacaaa taatgcgctg actgcatcaa aggcccttga tcaactgaaa 660 gatggtgaca ctgttactat caaagcagat gcagctcaaa ctgccacggt ctatacatac 720 aatgcatctg ctggtaactt ctcattcagt aatgtatcga ataatacttc agcaaaagca 780 ggtgatgtag cagctagcct tctcccgccg gctgggcaaa ctgctagtgg tgtttacaaa 840 gcagcaagcg gtgaagtgaa ctttgatgtt gatgcgaatg gtaaaattac aatcggagga 900 caggaageet atttaactag tgatggtaac ttaactacaa acgatgetgg tggtgegact 960 gcggctacgc ttgatggttt attcaagaaa gctggtgatg gtcaatcaat cgggtttaat 1020 aagactgcat cagtcacgat ggggggaaca acttataact ttaaaacggg tgctgatgct 1080 ggtgctgcaa ctgctaacgc aggggtatcg ttcactgata cagctagcaa agaaaccgtt 1140 ttaaataaag tggctacagc taaacaaggc acagcagttg cagctaacgg tgatacatcc 1200 gcaacaatta cctataaatc tggcgttcag acgtatcagg cggtatttgc cgcaggtgac 1260 ggtactgcta gcgcaaaata tgccgataat actgacgttt ctaatgcaac agcaacatac 1320 acagatgetg atggtgaaat gactacaatt ggttcataca ccacgaagta ttcaatcgat 1380 gctaacaacg gcaaggtaac tgttgattct ggaactggtt cgggtaaata tgcgccgaaa 1440 gtcggggctg aagtatatgt tagtgctaat ggtactttaa caacagatgc aactagcgaa 1500 ggcacagtaa caaaagatcc actgaaagct ctggatgaag ctatcagctc catcgacaaa 1560 ttccgttcat ccctgggggc tatccaaaac cgtttggatt ccgccgtcac caacctgaac 1620 aacaccacta ccaacctgte tgaagegeag teeegtatte aggaegeega etatgegaee 1680 gaagtgtcca acatgtcgaa agcgcagatt atccagcagg ccggtaactc cgtgctggca 1740 aaagccaacc aggtaccgca gcaggttctg tctctactgc agggttaa 1788

<210> 67 <211> 1398 <212> DNA <213> Escherichia coli

<400> 67

aacaaatete agtettete tagetetget attgagegte tgtettetgg tetgegtatt 60 aacagegeaa aagaegatge ageaggteag gegattgeta acegttttae ggeaaatatt 120 aaaggtetga eccaggette ecgtaacgea aatgatggta tttetgttge geagaecaet 180 gaaggtgege tgaatgaaat taacaacaac etgeagegta ttegtgaact ttetgtteag 240 geaactaacg gtaetaacte tgacagtgae etgaecteca tecagteega aatecageag 300 egtetgagtg aaattgaeeg tgttetggt eagaeteagt ttaaeggegt taaagtgetg 360 gettetgate aggatatgae tatteaggtt ggtgeaaaeg aeggegaaac aattaetatt 420

8118::

3

11 m

WO 99/61458 PCT/AU99/00385

```
aaactgcagg aaattaattc cgacacactg ggattatctg gttttggtat taaagatcct 480
actaaattaa aagccgcaac ggctgaaaca acctattttg gatcgacagt taagcttgct 540
gacgctaata cacttgatgc agatattaca gctacagtta aaggcactac gactccgggc 600
caacgtgacg gtaatattat gtctgatgct aacggtaagt tgtacgttaa agttgccggt 660
tcagataaac ccgctgaaaa tggttattat gaagttactg tggaggatga tccgacatct 720
cctgatgcag gtaagctgaa gctgggggct ctagcgggta cccagcctca agctggtaat 780
ttaaaggaag tcacaacggt gaaagggaag ggggctattg atgttcagtt gggtactgat 840
accgcaaccg cttctatcac aggtgcaaaa ctctttaagt tagaagacgc caatggcaaa 900
gatactggtt catttgcgtt gattggtgat gacggtaaac agtatgcagc gaatgttgat 960
cagaaaacag gagcagtttc cgttaaaaca atgtcttaca ctgatgctga cggtgtcaaa 1020
cacgacaatg ttaaagttga actgggtgga agcgatggca aaaccgaagt tgtaactgca 1080
accgatggca aaacttacag tgttagtgat ttacaaggta agagcctgaa aactgattct 1140
attgcagcaa tttctacgca gaaaacagaa gatcctttgg ctgctatcga taaagcactg 1200
teteaggttg actegttgeg ttetaaceta ggtgeaatte aaaategttt egactetgee 1260
atcaccaacc ttggcaacac cgtaaacaac ctgtcttctg cccgtagccg tatcgaagat 1320
gctgactacg cgaccgaagt gtctaacatg tctcgtgcgc agatcctgca acaagcgggt 1380
acctctgttc tggcgcag
                                                                  1398
```

<210> 68 <211> 1479 <212> DNA <213> Escherichia coli

<400> 68

aacaaatctc agtcttctct gagctccgcc attgaacgtc tctcttctgg cctgcgtatt 60 aacagtgcta aagatgacgc agcaggtcag gcgattgcta accgttttac agcaaatatt 120 aaaggtetga eteaggette eegtaacgeg aatgatggta tttetgttge geagaceaet 180 gaaggtgege tttetgaaat caacaataac ttacagegta ttegtgaatt gteagtacag 240 gccactaatg gtacaaactc tgactccgac ctgaattcaa ttcaggatga aattacacaa 300 cgccttagtg aaattgatcg tgtttctaac cagacacaat ttaatggtgt aaaagttctg 360 gettetgate agactatgaa aatteaagta ggtgegaaeg atggtgaaae eattgagatt 420 gcccttgata aaattgatgc taaaaccttg gggcttgata actttagcgt agcaccagga 480 aaagtteeaa tgteetetge ggttgeactt aagagegaag eegeteetga ettaactaag 540 gtaaatgcaa ctgatggtag tgtgggaggt gctaaagcat tcggtagcaa ttataaaaat 600 gctgatgttg aaacttattt tggtaccggt aatgtacaag atacaaagga tacaactgat 660 gcgaccggta ctgcaggaac aaaagtttat caagtacagg tggaagggca gacttatttt 720 gttggtcaag ataataatac caacacgaac ggttttacat tattgaaaca aaactctaca 780 ggttatgaaa aagttcaggt gggtggtaag gatgttcagt tagcaaactt tggtggtcgt 840 gtaactgcat ttgttgaaga taatggttct gccacatcag ttgatttagc tgcgggtaaa 900 atgggtaaag cattagctta taatgatgca ccaatgtctg tttattttgg gggaaaaaac 960 ctagatgtcc accaagtaca agatacccaa gggaatcctg tacctaattc atttgctgct 1020 aaaacatcag acggcaccta cattgcagta aatgtagatg ccgctacagg taacacgtct 1080 gttattactg atcctaatgg taaggcagtt gaatgggcag taaaaaatga tggttctgca 1140 Caggicaatta tgcgtgaaga tgataaggtt tatacagcca atatcacgaa taagacggca 1200 accaaaggtg ctgaactcag tgcctcagat ttgaaagcct tagcaaccac aaatccatta 1260 tecacattag acgaagettt ggcaaaagtt gataagttgc gcagttettt gggtgcagta 1320 caaaaccgtt tcgactctgc catcaccaac cttggcaaca ccgtaaacaa cctgtcttct 1380 gecegtagee gtatagaaga tgetgaetae geaacegaag tgtetaaeat gtetegtgeg 1440

1479

cagatectge aacaageggg tacetetgtt etggcacag

United States Patent & Trademark Office

Office of Initial Patent Examination - Scanning Division



Application deficiencies found during scanning:

Page(s) 63/96 of Dyawings were not present for scanning. (Document title)

Page(s) $\frac{7}{7}$ of Sequences were not present for scanning. (Document title)

Scanned copy is best available.